


EHEIM

Innovative aquarium technology

Trade catalogue 2025/26

Product range

Aquariums | Filters | Filter media
Pumps | Accessories



EHEIM – Made in Germany.

High quality, sustainability, reliability, and innovation shape the image of the EHEIM brand internationally.

EHEIM is one of the world's leading suppliers of aquarium technology, aquariums, equipment, and accessories as well as pond products. It represents the concept "Made in Germany", a shorthand for quality.

In fact, around 80% of all EHEIM products are developed and manufactured entirely in Germany. Only a small part comes from other EU countries

but all parts of EHEIM products are meticulously tested and monitored down to the last detail in Germany. EHEIM guarantees the best materials, flawless workmanship, and the highest level of precision. The product guarantee is usually valid for 2 to 3 years. There is also a delivery guarantee for spare parts of 10 years from the date of purchase. And don't forget EHEIM's social commitment "Made with inclusion": Ensuring EHEIM aquarium furniture is manufactured in workshops for people with disabilities in Germany.

EHEIM 
DIGITAL



Brilliant design.
Premium quality.
Smartly connected.





Your aquarium – smart controlled.

Our EHEIM Digital Family products enable smart networking of your aquarium. Whether you need lighting, filtration or climate control, EHEIM Digital offers you everything you need for convenient control and monitoring.

But not only that – The EHEIM Digital Family products communicate with each other, and can be synchronized and coordinated to achieve full control to achieve optimal results in your aquatic environment. With our EHEIM Digital Family products, you can conveniently control your lighting via your computer, tablet, or smartphone, as well as create individual lighting scenarios and share them with others. As a product of the EHEIM Digital

Family, your filter is also enabled for smart control of the flow rate or alternating flow, among other things.

Through networking and dynamic controls, you can achieve full control over your aquarium, and create your ideal image of nature – with dynamic lighting, changing flow rates, temperature adjustment and much more.

Whether it's the pH value, CO2 supply, climate or even feeding rate – with EHEIM Digital you leave nothing to chance.

Find out how you benefit from the smart features of the EHEIM Digital Family when you visit us at www.eheim.com!



EHEIM
CONNECT

Aquarium management: simple, customised and future-proof



NEW
Product
EHEIM

EHEIM Digital Connect App.

With the EHEIM Digital Connect App you can take your aquarium management to a completely new level.

All devices in the EHEIM Digital family can now be controlled and networked via app. This allows you to easily organise, regulate and monitor the functions in your aquarium via smartphone or tablet.

The EHEIM Digital family consists of external filtration, LED lighting, heating and water cooling, CO2 and pH control, automatic feeding and UV Sterilisation

which all devices can be configured individually, customised to your needs and linked together.

The app is not only compatible with all current devices in the EHEIM Digital family, but also with future devices. Simple software updates keep you up to date at all times.

Download the EHEIM Digital Connect app to experience modern aquarium management - simple, customised and future-proof (Android: Google Play Store; iOS: Apple App Store).





Superior technologies
Aesthetic-functional design
Sustainable solutions.

AQUARIUMS 10


Aquarium sets	aquastar 54 LED	14
	aquastar 63 marine	15
	aquaproLED	16
	aquaclass	17
Furniture Kits	aquacab NEW	20
	classcab	21
Glass tanks	Glass aquariums	24
	Aquarium cover	24
	clearTank	25

COMBINATIONS 26

Fresh water	incpiria	30
	incpiria duo	34
	incpiria pure	35
	proxima NEW	36
	proximaTEC	39
	proxima scape	40
	proxima fauna	41
	clearscape	42
	vivalineLED NEW	46
Marine water	incpiria marine	54
	incpiria reef	56

FILTERS 58

Internal filters	aquaball	62	
	biopower	64	
	aqua	66	
	aquaCorner	67	
	powerLine	68	
	pickup	69	
	miniUP	70	
	miniFLAT	71	
	External filters	classic	74
		classicVARIO+e 250 NEW	75
ecco pro		80	
eXperience		82	
professional 3		84	
professional 4 NEW		86	
professional 4+		88	
professional 5e NEW	90		
Hang-on filters	LiBERTY	94	
UV-sterilizer	reflexUV	98	
	reflexUV+e	99	
Accessories	Filter media NEW	102	
	Prefilter	110	
	air filter	110	
	EHEIM accessories for external canister filters	112	



basic line
Best quality
at fair prices.



economic line
Sustainable alternatives
with consistent performance.



professional line
Highest quality for
absolute reliability.



EHEIM Digital
Your aquarium – smart
controlled.

LIGHTING

114

LED lighting		classicLED	118
		powerLED+	120
		powerRGB	124
Lighting control		classicLEDcontrol+e	128
		LEDcontrol+e	129
		RGBcontrol+e	130

PUMPS

132

Delivery pumps		compactON	136
		universal	138
Streaming pumps		streamON+	140
Flow simulator		streamcontrol	141
Air pumps		air	142
Automatic refill		waterrefill	143

SKIMMER

144

Protein skimmer		skimmarine 100/300	148
		skimmarine 600	149

HEATING & COOLING

150

Aquarium heater		thermopreset	154
		thermocontrol	155
		thermocontrol e	156
		thermocontrol+e	158
Climate control device		climacontrol+	162
		aquaAlert+e	NEW 164

CO₂

166

CO ₂ SETs		CO ₂ SET with bottle	170
		CO ₂ SET with bottle incl. night shut-off	171
		CO ₂ SET without bottle	172
		CO ₂ SET without bottle incl. night shut-off	173
CO ₂ control		pHcontrol+e	173
Accessories		CO ₂ bottles	180
		CO ₂ pressure reducer	181
		CO ₂ magnetic valve	NEW 182
		CO ₂ hose	182
		CO ₂ diffuser	183



More and more people are turning to fish keeping these days. In Germany alone, 85 million fish are swimming around in 3 million aquariums.

There are many reasons why people love aquariums. The bold and fascinating colours of an underwater world help you get lost in a calm and relaxing environment and, for the adults, it makes a statement in a home. Children love aquariums because it brings them a little closer to nature. If you look closely, aquarium life is exciting – a lot is happening in there.

CLEANING & MAINTENANCE 184

Surface skimmer & gravel cleaner	 skim350	188
	 Quick Vac pro	189
Accessories	 rapidCleaner	190
	 MultiBox	191
	 Gravel Cleaner Set	192
	 Gravel cleaner	192
	 Plant tongs	193
	 Maintenance spray	193
	Cleaning brushes	194
	Fish nets	194
Thermometer	194	

FEEDING 196

Automatic fish feeder	 autofeeder	200
	 TWINfeeder	201
	 autofeeder+	202
Accessories	feedingSTATION	204

INSTALLATION 206

InstallationsSETs	InstallationsSET 1	208
	InstallationsSET 2	208
Hoses	Air line	210
	Hose anthracite	210
	Hose green	210
Accessories	Flowpipe	211
	Double tap	211
	Undergravel filter	211
	Diffuser	211
	Quick Release Tap	211
	Wide-jet pipe and outlet pipe	211

SERVICE 212

Technical data	Filter	214
	Pumps	216
	Aquariums	218
	Recommended filters	219
	Sales support (POS)	Brochures
	Technical support	221
shopDesign	EHEIM shopDesign	222



EHEIM DIGITAL

Filters	classicVARIO+e 250	NEW	76
	professionel5e	NEW	90
	reeflexUV+e		99
Lighting control	classicLEDcontrol+e		128
	LEDcontrol+e		129
	RGBcontrol+e		130
Heating & Cooling	thermocontrol+e		158
	climacontrol+		162
	aquaAlert+e	NEW	164
CO₂	pHcontrol+e		173
Feeding	autofeeder+		202

EHEIM DIGITAL FAMILY PRODUCTS

Connect your EHEIM Digital Family products!



Aquariums

Highest quality combined with good design, simple convenience and reliable safety.

Decades of experience in the production of aquariums and aquarium furniture, forward-looking innovations and a wide product range make EHEIM one of the outstanding brands in the aquatics world. Quality made by EHEIM.

- High quality float glass, flaw free with diamond cut edges
- Extra thick glass with secure joints to withstand high water pressure
- Hidden crosspiece strengthens the upper area; the full volume of the aquarium can be utilised
- Bottom trims and aquarium hoods are manufactured using the new EHEIM thermo-bonding process; a further technical innovation
- Hermetic sealing and precise production according to ISO standard and DIN 32622 guarantees the highest security
- VARILUX cover with sliding LED lighting, genuine aluminium surface and sliding covers for easy access to the aquarium
- Specially adapted lighting concept
- Customised Tech Packs, furniture and Starter Sets complete the range





Aquariums

Aquarium sets

High levels of comfort.
First-class technology.
All inclusive.



EHEIM
aquastar 54 LED
Page 14



EHEIM
aquastar 63 marine
Page 15





EHEIM
aquaproLED
Page 16

EHEIM
aquaclass
Page 17



aquastar 54 LED

The ideal solution for beginners.

EHEIM aquastar 54 LED is the optimal aquarium set for beginners. This aquarium comes with energy saving LED lighting and an array of other features. Complete with filter, heater, thermometer and all connections. Can be combined with the "aquacab 54" stand (page 18).




 all inclusive


 54 l
 14 US gal


 freshwater

3
 year
 guarantee
 EHEIM

Technical data aquastar 54 LED



black

white



aquastar 54 LED
fresh water

Extras
aquastar 54 LED



Technical data

Volume approx. l	54
Tank WxHxD inch	23.6x11.8x11.8
Glass thickness inch	0,2
Lighting classicLED W	1x7,7 daylight*
Weight kg	9
Art. No. black (Europe)	0340645
Art. No. black (UK)	0340647
Art. No. white (Europe)	0340646
Art. No. white (UK)	0340648

Equipment

EHEIM internal filter	2008
EHEIM heater	50 W thermocontrol
Thermometer	•
Fish net	
Bottom trim	•





aquastar 63 marine*

The ideal solution for beginners.

EHEIM aquastar 63 marine – With EHEIM aquastar 63 marine you have our best small complete set including additional advantages, which is perfect for someone starting the hobby. Can be combined with the “aquacab 54” stand (page 18).

*as long as stocks last



Technical data aquastar 63 marine



Technical data

	aquastar 63 marine marine water
Volume approx. l	63
Tank WxHxD inch	23.6x13.8x11.8
Glass thickness inch	0.2
Lighting classicLED W	2x7,7 hybrid**
Weight kg	14
Art. No. black (Europe)	0340701
Art. No. black (UK)	0340703
Art. No. white (Europe)	0340702
Art. No. white (UK)	0340704

Equipment

EHEIM internal filter/pump	2204/3701/1180/3551
EHEIM heater	
Thermometer	•
Fish net	
Bottom trim	•

Extras aquastar 63 marine



aquaproLED

Low power consumption combined with high performance.

Professional aquarium set

Complete professional sets for beginners. As well as energy saving LED lighting, a filter, heater and thermometer are also included for perfect coordination. Extra large tank volume. Can be combined with „aquacab“ (aquaproLED 84/126/180) page 18 and cabinet „vivalineLED“ (aquaproLED 180) page 44.



The cover can be completely removed for care and maintenance work: LED lamp remains in the aquarium and can be easily moved.

Opening (with lid) for food; suitable for feeding station and for use of automatic feeder (EHEIM autofeeder)




 all inclusive


 84-180 l
 22-48 US gal


 freshwater

3
 year
 guarantee
 EHEIM

Technical data aquaproLED



Technical data

aquapro 84 LED fresh water

aquapro 126 LED fresh water

aquapro 180 LED fresh water

Volume approx. l	84	126	180
Tank WxHxD inch	23.6x15.7x13.8	31.5x17.7x13.8	39.4x17.7x15.7
Glass thickness inch	0.2	0.2/0.3	0.2/0.3
Lighting classicLED W	1x7,7 daylight*	1x10,6 daylight*	1x13,4 daylight*
Weight kg	16	23,8	31
Art. No. black (Europe)	0340698	0340898	0341098
Art. No. black (UK)	0340697	0340895	0341095
Art. No. white (Europe)	0340699	0340899	0341099
Art. No. white (UK)	0340700	0340896	0341096

*This product contains a light source of efficiency class F

Equipment

EHEIM internal filter/pump	2402	2402	2403
EHEIM heater	75 W thermocontrol	100 W thermocontrol	150 W thermocontrol
Thermometer	•	•	•
Fish net	•	•	•
Bottom trim	•	•	•



aqua**class**

The EHEIM aquaclass gives you a high-quality starter aquarium complete with first-class technology.

Like all complete EHEIM sets, the aquaclass offers you everything you need for a starter aquarium, letting you get “up and running“ with your aquarium immediately. The aquaclass means a class-above: excellent workmanship (e.g., diamond-cut, polished glass edges), high-quality technology (corner filter, heater, thermometer) and LED lighting. The major innovation is the design of the cover. On the cover, you can switch the LED on and off and dim it using a touchpad. There is even ambient lighting that shimmers through a light strip and an integrated night light. Other advantages include a feed opening with lid in the cover (suitable for automatic feeders) and an included base frame.




all inclusive


30-66 l
8-17 US gal


touch


dimmable


ambient light


freshwater

3
year
guarantee
EHEIM

Technical data aqua**class**



optional
EHEIM classcab
Page 19

Technical data

	aqua class 30 fresh water	aqua class 66 fresh water
Volume approx. l	30	66
Tank WxHxD inch	16.3x11x10	23.9x13.8x12.2
Glass thickness inch	0.2	0.2
Lighting LED W	1x4,9	1x11
Art. No. anthracite (Europe)	0340709	0340710
Art. No. anthracite (UK)	0340712	0340713
Art. No. white (Europe)	0340714	0340715
Art. No. white (UK)	0340718	0340719

Equipment

	aqua 60	aqua 160
EHEIM internal filter/pump	thermopreset 50	thermopreset 100
EHEIM heater	•	•
Thermometer	•	•
Fish net	•	•
Bottom trim	•	•



Aquariums

Furniture Kits



EHEIM aquastar54 LED | aquacab 54

EHEIM
aquacab
Page 20

**Precise manufacture.
Easy assembly.
Perfect stability.**





EHEIM
classcab
Page 21





aquacab

Suitable for starter sets.
Value for money and easy to assemble.

EHEIM aquacab – the perfect furniture kit for EHEIM complete sets.

- Ideally suited for EHEIM aquastar54 LED complete sets, aquastar 63 marine, aquaproLED 84
- Pleasant viewing height of 85 centimeters
- Reasonable price and easy to assemble
- Additional storage space for your aquarium accessories



Technical data aquacab



Technical data

	aquacab 54	aquacab 84	aquacab 126*
Dimensions WxD inch	24x12.2	24x14.2	31.9x14.2
Height inch	33.5	33.5	33.5
Weight kg	14	14,5	20
Art. No. black (Europe)	0220639	0220649	0220839
EAN 4010251	133019	133033	133057
Art. No. white (Europe)	0220633	0220643	0220833
EAN 4010251	133002	133026	133040

Suitable for set

aquastar 54 LED/63 marine	•		
aquaproLED 84		•	
aquaproLED 126			•
	MB vivalineLED126	MB vivalineLED126	MB vivalineLED126
aquaproLED 180		MB vivalineLED180	

*as long as stocks last



classcab



EHEIM classcab is the ideal cabinet for your EHEIM aquaclass aquarium set. Easy to mount, with precise fitting dimensions. Practical, modern, and stable.

- Optimally matched to the dimensions of the aquaclass 66 and aquaclass 30 aquarium sets and can be used for both models
- Modular, attachable additional plate for aquaclass 30
- Handleless doors with dampened „push to open“ door hinge technology
- Plenty of space for aquarium accessories
- The height of 39.8 inches offers a pleasant view into the aquarium
- The surface in modern wood look (legno) works in harmony with both aquaclass in white and black
- The design blends inconspicuously into the living/work space
- High quality, best workmanship, strong and stable construction



Technical data classcab



Technical data

Dimensions WxD inch	24.4x12.8
Height inch	39.8
Art. Nr. (Europe)	0220361
EAN 4010251	148211

Suitable for set

aquaclass 30	•
aquaclass 66	•

Aquariums

Glass tanks



EHEIM proxima scape (clearTank)

EHEIM
Glass aquariums
Page 24

**A crystal-clear
view of your
underwater
world.**





EHEIM
Aquarium cover
Page 24

EHEIM
clearTank
Page 25



Glass aquariums

Tanks and covers for customised solutions.


Whether used as a breeding tank, as an individual tank in a home environment, in combination with our furniture kits or as a complete set – you can be certain of one thing: with our glass tanks you have made the right choice. Because high quality, strong glass, the best of workmanship and additional strengtheners ensure complete safety.

EHEIM glass aquariums are available in a wide range of sizes.

EHEIM Guarantee of quality:

3 years' guarantee with the silicone sealing on all aquariums.

All aquariums comply with DIN standards and, depending on the size, come in various versions including strengthened front glass panes, glass struts ① or additional strengthening bars ②



Technical data Tanks & covers

Technical Data	Volume litre	Weight kg	Glass inch	Art. No.	EAN 4010251	Dim. inch WxHxD
GB 30 Breeder tank	12	2,8	0.2	0330300	074121	11.8x7.9x7.9
GB 40 Breeder tank	25	4,2	0.2	0330400	074138	15.7x9.8x9.8
GB 60 Tank for set aquastar, MB aquacab 54	54	7,4	0.2	0330604	114049	23.6x11.8x11.8
GB 60XL Tank for aquapro, MB aquacab 84	84	12,5	0.2	0330612	096437	23.6x15.7x13.8
GB 61 Tank for set aquastar marine, MB aquacab 54	63	10,3	0.2	0330613	117729	23.6x13.8x11.8
GB 82 Tank for set aquapro, vivalineLED and MB aquacab 126	126	19,2	0.2/0.3	0330820	089194	31.5x17.7x13.8
GB 105 Tank for set aquapro, vivalineLED	180	22,6	0.2/0.3	0331045	116821	39.4x17.7x15.7
GB 123 Tank for vivalineLED	240	47	0.3/0.4	0331230	131558	47.2x19.7x15.7
GB proxima 175	175	29,5	0.3	0330750	122600	27.6x19.7x19.7
GB proxima 250	250	43	0.3/0.4	0331031	122617	39.4x19.7x19.7
GB proxima 325	325	71	0.5	0331310	122471	51.2x19.7x19.7

Aquarium cover

VA variluxLED 80 LED* black	1x10,6W classicLED daylight	0540858	137239	32.1x3.3x14.4
VA variluxLED 80 LED* white **	1x10,6W classicLED daylight	0540853	137246	32.1x3.3x14.4
VA variluxLED 100 LED* black	1x13,4W classicLED daylight	0541058	137253	39.8x3.3x16.3
VA variluxLED 100 LED* white **	1x13,4W classicLED daylight	0541053	137260	39.8x3.3x16.3
VA variluxLED 120 LED* black	1x16,3W classicLED daylight	0541258	137277	47.8x3.3x16.3
VA variluxLED 120 LED* white **	1x16,3W classicLED daylight	0541253	137505	47.8x3.3x16.3

*This product contains a light source of efficiency class F

**as long as stocks last

clearTank

Transparency in its purest form.


With the EHEIM clearTank you can enjoy the unobscured, naturally vibrant colours in the aquarium.

If you enjoy creating fascinating underwater landscapes then the EHEIM clearTank is the perfect aquarium for you. Instead of the usual float glass, the panes are made of high-quality, pure white glass. The white glass is absolutely clear and, with the addition of transparent silicone, offers a natural view of the shapes and colours in your aquarium.



Advantages of EHEIM clearTank

- Open aquarium without cover and lighting
- Tanks with 73, 175, 200 and 300 litres volume
- Ideal for creating underwater landscapes (aquascaping)
- Purest white glass for clear, unobscured transparency
- No inconvenient struts in the aquarium
- Diamond cut and high gloss polished edges
- Aquarium sealed with transparent silicone
- High quality, invisible seams
- Lighting, filter technology, heaters etc. are available from EHEIM's extensive product range
- Also available as an aquarium combination – EHEIM proxima scape (tank volume 175 l) / EHEIM clearscape




Technical data clearTank

Technical Data	clearTank 73	clearTank 175	clearTank 200	clearTank 300
Glass inch	0.2	0.3	0.4	0.4
Dim. WxHxD inch	23.6x13.8x13.8	28x19.7x20.1	35.4x17.7x19.7	47.2x19.7x19.7
Art. No.	0330615	0330710	0330900	0331205
EAN	4010251146125	4010251146132	4010251146149	4010251146156



White glass



transparent silicone



For information on
proxima scape see page 40
clearscape see page 42


Combinations

Top design and technology.

With an EHEIM aquarium you are choosing unadulterated joy.

Our aquarium tanks are made from extra thick, distortion free float glass without annoying frames and cross pieces. Diamond cut, mirror welded edges, hermetic sealing and hidden cross braces guarantee optimum safety. And with a wide choice of aquarium and cabinet designs to mix and match from, they provides a wealth of possibilities for all tastes and every type of living environment.





Combinations

Fresh water

EHEIM fresh water aquariums offer the best in visual effects, safety and ease of use.



EHEIM clearscape 200

EHEIM
incpiria
Page 30

EHEIM
incpiria duo
Page 34

EHEIM
incpiria pure
Page 35

EHEIM
proxima & proximaTEC
Page 36





EHEIM
proxima scape
 Page 40

EHEIM
proxima fauna
 Page 41

EHEIM
clearscape
 Page 42

EHEIM
vivalineLED
 Page 46



EHEIM incpiria. Stunningly beautiful and technically perfect.



EHEIM incpiria 430 rustic oak

incpiria

EHEIM incpiria – the aquarium combination with an avant-garde design.

If you enjoy classical modern furniture, then the incpiria's clean lines – with a deliberate absence of decorative accessories and a choice of high gloss (rustic oak, alpine and graphite) or modern wooden cabinets, characterize its subtle chic.

Unobtrusive water return to the external filter through a hole in the base at the back of the aquarium.

Convenient sliding cover made of high-quality black glass.





EHEIM incpiriaRGB
Atmospheric LED lighting in the cabinet
with digital control via WLAN.

Now including RGBcontrol+e for control
Millions of colours to choose from
Page 130



incipiria

Pre-assembled

Top design and technology.

- All aquariums 23.6 inches deep
- LED-lighting – 1x powerLED+ daylight; 1x powerLED+ plants
- Integrated supply shaft (black glass) to hide hoses and power cables
- Water outflow individually configured by using the „InstallationsSet 2“ (included) - (set can be mounted at the front to achieve better flow)
- Unobtrusive water return to the external filter through a hole in the base at the back of the aquarium
- Cabinets available with high-gloss finish (rustic oak, alpine and graphite) or with (pleasantly textured) wooden front
- Fully assembled cabinet



EHEIM extensionSET
f. bottom drain
Art. 7675380 (EU)

Recommended EHEIM technology
Page 219



Technical data incipiria



incipiria 230



incipiria 330

Technical data

Volume approx. l	230		330			
Tank dim. WxHxD inch	27.6x26.6x23.6		39.4x26.6x23.6			
Complete dim. WxHxD inch	27.6x56.7x23.6		39.4x56.7x23.6			
Glass thickness inch	0.3		0.4			
Lighting powerLED+ W	1x17,4 daylight* 1x19,9 plants**		1x26,1 daylight* 1x29,8 plants**			
Weight kg	99		139			
Dim. compartment WxD inch	5.7x3.9		5.7x3.9			
Bottom hole compartment Ø	1x2.2 inches		1x2.2 inches			
Bottom hole return pipe Ø	1x1.1 inches		1x1.1 inches			
Decor	alpin	graphit	alpin	graphit		
Art. No. (Europe)	0692113	0692119	0693113	0693119		
Art. No. (UK)	0692123	0692129	0693123	0693129		
	alpin nature	graphit-nature	graphit rustic oak	alpin nature	graphit nature	graphit rustic oak
Art. No. (Europe)	0692111	0692118	0692117	0693111	0693118	0693117
Art. No. (UK)	0692121	0692128	0692127	0693121	0693128	0693127



Shaft positioned in the corner – for more space for design and decoration of your underwater world.



as long as stocks last

EHEIM rear wall kit - to use your incipiria as a partition.

Description	Decors	Art. No.	EAN 4010251
EHEIM rear wall kit for incipiria 330	alpin	0712313	144633
EHEIM rear wall kit for incipiria 330	graphit	0712314	144640
EHEIM rear wall kit for incipiria 430	alpin	0712315	144657
EHEIM rear wall wall kit for incipiria 430	graphit	0712316	144664
EHEIM rear wall kit for incipiria 530	alpin	0712317	144671
EHEIM rear wall kit for incipiria 530	graphit	0712318	144688

Lighting extension for incipiria 530

Consisting of powerLED+ in the respective light colour, separate powerLED+ power supply for operation required.

Art. No. EU powerLED+
 0585116 fresh daylight
 0585117 fresh plants



incipiria lighting
 powerLED+ fresh daylight*



powerLED+ fresh plants*



EHEIM incipiria 530

Designed for the operation of external filters with 2 x suction sides through 2 bottom holes. (professional 3 1200XL/1200XLT)

EHEIM incipiria 630

Designed for the operation of two external filters with 2 x suction sides each through 4 bottom holes. (professional 3 1200XL/1200XLT)



incipiria 430



incipiria 530



incipiria 630

430			530			630		
51.2x26.6x23.6			63x26.6x23.6			78.7x25.6x23.6		
51.2x56.7x23.6			63x56.7x23.6			78.7x56.7x23.6		
0.5			0.5			0.5		
1x34,8 daylight*			1x43,5 daylight*			2x26,1 daylight*		
1x39,7 plants**			1x49,7 plants**			2x29,8 plants**		
190			226			286		
5.7x3.9			5.7x3.9			5.7x3.9		
1x2.2 inches			1x2.2 inches			2x2.2 inches		
1x1.1 inches			2x1.1 inches			4x1.1 inches		
alpin	graphit		alpin	graphit		alpin		
0694113	0694119		0695113	0695119		0696113		
0694123	0694129		0695123	0695129		0696133		
alpin nature	graphit nature	graphit rustic oak	alpin nature	graphit nature	graphit rustic oak	alpin		
0694111	0694118	0694117	0695111	0695118	0695117	0696113		
0694121	0694128	0694127	0695121	0695128	0695127	0696133		

**This product contains a light source of efficiency class F. This light source has a photosynthetic efficacy > 1,2 μmol/J and is intended for aquatic plants.

incipiria duo



With the EHEIM incipiria duo you have a beautiful showpiece or divider for your living space.

- Aquarium with 430 litre volume made of white glass
- Convenient sliding cover made of high-quality black glass
- LED-lighting – 2x powerLED+ plants
- Integrated supply shaft (black glass) positioned at the front in the centre: provides for hidden hoses and power cables; also for more space for creating the underwater landscape Water outflow can be individually configured using „InstallationSet 2“
- Inconspicuous water return to the external filter through bottom hole
- Cabinet with high-gloss surface (white alpine)
- 2x atmospheric LED decorative lighting (light strips) on the cabinet (EHEIM incipiriaRGB)
- Cabinet comes fully assembled
- Front and back design the same; cabinet doors open only on the front Position of the sides selectable by placement of the cabinet.
- Ideal as a room divider or separator



Technical data incipiria duo



Technical data

Volume approx. l	430
Tank dim. WxHxD inch	51.2x25.6x23.6
Complete dim. WxHxD inch	51.2x56.7x23.6
Glass thickness inch	0.5
Lighting powerLED+ W	2x 39,7 plants*
Weight kg	190
Dim. compartment WxD inch	5.7x3.9
Bottom hole compartment Ø	2.2 inches
Bottom hole return pipe Ø	1 x 1.1 inches
Bottom hole with connection pipe Ø mm	16/22
Colour	alpin
Art. No. (Europe)	0694143
Art. No. (UK)	0694153



incipiria duo 430



EHEIM extensionSET
f. bottom drain
Art. 7675380 (EU)



EHEIM powerLED+
fresh plants

*This product contains a light source of efficiency class F. This light source has a photosynthetic efficacy > 1,2 µmol/J and is intended for aquatic plants.




inciriapure

EHEIM inciriapure - Freshwater combination specifically designed with the purest white glass.



Advantages of the EHEIM inciriapure aquarium combination

- Aquarium 530l
- Aquariums 60cm deep (deeper than before – ideal for aquascaping)
- Purest white glass with diamond-cut and high-gloss polished edges for crystal-clear vision
- Convenient sliding cover made of high-quality black glass
- LED-lighting – 1x powerLED+ daylight; 1x powerLED+ plants
- Integrated supply shaft (black glass) to hide hoses and power cables
- Shaft positioned in the corner so that it does not interfere with the set-up and provides even more space for your design
- Water outflow individually configured by using the „InstallationsSet 2“ (included) (set can be mounted at the front to achieve better flow)
- Unobtrusive water return to the external filter through a hole in the base at the back of the aquarium
- Atmospheric LED lighting in the cabinet with digital control via WLAN - millions of colors to choose from thanks to the included EHEIM RGBcontrol+e
- Fully assembled cabinet



Technical data inciriapure 530



Technical data

Volume approx. l	530
Tank dim. WxHxD inch	63x26.6x23.6
Complete dim. WxHxD inch	63x56.7x23.6
Glass thickness inch	0,5
Lighting powerLED+ W	1x 43,5 daylight, 1x 49,7 plants*
Weight kg	226
Dim. compartment WxD inch	5.7x3.9
Bottom hole compartment Ø	1x2.2 inches
Bottom hole return pipe Ø	2x1.1 inches
Bottom hole with connection pipe Ø mm	16/22

Colour	alpin nature	alpin	graphit nature	graphit	graphit rustic oak
Art. No. (Europe)	0695411	0695413	0695418	0695419	0695417



inciriapure 530



EHEIM extensionSET
f. bottom drain
Art. 7675380 (EU)



EHEIM powerLED+
fresh daylight, fresh plants



White glass

*This product contains a light source of efficiency class F. This light source has a photosynthetic efficacy > 1,2 µmol/J and is intended for aquatic plants.

EHEIM proxima. Beauty in variety.



EHEIM proxima fauna

proxima

EHEIM proxima - the aesthetically pleasing aquarium combination.

The elegant designs in a mix of glass and aluminium, plus the new cabinet, are all aesthetically pleasing. The handle free doors give the combinations a classically clear, simple and elegant appearance.

proxima & proximaTEC

classicLED luminaire freely positionable and movable.





proxima & proximaTEC

Additional ventilation in the sliding cover.

proxima fauna



proxima


Beauty in variety.

Closed aquarium combination with a brushed aluminium Varilux light support and bottom frame.

- Aquariums - 175, 250 and 325 litres
- 19.7 inches depth – ideal for aquascaping underwater biotopes
- Sliding glass covers made from high quality black glass
- Two integrated free moving classicLED daylight strips
- Light colour 6500 K, similar to daylight (Sunrise and sunset can be simulated by using the classicLED dimmer*)
- Handle free doors with dampened „push to open“ door hinge technology
- Plenty of space in the cabinet for filters and accessories
- One cabinet compartment with shelf
- Opening for cables and hoses at rear



Now with a slimmer top frame - for a modern, minimalist design.



Technical data proxima



proxima 175
fresh water



proxima 250
fresh water



proxima 325
fresh water

Technical data	proxima 175 fresh water	proxima 250 fresh water	proxima 325 fresh water
Volume approx. l	175	250	325
Tank dim. WxHxD inch	27.6x19.7x19.7	39.4x19.7x19.7	51.2x19.7x19.7
Complete dim. WxHxD inch	28x52x20.1	39.8x52x20.1	51.6x52x20.1
Glass thickness inch	0.3	0.3/0.4**	0.5
Lighting classicLED W	2x8,6 daylight*	2x13,4 daylight*	2x17,3 daylight*
Weight kg	73	96	136
Decor white Art. (Europe)	0491213	0492213	0493213
Decor white Art. (UK)	0491223	0492223	0493223
Decor urban Art. (Europe)	0491211	0492211	0493211
Decor urban Art. (UK)	0491221	0492221	0493221
Decor oak Art. (Europe)	0491214	0492214	0493214
Decor oak Art. (UK)	0491224	0492224	0493224
Equipment			
Bottom trim	•	•	•

*This product contains a light source of efficiency class F

** Side glass panes/Front

Cover, glass tank and cabinet are also available separately.

proximaTEC

The aesthetically pleasing aquarium combination.

With the EHEIM proximaTEC you have the choice between three fully equipped beauties.



- Aquariums - 175, 250 and 325 litres
- 19.7 inches depth – ideal for aquascaping underwater biotopes
- Convenient black glass sliding cover panes
- Light colour 6500 K, similar to daylight (Sunrise and sunset can be simulated by using the classicLED dimmer*)
- Handle free doors with dampened „push to open“ door hinge technology
- Plenty of space in the cabinet for filters and accessories
- One cabinet compartment with shelf
- Opening for cables and hoses at rear
- „All-Inclusive-Program“ from aquarium with two EHEIM classicLED strips daylight (freely movable), cabinet, filter, heater and biological filter media



Technical data proximaTEC



proximaTEC 175
fresh water



proximaTEC 250
fresh water



proximaTEC 325
fresh water

Technical data	proximaTEC 175 fresh water	proximaTEC 250 fresh water	proximaTEC 325 fresh water
Volume approx. l	175	250	325
Tank dim. WxHxD inch	27.6x19.7x19.7	39.4x19.7x19.7	51.2x19.7x19.7
Complete dim. WxHxD inch	28x52x20.1	39.8x52x20.1	51.6x52x20.1
Glass thickness inch	0.3	0.3/0.4**	0.5
Lighting classicLED W	2x8,6 daylight*	2x13,4 daylight*	2x17,3 daylight*
Weight kg	77	101	141
Decor white Art. (Europe)	0491233	0492233	0493233
Decor white Art. (UK)	0491133	0492133	0493133
Decor urban Art. (Europe)	0491231	0492231	0493231
Decor urban Art. (UK)	0491131	0492131	0493131
Decor oak Art. (Europe)	0491234	0492234	0493234
Decor oak Art. (UK)	0491134	0492134	0493134
Equipment			
Bottom trim	•	•	•
EHEIM External Filter	eXperience 250	eXperience 350	eXperience 350
EHEIM Heater	thermocontrol e 150 W	thermocontrol e 150 W	thermocontrol e 200 W

*This product contains a light source of efficiency class F

** Side glass panes/Front

proxima scape

EHEIM proxima scape 175 – clear lines – clear view.



Advantages of the EHEIM proxima scape aquarium combination

- Open aquarium combination without cover and lighting
- Tank volume 175 litres
- 20.1 inches depth – ideal for creating an underwater aquascape
- Purest white glass for clear, unobscured transparency
- No inconvenient struts in the aquarium
- Aquarium glued with transparent silicone
- Stable cabinet in high-gloss finish (white)
- Handleless doors with soft „push to open“ door hinge technology
- High quality finish
- Ample internal cabinet space for filters and accessories
- Aquarium tank also available without cabinet (EHEIM clearTank)


175 l
46 US gal


white glass


scaper tank


freshwater

3
year
guarantee
EHEIM



Technical Data proxima scape



Technical data

Technical data	Combination proxima scape 175
Volume approx. l	175
Tank dim. WxHxD inch	28x19.7x20.1
Complete dim. WxHxD inch	28x49.2x20.1
Glass thickness inch	0.3
Colour	white
Art. No. (Europe)	0602705
EAN	4010251146071



White glass



transparent silicone



For information on **clearTank** see page 25

proxima fauna

With the EHEIM proxima Fauna you can let your ideas sprout under (and above) water.



Advantages of the EHEIM proxima fauna aquarium combination

- Open aquarium combination without cover and lighting
- Tank volume (aquarium) - 110 litres
- 50 cm depth – perfect for creating an underwater landscape
- Tank comes with two levels: a lower level aquarium; and above - above the water – a glass gallery as additional decoration or plant level
- Lowered front glass pane - only 35 cm high - and sloped side windows for better access
- High standard finished seams
- Elegant proxima design in a high-gloss white finish
- Comes with a high quality, one door, highly stable cabinet
- Comes with a handleless door with damped „push to open“ door hinge technology
- Has space inside for filter and accessories
- Water can be supplied through floor borehole via T-piece (installation set) if necessary, on planting gallery
- Drainage is through bottom hole

113 l
30 US gal

scaper tank

paludarium

freshwater

3 year
guarantee
EHEIM

MADE IN GERMANY
MADE WITH INCLUSION

Technical Data proxima fauna



Technical data

Volume approx. l	113
Tank dim. WxHxD inch	25.6x19.7x19.7
Complete dim. WxHxD inch	26x49.2x20.1
Glass thickness inch	0.3
Colour	white
Art. No. (Europe)	0602707
EAN	4010251147085

Combination proxima fauna 113



EHEIM extensionSET

f. bottom drain
Art. 7675380 (EU)

EHEIM clearscape perfectly sets the scene for your underwater world.



EHEIM clearscape 175

clearscape

The EHEIM clearscape offers the ultimate aquascaping experience! Available with two styles of elegant cabinets.

With EHEIM clearscape you will create an elegant eye-catching centrepiece within your living area. The tank is made of the purest white glass with transparent silicone joints. It gives you a clear view of the underwater landscape in the tank and allows you to enjoy the full undistorted spectrum of colours of the animals and plants.



The striking cabinet comes in black, has handle less doors and additional openings on the sides for cables and hoses. This elegant design comes in two distinct styles: You decide whether you want red highlighted edges on the cabinet doors as a striking statement or the more elegant plain version. With the ability to turn the doors, you can place the highlighted edge either at the top or at the bottom. Nothing stands in the way of your individual style.

Red highlighted edge can be placed by turning the doors.





Side surface with concealed openings for cables and hoses (alternatively to passage through the rear wall).



clearscape

EHEIM clearscape perfectly sets the scene for your underwater world.

Features and benefits of the EHEIM clearscape aquarium set

- Open aquarium set without cover and lighting
- Ideal for designing an underwater landscape (aquascaping)
- Built with purest white glass for clear, unadulterated transparency
- No disturbing struts in the aquarium
- Diamond-ground, highly polished edges
- Aquarium glued together with transparent silicone
- Almost invisible seams finished to a very high standard
- Strong stable cabinet with a scope for different style combinations
- High quality workmanship
- Surface in textured black (Nero)
- Handle-less doors with soft-close „push to open“ door hinge technology
- Red highlighted edge can be placed by turning the doors
- Door fastening with magnetic snaps
- Plenty of space inside for filters and accessories





73-300 l
19-79 US gal



white glass



scaper tank



freshwater

3 year
guarantee
EHEIM



Technical Data clearscape



Technical data

	clearscape 73 fresh water	clearscape 175 fresh water
Volume approx. l	73	175
Colour	nero	nero
Glass thickness inch	0.2	0.3
Tank dim. WxHxD inch	23.6x13.8x13.8	28x19.7x20.1
Complete dim. WxHxD inch	23.6x45.3x13.8	28x51.2x20.1
Art. No. (Europe)	0480073	0480175
EAN 4010251	148174	148181




clearscape 73
fresh water



clearscape 175
fresh water

transparent
silicone



White glass



For information on
clearTank see page 25

- Side surface with concealed openings for cables and hoses (alternatively to passage through the rear wall)
- The extensive EHEIM accessories range is available for lighting, filter technology etc.
- Tank "clearTank" and cabinet "clearCab" also available separately
- Comes in four sizes: 73, 175, 200, 300 l
- Made in Germany
- 3 year warranty



**clearscape 200
fresh water**

200

nero

0.4

35.4x17.7x19.7

35.4x49.2x19.7

0480200

148198



**clearscape 300
fresh water**

300

nero

0.4

47.2x19.7x19.7

47.2x51.2x19.7

0480300

148204



EHEIM vivalineLED. Individual living worlds. Perfectly coordinated.




EHEIM vivalineLED 180

vivalineLED

Whether 126, 150, 180 or 240 liters volume, all is perfectly coordinated for this „all inclusive program“ consisting of aquarium with –EHEIM LED lighting, cabinet, filter, heater and biological filter media. You only have to think about fish and plants. In addition, the EHEIM vivalineLED series can be perfectly coordinated with your interior

due to the fact that the new decorative board is replaceable. And therefore your aquarium will become as individual as you are. You will get a little bit of variety and the guarantee that your durable aquarium will also fit to your interior with a new wallpaper or new curtains after some years.





Sliding panes made of high quality aluminium composite panels (black/white).

Including EHEIM classicLED lighting.



vivalineLED

Individual home environments.

EHEIM vivalineLED is the fresh water aquarium combination in four different sizes and countless colour combinations.

- Trendy cabinet – in three different basic colours (white, anthracite, oak grey)
- Including energy efficient and high performance EHEIM classic LED lighting
- Interchangeable decorative panel in different trendy colours (as long as stocks last)
- Sliding LED lights for easy access
- Glued frame with cut outs for all pipework and cables
- Sliding panes made of high quality aluminum composite panels (black/white)
- Fully equipped with high quality EHEIM technical equipment and biological filter media



Technical data vivalineLED



vivalineLED 126



vivalineLED 150

Technical data

Volume approx. l	126				150			
Tank dim. WxHxD inch	31.5x17.7x13.8				23.6x19.7x19.7			
Complete dim. WxHxD inch	31.9x46.9x14.2				24x48.8x20.1			
Glass thickness inch	0.2/0.3**				0.3			
Lighting classicLED W	1x10,6 daylight*				2x7,7 daylight*			
Weight kg	48				55			

Decor	oak grey	white	anthracite	pine	oak grey	white	anthracite	pine
Art. No. (Europe)	0613001	0613003	0613009	0613007	0613021	0613023	0613029	0613027
Art. No. (UK)	0615001	0615003	0615009	0615007	0615021	0615023	0615029	0615027

Equipment

EHEIM Internal filter / External Filter	biopower 160				biopower 200			
EHEIM Heater	thermocontrol 100 W				thermocontrol 100 W			
Bottom trim	•				•			

*Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse F

** Side glass panes/Front

Cover with glass tank and cabinet are also available separately.

Product details

All vivalineLED cabinets are supplied with matching decorative boards in oak grey, white, anthracite or pine. As well as these four standard colours, the interchangeable panels are also available in bordeaux, candy, lemon, sky and urban (light grey). The panels are simple to replace and can be screwed onto the cabinet even when the aquarium is full.

NEW

Now with an elegant bronze-coloured top frame, which replaces the previous sand colour.



vivalineLED 180



vivalineLED 240



biopower 160



biopower 200



ecco pro 300

	180				240			
	39.4x17.7x15.7				47.2x19.7x15.7			
	39.8x46.9x16.1				47.6x48.8x16.1			
	0.2/0.3**				0.3/0.4**			
	1x13,4 daylight*				1x16,3 daylight*			
	60				82			
	oak grey	white	anthracite	pine	oak grey	white	anthracite	pine
	0613041	0613043	0613049	0613047	0613061	0613063	0613069	0613067
	0615041	0615043	0615049	0615047	0615061	0615063	0615069	0615067
	biopower 200 thermocontrol 150 W				ecco pro 300 thermocontrol 150 W			

Lighting vivalineLED
classicLED daylight*



Combinations

Marine water



EHEIM incpiria marine 330

EHEIM
incpiria marine
Page 54

**EHEIM offers you
the highest
standard in
marine aquatics.**





EHEIM
incpiria reef
Page 56



EHEIM incpiria. The marine water aquarium combination suitable.



EHEIM incpiria marine 430

incpiria marine | reef

EHEIM incpiria offers you the highest standard in marine aquatics.

Elegant design, high quality workmanship and construction, perfect technology, quiet performance and optimum safety – all fully assembled. This is the incpiria.

Patented, noiseless drainage shaft

- 1 Supply shaft (black glass) to hide hoses and cables
- 2 Overflow protection (emergency overflow in case of obstruction in the regular overflow)
- 3 Return flow
- 4 Overflow comb

Shaft positioned in the corner – for more space for design and decoration of your underwater world.





EHEIM incpiriaRGB
Atmospheric LED lighting in the cabinet
with digital control via WLAN.

Now including RGBcontrol+e for control
Millions of colours to choose from
Page 130



incipiria marine

Pre-assembled

Stunningly beautiful and technically perfect.

EHEIM incipiria marine offers you the highest standard in marine aquatics. Elegant design, high quality workmanship and construction, perfect technology, quiet performance and optimum safety – all fully assembled. This is the incipiria marine.



- All aquariums 23.6 inches deep
- Flawless, natural blaze of colour due to the pure white glass panes
- Internal, well-coordinated LED lighting 3x powerLED+ hybrid; 1x powerLED+ actinic
- Integrated supply shaft (black glass) to hide hoses and cables
- Shaft positioned in the corner – for more space for design and decoration of your underwater world
- Patented, noiseless drainage shaft
- Internal cabinet joints sealed with silicone
- Cabinet with high-gloss finish (alpine and graphite) or with modern, (haptically) pleasantly textured wooden front
- Return pump included (EHEIM compactON 3000)



Technical data incipiria marine



Technical data	incipiria marine 230			incipiria marine 330		
Volume approx. l	230			330		
Tank dim. WxHxD inch	27.6x26.6x23.6			39.4x26.6x23.6		
Complete dim. WxHxD inch	27.6x56.7x23.6			39.4x56.7x23.6		
Glass thickness inch	0.3			0.4		
Lighting powerLED+ W	3x19,7 hybrid* / 1x13,4 actinic*			3x29,6 hybrid* / 1x20,1 actinic*		
Weight kg	127			168		
Dim. compartment WxD inch	11.2x5.6			11.2x5.6		
Filtration tank						
Normal operation l	39			39		
Rev. osmosis water supply l	12			12		
Tank dimensions WxHxD inch	22x13.8/19.7x18.3			22x13.8/19.7x18.3		
EHEIM pump compactON	3000			3000		
Decor	alpin	graphit		alpin	graphit	
Art. No. (Europe)	0692513	0692519		0693513	0693519	
Art. No. (UK)	0692523	0692529		0693523	0693529	
	alpin nature	graphit nature	graphit rustic oak	alpin nature	graphit nature	graphit rustic oak
Art. No. (Europe)	0692511	0692518	0692517	0693511	0693518	0693517
Art. No. (UK)	0692521	0692528	0692527	0693521	0693528	0693527

*The light source contained in this product is intended exclusively for fluorescence and for coral zooxanthellae symbioses.



Product details

Lighting extensions for incipiria 530

Consisting of powerLED+ in respective light colour, separate powerLED+ power supply for operation required.

powerLED+ marine hybrid, 49,4 Watt, Art. No. 0585119

powerLED+ marine actinic, 33,6 Watt, Art. No. 0585120

Accessories (optional)

skim350 Art.No. 3536220



*incipiria lighting
powerLED+ marine hybrid**



*powerLED+ marine actinic**

*Additional ventilation
in the sliding cover*

*Flawless, natural blaze of
colour due to the pure white
glass panes*



*Pipework pre-assembled:
Fixed pipework made of
PVC-U; silicone hose as
coupling piece to the feed
pump (plug & play system)*



incipiria marine 430



incipiria marine 530

430

530

51.2x26.6x23.6

63x26.6x23.6

51.2x56.7x23.6

63x56.7x23.6

0.5

0.5

3x39,5 hybrid* / 1x26,8 actinic*

3x49,4 hybrid* / 1x33,6 actinic*

220

261

11.2x5.6

11.2x5.6

39

49

12

12

22x13.8/19.7x18.3

26.8x13.8/19.7x18.3

3000

3000

alpin

graphit

alpin

graphit

0694513

0694519

0695513

0695519

0694523

0694529

0695523

0695529

alpin
nature

graphit
nature

graphit
rustic oak

alpin
nature

graphit
nature

graphit
rustic oak

0694511

0694518

0694517

0695511

0695518

0695517

0694521

0694528

0694527

0695521

0695528

0695527

Accessories - optional

EHEIM streamON+
circulation pump, Page 140



EHEIM skimmarine 600
protein skimmer, Page 149




incpiria reef

The open topped version. With no cover or lighting.



EHEIM incpiria reef – stunningly beautiful and technically perfect. You choose the lighting to suite your individual requirements. Elegant design, high quality workmanship and construction, perfect technology, quiet performance and optimum safety – all fully assembled with the exception of the lights. This is the incpiria reef.

- Open marine water aquarium combination without cover
- Without lighting - for individual light selection
- All aquariums 23.6 inches deep
- Flawless, natural blaze of colour due to the pure white glass panes
- Integrated supply shaft (black glass) to hide hoses and cables
- Shaft positioned in the corner – for more space for design and decoration of your underwater world
- Patented, noiseless drainage shaft
- Internal cabinet joints sealed with silicone
- Cabinet with high-gloss finish (alpine and graphite) or with modern, (haptically) pleasantly textured wooden front
- Return pump included



Technical data incpiria reef



incpiria reef 230



incpiria reef 330

Technical data	incpiria reef 230			incpiria reef 330		
Volume approx. l	230			330		
Tank dim. WxHxD inch	27.6x26.6x23.6			39.4x26.6x23.6		
Complete dim. WxHxD inch	27.6x56.7x23.6			39.4x56.7x23.6		
Glass thickness inch	0.3			0.4		
Weight kg	118			156		
Dim. compartment WxD inch	11.2x5.6			11.2x5.6		
Filtration tank						
Normal operation l	39			39		
Rev. osmosis water supply l	12			12		
Tank dimensions WxHxD inch	22x13.8/19.7x18.3			22x13.8/19.7x18.3		
EHEIM pump compactON	3000			3000		
Decor	alpin	graphit		alpin	graphit	
Art. No. (Europe)	0692613	0692619		0693613	0693619	
Art. No. (UK)	0692623	0692629		0693623	0693629	
	alpin nature	graphit nature	graphit rustic oak	alpin nature	graphit nature	graphit rustic oak
Art. No. (Europe)	0692611	0692618	0692617	0693611	0693618	0693617
Art. No. (UK)	0692621	0692628	0692627	0693621	0693628	0693627

Product details



Large filter sump with storage chamber for osmosis water

Filter sump with splash guard and constant water level (important for constant skimming quality)

Double Overflow protection



Flawless, natural blaze of colour due to the pure white glass panes



Pipework pre-assembled: Fixed pipework made of PVC-U; silicone hose as coupling piece to the feed pump (plug & play system)



incipiria reef 430



incipiria reef 530

430

51.2x26.6x23.6

51.2x56.7x23.6

0.5

204

11.2x5.6

39

12

22x13.8/19.7x18.3

3000

alpin

0694613

0694623

graphit

0694619

0694629

alpin nature

0694611

0694621

graphit nature

0694618

0694628

graphit rustic oak

0694617

0694627

530

63x26.6x23.6

63x56.7x23.6

0.5

243

11.2x5.6

49

12

26.8x13.8/19.7x18.3

3000

alpin

0695613

0695623

graphit

0695619

0695629

alpin nature

0695611

0695621

graphit nature

0695618

0695628

graphit rustic oak

0695617

0695627

Accessories - optional

EHEIM streamON+ circulation pump, Page 140



EHEIM skimmarine 600 protein skimmer, Page 149



Filters

From the classic to the newest high-tech models with electronic control. With or without a heater.

EHEIM internal filters

Versatile, functional and made with exceptional quality. Whether for breeding, quarantine tanks or simply for typically smaller “home” aquariums: internal filters are ideal. They take up little room and are extremely flexible. EHEIM offers various options for aquariums from 10 up to 260 litres: all of them (apart from the pickup) are modular and can be extended or reduced to suit all requirements. They can all be filled with various types of filter media. Technically perfect filters of outstanding quality, with reliable performance and guaranteed durability.

EHEIM external canister filters

With our large range of external filters you are sure to find exactly the right filter to suit your needs – for the smallest breeding tanks to aquariums up to 1500 lt. All EHEIM aquariums have one thing in common: QUALITY. We work with the best materials, precise engineering and, with over 60 years of experience, we guarantee the highest quality products. Our canister filters are consistent, reliable and offer a long service life. Furthermore, you can be sure that the filters, accessories and filter media are tailored to complement each other.

EHEIM High Performance Ceramics

The impeller shafts and bushings (axles and bearings) (ecco pro, eXperience, professional 3/4+ and professional 5e) are made of high performance ceramics. This means exceptionally smooth and quiet running, maximum resilience and an extremely long service life.



Filters

Internal filters

**Versatile, functional
and made with
exceptional quality.**

**EHEIM
aquaball**
Page 62

**EHEIM
biopower**
Page 64

**EHEIM
aqua**
Page 66

**EHEIM
aquaCorner**
Page 67





EHEIM
powerLine
Page 68

EHEIM
pickup
Page 69

EHEIM
miniUP
Page 70

EHEIM
miniFLAT
Page 71



aquaball

Spherical head provides all round flexibility.



With EHEIM aquaball we offer you an award-winning internal filter concept with all-round benefits. The ball is the trick. The round pump head sits in a ball joint. This enables adjustment of the outflow direction as required. The flow rate is set by the output regulator. And the power-diffusor adjusts the air flow.

Due to its modular system the filter volume can be customised as required. The filter baskets are easy to clip in and remove and can be filled with a variety of filter media.

There are 3 models for small, medium and large aquarium (up to 180 l).

Directly under the pumphead is a mediabox. It can be filled with:

- a filter pad for mechanical-biological filtration,
- a fine filter pad for fine filtration/polishing,
- bioMECH or SUBSTRATpro for biological filtration or
- EHEIM AKTIV for adsorptive filtration.



30-180 l
8-48 US gal

5
/ **6**

Watt

150
= **650**

l/h adjustable



individual filter media



around intake



easy click system

marine



freshwater

3 year guarantee
EHEIM

Technical data aquaball

Technical data

	aquaball 60	aquaball 130	aquaball 180	aquaball powerhead 650
Aquarium size up to approx. l	30-60	60-130	80-180	-
Pump output approx. l/h	150-480	180-550	210-650	210-650
Delivery head approx. Hmax inch	13.8	15.7	15.7	16.9
Power consumption W	5	6	6	6
Filter volume approx. in ³	70.9	126	181.1	-
Dimensions WxH inch	3.8x6.3	3.8x8.5	3.8x10.6	3.8x5.9
Art. No. (Europe)	2401020	2402020	2403020	1212010
Art. No. (UK)	2401510	2402510	2403510	1212110
Packing dim. WxHxD inch	3.7x8.8x4.3	3.7x10.9x4.3	3.7x13.2x4.3	3.7x5.3x4.3
Master pack quantity pcs.	4	4	4	1
Filter media included media+	•	•	•	



The holder for aquaball is simply fixed to the glass with suction cups. For cleaning, exchanging modules or filling with filter media, the filter is simply removed from its holder.

Product details

- ❶ Multi-directional head for individual adjustment of the outflow direction
- ❷ Accessories include: power diffuser for extra aeration and spray bar for natural water surface movement
- ❸ Filter clip ensures secure support and ease of removal
- ❹ Filter media box for different filter media solutions. Blue coarse filter pad ❺ = mechanical / biological filtration
 Fine filter pad = fine filtration
 SUBSTRATpro = the best biological filtration
 EHEIM AKTIV = adsorptive filtration
- **Easy fit media+**
 complete with original EHEIM filter media



Filter media

EHEIM aquaball		Art.	PK
Filter cartridge	2x	2618080	6
Carbon cartridge	2x	2628080	6
Fine filter pad*	3x	2616080	6
Coarse filter pad*	2x	2616085	6

Filter media

EHEIM aquaball		Art.	PK
EHEIM SUBSTRATpro*	180 g	2510021	6
EHEIM AKTIV*	140 g	2513021	6
EHEIM bioMECH*	680 g	2508051	6
EHEIM phosphateout*	130 g	2515021	6

* for filter media box

Accessories (optional)

EHEIM aquaball	Art.
Up-grade-kit	4024000
Wide-jet nozzle	4009680
Nozzle and adapter set	4009700
Spray bar for InstallationSET 2	4009620



Upgrade-Kit
 aquaball
 Art. 4024000



EHEIM aquaball powerhead 650
 Universal pump for general water circulation and undergravel filters

Accessories (optional)

EHEIM powerhead 650	Art.
Wide-jet nozzle	4009680
Nozzle and adapter set	4009700
Extension piece for InstallationSET1	4009610
Spray bar for InstallationSET2	4009620

biopower

The first internal filter with external filter technology and multi-layer filtration.



The aquaball concept with external filter technology. External filter technology and multi-layer filtration – that means: the water at the bottom is pumped to the top through the various filter layers and after filtration directed back into the tank.

The closed filter baskets come prefilled with EHEIM SUBSTRATpro. Other filter media can also be used. The inlet basket contains a filter cartridge for the mechanical-biological prefiltration. In the pumphead holder a filter pad provides additional filtration.

By adding or removing filter modules (filter baskets) you can adjust the filter volume as necessary.

- The filter baskets can be easily clipped together and released (Easy-click locking system)
- Due to the modular construction the filter cartridges or media can be cleaned at different intervals thus preserving bacteria cultures.



80-240 l
21-63 US gal

6
/ **8**
Watt

180
/ **750**
l/h adjustable



individual filter media



around intake



easy click system

marine
freshwater

3
year
guarantee
EHEIM

Technical data biopower



biopower 160 biopower 200 biopower 240

Technical data	biopower 160	biopower 200	biopower 240
Aquarium size up to approx. l	80-160	100-200	160-240
Pump output approx. l/h	180-550	210-650	280-750
Delivery head approx. Hmax inch	15.7	15.7	23.6
Power consumption W	6	6	8
Filter volume approx. in ³	149.6	208.7	267.7
Dimensions WxH inch	3.8x8.5	3.8x10.6	3.8x12.8
Art. Nr.	2411020	2412020	2413020
Art. No. (UK)	2411510	2412510	2413510
Packing dim. WxHxD inch	4.7x9.8x4.2	4.7x11.8x4.2	4.7x13.4x4.2
Master pack quantity pcs.	4	4	2
Filter media included media+	•	•	•

The ball shaped pumphead sits in a ball socket and can be turned right round. Thus the outflow of the filtered water can be aimed in any direction.

The pump output and throughflow can be set by the control knob on the outflow nozzle.



biopower – High performance internal filter

- Multi-layer filtration just like an external filter
- Modular construction with closed filter baskets, filled with EHEIM SUBSTRATpro; inlet basket with filter cartridge
- Easy-click function to easily put together and take apart filter baskets with a single click
- Fitted with power diffusor for strong oxygen enrichment and a wide jet nozzle for natural surface water movement
- **Easy fit media+ fully equipped**



biopower 200

Filter media

EHEIM biopower		160/200/240	PK
Filter cartridge	2x	2618060	6
Filter cartridge	2x	2618080	6
Carbon cartridge	2x	2628080	6
EHEIM SUBSTRATpro	180 g	2510021	6
EHEIM AKTIV	140 g	2513021	6
EHEIM bioMECH	680 g	2508051	6
EHEIM phosphateout	130 g	2515021	6

Accessories (optional)

Wide-jet nozzle	Art. 4009680
Nozzle and adapter set	Art. 4009700
Spray bar for InstallationSET 2	Art. 4009620



The power-diffusor is adjusted to regulate the air intake and thus the oxygen enrichment in the aquarium.

The holder for biopower is simply fixed to the glass with suction cups. For cleaning, exchanging modules or filling with filter media, the filter is simply removed from its holder.

aqua

The modular internal corner filter with click together filter containers.

The EHEIM aqua corner is a multi-functional internal filter with compact dimensions and a clever modular design.



- Modular internal corner filter for small and medium-sized aquariums from 30 to 200 litres
- Ideal for beginners
- Compact and space-saving
- Practical suction cup attachment (4 suction cups)
- Powerful pump
- Simple adjustable output
- Large suction area to utilise the full filter volume
- Mediabox for different filter media (e.g. EHEIM AKTIV carbon, SUBSTRATpro, phosphateout etc.)
- Clip-in filter containers (cartridges) for easy cleaning and expansion if necessary
- Includes diffuser and hose
- Supplied complete with filter cartridges for mechanical-biological filtration
- Including EHEIM AKTIV carbon (20 g) for the Mediabox
- Suitable for fresh and marine water

30-200 l
8-53 US gal

4,5
4,7
Watt

160
440
l/h adjustable

corner filter

individual filter media

marine
freshwater

3 year guarantee EHEIM

Technical data aqua



Technical data	aqua 60	aqua 160	aqua 200
Aquarium size up to approx. l	30-60	60-160	100-200
Pump output approx. l/h	160-300	210-440	210-440
Delivery head approx. Hmax inch	11.8	19.7	19.7
Power consumption W	4,5	4,7	4,7
Filter volume approx. in ³	63	94,5	126
Dimensions WxH inch	2.6x6.5	2.6x8	2.6x9.6
Art. No. (Europe)	2206020	2207020	2208020
Art. No. (UK)	2206510	2207510	2208510
Packing dim. WxHxD inch	3.6x8.2x3.3	3.6x11.3x3.3	3.6x11.3x3.3
Master pack quantity pcs.	22	16	16
Filter media included media+	•	•	•

Filter media			
EHEIM aqua		Art.	Pk
EHEIM SUBSTRATpro	180 g	2510021	6
EHEIM AKTIV	140 g	2513021	6
EHEIM phosphateout	130 g	2515021	6
Filter cartridge	2 x	2617050	6

Accessories (optional)

EHEIM aqua	Art.	Pk
Upgrade-Kit	4020050	6
Upgrade-Kit for internal filter EHEIM aqua to increase your filter volume by 31.5 in ³		
Connector-Set	4009800	6

aquaCorner

The corner internal filter for open top aquariums.

Powerful corner internal filter for aquariums of 10-60 litres (glass thick max. 0.2 inches)

The EHEIM aquaCorner 60, specially designed for small aquariums is the heartbeat of your aquarium (up to 60l) and is specifically designed for use with a small volume of water. It maintains the balance of the eco-system, ensures constant water movement, prevents differing temperature layers. As a corner filter it takes up little space in the aquarium and therefore leaves more room for plants and other decoration. Its suction power is precisely regulated, so that small livestock (e.g. young shrimps) are not sucked in.



- Simple assembly
- Easy cleaning
- Easy to hang onto the glass, filter easy to flip open for cleaning
- Suitable for up to 0.2 inches glass thickness
- Pre-Filter cartridge integrated in the head
- Motor unit remains in tank during cleaning

- 1 Dosage chamber for fertiliser etc.
- 2 Mediabox for the bio-filter media, EHEIM AKTIV carbon, phosphate remover, etc.


10-60 l
2.6-16 US gal

5
Watt

200
l/h


corner filter


individual filter media

marine

freshwater

3
year guarantee
EHEIM

Technical data aquaCorner

Technical data

	aquaCorner60
Aquarium size up to approx. l	10-60
Glass thickness up to inch	0.2
Pump output approx. l/h	200
Delivery head approx. Hmax inch	15.7
Power consumption W	5
Dimensions WxHxD approx. inch	3.5x8.2x3.1
Art. No. (Europe)	2000020
Art. No. (UK)	2000510
Packing dim. WxHxD inch	3.7x10.4x3.3
Master pack quantity pcs.	4
Filter media included media+	•



aquaCorner60



Filter media

EHEIM aquaCorner 60		Art.	Pk
EHEIM SUBSTRATpro	180 g	2510021	6
EHEIM AKTIV	140 g	2513021	6
EHEIM phosphateout	130 g	2515021	6
Filter cartridge	2 x	2616000	6




powerLine

The tried and tested internal filter for powerful water circulation and intense oxygen enrichment.

With EHEIM PowerLine you have a lot of power and a large number of possible applications.

- Adaptor for connecting EHEIM installationSET 2 (on pressure side)
 - Efficient modular internal filter for powerful flow in the aquarium
 - Intense oxygen enrichment through supplied diffuser
- 1 Variable filter volume: can be extended with additional modules
 - 2 Alternate partial cleaning of the cartridges in order to maintain good bacteria modular design



includes adaptor and diffuser

Technical data powerLine

Technical data

	powerLine 200	powerLine XL
Aquarium size up to approx. l	100-200	from 200
Pump output approx. l/h	600	1200
Delivery head approx. Hmax inch	59.1	78.7
Power consumption W	10	28
Filter volume approx. in ³	153.5	275.6
Dimensions WxHxD inch	2.6x11.2x3	3x13.2x3.1
Art. No. (Europe)	2048020	2252020
Packing dim. WxHxD inch	4.9x12.5x3.3	5x14.4x3.4
Master pack quantity pcs.	1	1
Filter media included media+	•	•



Upgrade-Kit PowerLine 200
Art. 7478860

Upgrade-Kit PowerLine XL
Art. 7478058

Filter media

EHEIM powerLine 200		Art.	pk
Filter cartridge	2 x	2615480	6
EHEIM powerLine XL		Art.	pk
Filter cartridge	2 x	2615510	6

Accessories (optional)

EHEIM powerLine	Art.
Additional modules PowerLine 200	7478860
Additional modules PowerLine XL	7478058
Spray bar for InstallationSET 2	4009620
Wide-jet nozzle	4009680
Nozzles and adapters	4009700


pickup

Fully equipped and ready to use.
Ideal for beginners.

The EHEIM pickup is a small practical filter with a special concept.

A special feature of the pickup is that the filter canister and the cartridge can be removed from above but the pump unit remains in the water. This is a practical solution for cleaning or changing the filter cartridge and impeller without having to remove the entire filter.

- Water inlet is in the bottom of the filter
- Outlet nozzle rotates so that you can adjust the direction of the flow
- Filter canister and cartridge are easy to remove from above
- **Easy fit media+**
Complete with filter cartridge



Technical data pickup

Technical data	pickup 45	pickup 60	pickup 160	pickup 200
Aquarium size up to approx. l	max. 45	30-60	60-160	max. 200
Pump output approx. l/h	50-180	150-300	220-500	220-570
Delivery head approx. Hmax inch	13.8	13.8	15.7	15.7
Power consumption W	3,5	4	6	6
Filter volume approx. in ³	33.5	76.8	129.9	185
Dimensions WxHxD inch	2x5.3x2.5	3x6.4x3.8	3x8.6x3.8	3x10.8x3.8
Art. No. (Europe)	2006020	2008020	2010020	2012020
Art. No. (UK)	2006510	2008510	2010510	2012510
Packing dim. WxHxD inch	4.3x7.5x2.6	6.1x7.9x3.1	6.1x9x3.1	6.1x11.2x3.1
Master pack quantity pcs.	4	4	4	2
Filter media included media+	•	•	•	•

Filter media

EHEIM pickup 45	Art.	PK
Filter cartridge	2 x 2615060	6

EHEIM pickup 60	Art.	PK
Filter cartridge	2 x 2617080	6

EHEIM pickup 160	Art.	PK
Filter cartridge	2 x 2617100	6

EHEIM pickup 200	Art.	PK
Filter cartridge	2 x 2617120	6



miniUP

Designed for the smallest tanks.
Attractive, slim design.

The micro-internal filter for the smallest of aquariums (nano tanks)
25 to 30 l

It is small, attractive, gives excellent performance and is easy to attach to the tank with suction cups. The filter draws in the water from the front through vents, pumps it through the Filter cartridge and directs it, filtered, back into the tank. You can also attach an outflow hose to enable you to adjust the outlet direction.

- Attractive, slim design
- Front water intake
- Connector for outlet hose
- Comes fully equipped with Filter cartridge, ready for immediate use
- Only 5 Watt power consumption



Technical data miniUP



miniUP



Technical data

Aquarium size up to l	30
Pump output approx. l/h	300
Delivery head Hmax inch	19.7
Filter volume in ³	31.1
Hose connection pressure side ø	1/2"
Power consumption W	5
Dimension WxHxD inch	1.3x5x2.1
Art.No (Europe)	2204020
Art.No. (UK)	2204510
Packing dim. WxHxD inch	3.5x6.4x3.2
Master pack quantity pcs.	4
Filter media included media+	•

Filter media

EHEIM miniUP

Filter cartridge	2 x	2616030	Pk	1
------------------	-----	---------	----	---




Accessories (optional)



Suction cups 4x [7445848](#)

Connector-Set [4009800](#)



miniFLAT

For frogs, amphibians & co.
Simple to install, connect and start up.

Micro internal filter for terrariums and paludariums with a shallow water area or water bowls (e.g. for frogs, semi-aquatic reptiles, cray fish etc.)

This unique little flat water filter is designed differently to an internal aquarium filter: It doesn't hang on to anything, but rather sits horizontally in the water. It is fixed to the tank/bowl with suction cups. It draws the water in from below, pumps it through the Filter cartridge and directs it out, filtered, at the top. The surface water movement makes the reptiles drinking water visible. If you want to adjust the outflow direction, you can attach an outlet hose.



- Water intake from below
- Connection for water outlet hose
- Completely equipped with original EHEIM filter pad and ready to use
- Only 5 Watt power consumption

5
Watt


300
l/h adjustable

for terrarium
paludarium

marine
freshwater

3
year
guarantee
EHEIM

Technical data miniFLAT



Example of usage
with outlet hose

Technical data

miniFLAT

Pump output approx. l/h	300
Delivery head Hmax inch	19.7
Filter volume in ³	15.5
Hose connection pressure side ø	1/2"
Power consumption W	5
Dimension WxHxD inch	1.3x5x2.1
Art.No (Europe)	2203020
Art.No. (UK)	2203510
Packing dim. WxHxD inch	3.5x6.4x3.2
Master pack quantity pcs.	4
Filter media included media+	•

Accessories (optional)

- Suction cups 4x 7445848
- Connector-Set 4009800
- Inlet pipe 7304450



Filter media

EHEIM miniUP

Filter cartridge	2 x	2616030	Pk	1
------------------	-----	---------	----	---



Filters

External filters

All EHEIM filters have
one thing in common:
Quality.

EHEIM
classic
Page 74



EHEIM
classicVARIO+e 250
Page 76



EHEIM
ecco pro
Page 80



EHEIM
eXperience
Page 82





**EHEIM
professionel 3**
Page 84

**EHEIM
professionel 4**
Page 86

**EHEIM
professionel 4+**
Page 88

**EHEIM
professionel 5e**
Page 90



classic

Outstanding quality and economically priced.

With EHEIM classic you have everything that makes up a good external filter.

By choosing a classic you won't go wrong. Because you have chosen a reliable, millionfold tried and tested piece of equipment. All models perform to the highest quality standards. First class components and carefully matched features ensure perfect pump and filter performance. Additionally, you have the proverbial EHEIM quiet running, robust durability and low energy consumption. You will be very satisfied.

There are 5 models for aquariums from 50 up to 1500 litres – with various equipment.





50-1500 l
13-396 US gal

5
65
Watt

300
2400
l/h

marine

freshwater

2
year
guarantee
EHEIM

Technical data classic



Technical data	classic 150	classic 250	classic 350	classic 600	classic 1500XL
Aquarium size up to approx. l	50-150	80-250	120-350	180-600	300-1500
Pump output approx. l/h	300	440	620	1000	2400
Delivery head approx. Hmax inch	47.2	59.1	70.9	90.6	145.7
Power consumption W	5	8	15	20	65
Canister volume l	1,3	3,5	4,8	6,6	23
Filter volume l	1	3	4	6	18
Hose- ø suction/pressure side	1/2" / 3/8"	1/2" / 1/2"		5/8" / 1/2"	1" / 5/8"
Dimensions WxH inch	4.3x15.4	6.3x14	7.3x14.6	8.1x15.7	14x22.4
Art. No. (Europe)	2211010	2213 010/020/050 ¹	2215 010/020 ¹	2217 010/020 ¹	2260010
Art. No. (UK)	-	2213510/520 ²	2215520 ²	2217520 ²	2260500
Packing dim. WxHxD inch	7x14.4x6.4	8.7x14.6x6.3	11.4x16.1x8.3	11.4x16.1x8.3	13x23.2x13
Master pack quantity pcs.	1	1	1	1	1

¹ 010 without filter media / 020 with pads and double taps / 050 with bio media and double taps

² 2213510, 2215520, 2217520 with pads and double taps / 2213520 with bio media and double taps

- Millionfold tried and tested
- Exceptional value for money
- Very quiet running
- Low energy consumption
- Long-lasting flexible silicon sealing ring in pumphead (for easy and safe replacement after cleaning)
- Can be filled with filter pads and/or loose filter media
- Comes with spraybar, inlet pipe, hose and installation accessories
- Versatile accessories



Accessories included

Filter basket (only classic 250), spray bar, inlet pipe, hose and installation accessories (further accessories on page 100-113)



classic 250

Filter media

EHEIM classic		150	PK	250	PK	350	PK	600	PK
Coarse filter pad	2x	2616111	6	2616131	6	2616151	6	2616171	6
Fine filter pad	3x	2616115	4	2616135	6	2616155	5	2616175	5
Activated carbon pad	3x	2628110	1	2628130	6	2628150	1	2628170	1
Filter pad	1x	-		2616130	1	-		-	

- Permo-elastic silicon sealing ring ①, fixed on the pump head for easy and safe closing after cleaning
- Equipped with Filter cartridges and/or loose filter media
- Many different accessories
- classic 150 compact sized and stand supplied ② (fits the filter securely and safely)
- classic 250 with filter basket
- classic 1500XL for large aquariums, pump unit can be operated separately from the canister
- classic 1500XL with practical drain tap



classic 150

EHEIM classicVARIO+e 250: Connect smart now.



classicVARIO+e 250

EHEIM classicVARIO+e – the smart evolution of the trusted classic filter, now featuring the world’s only BLDC pump.

With integrated WiFi control, you can wirelessly program and operate the filter to suit your needs. A built-in maintenance indicator alerts you when cleaning is due – even via email if desired. The efficient BLDC pump ensures quiet, low-vibration performance with

a wide range of adjustable modes. The filter comes ready to use with all necessary accessories and filter media included. A perfect blend of tradition and innovation, the classicVARIO+e is compact, powerful, and thoughtfully designed. Fully compatible with all EHEIM Digital products. Includes a 2-year warranty.





classicVARIO+e 250

Brilliant and smart!

This is how aquatics works today.



- Digital advancement of the reliable, proven millions of times classic external filter generation
- Electronic filter with integrated WLAN function (Wifi) and wireless control via smartphone, tablet or PC/Mac
- Pump performance continuously adjustable
- Different pump functions - Manual and Pulse Mode
- Very low power consumption possible through power regulation (1.7- 9,8 W)
- Connectable with products of the EHEIM Digital Family: E.g. adjustment of the pump performance during feeding when coupled with the EHEIM autofeeder+ as well as harmonization with the set day/night rhythm when linked with the LEDcontrol+e
- Maintenance indicator indicates calculated due cleaning; automatic reminder by e-mail


50-250 l
13-66 US gal

1,7-9,8
Watt

510 l/h
135 US gal./h


multiscreen


Digital Family
product


marine
freshwater

2
year
guarantee
EHEIM

Technical data classicVARIO+e




New Technology
 BLDC pump
 quiet running | Stufenlos regelbar | energiesparend | laurruhig | stepless control | energy-saving

Technical data	250
Aquarium size up to approx. l	50 - 250
Pump output approx. l/h	510
Delivery head approx. Hmax inch	70.9
Power consumption W	1,7 - 9,8
Canister volume l	3,5
Filter volume l	3,0
Hose- ø suction/pressure side	6"/7"
Dimensions WxHxD inch	6.7x14.0
Art. No. (Europe)	2214020
Art. No. (UK)	2214510
EAN 4011708	017241
Packing dim. WxHxD inch	8.7x14.6x6.3
Master pack quantity pcs.	1
Filter media included media+	•

WiFi 2.4GHz – IEEE802.11 b/g/n
 Security keys: WPA, WPA2, WPA/WPA2

NEW
Product
EHEIM

- Permanently elastic silicone seal on the pump head (for easy and safe closing after cleaning)
- Can be equipped with filter mats and/or loose filter media
- Highly effective BLDC pump (brushless direct current motor) ensures quiet, low-vibration operation and large control range with fine gradation
- Includes spray bar, intake pipe, hose and installation accessories
- Suitable for fresh and salt water
- 2 years warranty



EHEIM classicVARIO+e - the smart version of the classic filter, proven millions of times, with wireless electronic control and the world's unique BLDC pump in an external filter.



multi screen

Use by various Wifi compatible devices: Smartphone, tablet, PC, laptop, etc.



pulse mode

The electronically controlled alternating current ensures natural flow conditions in the aquarium.



auto air out

Accumulated air under the filter head are detected and automatically discharged by an electronic program.



output control

Gradual increase of the water flow rate – the maximum capacity exceeds the performance of conventional filters.



bio mode

(sun/moon): Changes between 2 adjustable flow rates.



electronic error indicator

Permanent electronic system monitoring. This starts a program that automatically attempts to eliminate the cause of any errors.



energy saving

Very low power consumption possible through power regulation.



service indicator

Constant monitoring of the maintenance interval. Cleaning notification is automatically sent to a stored e-mail address.

ecco pro

Less energy consumption with more power.

EHEIM ecco pro offers you an extraordinary combination of energy economy, performance and convenience.

Only 5 Watt power consumption at a pump output of 600 l/h and 8 Watt at 750 l/h. That is simply extraordinary. And also extraordinary is its characteristic multifunction handle – it combines three functions: carrying + opening/closing + priming. Added to this are rotatable shut-off taps, practical filter baskets and – extremely quiet running due to ceramic components. ecco pro comes fully equipped – including accessories and filter media. You are ready to go. There are 3 models for aquariums from 60 up to 300 litres.

Excellent mechanical and biological filtration is achieved by optimum water throughflow. An additional prefilter captures dirt particles right at the beginning. In this way, the subsequent filter material is protected and cleaning intervals are longer.





60-300 l
16-79 US gal

5
8

Watt

500
750

l/h



self priming



energy saving

marine



freshwater

3 year
guarantee
EHEIM


Technical data ecco pro

Technical data	ecco pro 130	ecco pro 200	ecco pro 300
Aquarium size up to approx. l	60-130	100-200	160-300
Pump output approx. l/h	500	600	750
Delivery head approx. Hmax inch	51.2	51.2	70.9
Power consumption W	5	5	8
Canister volume l	3,0	4,0	5,0
Filter volume l	1,2+0,3 (prefilter)	2,0+0,3 (prefilter)	2,8+0,3 (prefilter)
Hose- ø suction/pressure side	1/2" / 1/2"		
Dimensions WxH inch	8.1x11.7	8.1x14	8.1x16.4
Art. No. (Europe)	2032020	2034020	2036020
Art. No. (UK)	2032510	2034510	2036510
Packing dim. WxHxD inch	8.1x15.2x7.2	9.3x16.6x7.2	9.6x17.3x7.2
Master pack quantity pcs.	1	1	1
Filter media included media+	•	•	•

The characteristic multifunction handle is a singular beneficial feature. It fulfils 3 functions and is, depending on its position, a carrying handle or a lever for opening/closing or priming. Wrong use is rendered impossible due to the red safety catch.

The supplied shut-off taps are rotatable. You can thus turn them to make them more easily accessible. Water throughflow is adjusted by the outlet tap. And these taps can be closed and disconnected from the pump-head very easily before opening the filter.

EHEIM High Performance Ceramics, that is components made of high quality ceramics (axles and sleeves of the impeller), ensure very quiet running, high resilience and extremely long service life.



ecco pro 200



- Low energy consumption with high performance
- Excellent biological and mechanical filtration due to optimum water throughflow
- 1 Multifunction handle (for carrying + opening/closing + priming)
- Large volume self-priming
- 2 Rotating shut off taps (more convenient handling)
- Runs extremely quietly due to ceramic axles and sleeves
- 3 Practical filter baskets, can be filled according to individual requirements
- 4 Additional prefilter (giving longer cleaning intervals for the other filter media)
- Long-life elastic silicon sealing ring in pumphead
- 5 **media+**: Completely equipped with original EHEIM filter media (pre-filled baskets)

Accessories included

2 x shut-off taps, outlet elbow, suction pipe, EHEIM quality hose, set-up accessories (further accessories on page 100-113)

Filter media

EHEIM ecco pro	130/200/300	PK
1x prefilter/ 4x fine filter pads	2616320	3
Fine filter pad	3x 2616315	6
Activated carbon pad	3x 2628310	6

eXperience

The sturdy basic model in our external filter generation with a square shape.



With EHEIM eXperience you have the fundamental benefits of our top external filter generation.

With its predecessor, the professional range, EHEIM launched the first ever external filter range with a square basic shape. Benefits: space saver (because the filter fits into corners), high stability and large filter volume.

Additionally, this sturdy basic filter offers special advantages: for instance, a complete hose adapter unit with integrated shut-off taps, individually removable filter baskets with fold-away handles, very low energy consumption, very quiet running due to ceramic components and much more.

eXperience comes completely equipped – including accessories and filter media. You can start immediately.



80-350 l
21-92 US gal

8
24
Watt

500
1050
l/h

marine
freshwater

3
year
guarantee
EHEIM

Technical data eXperience

Technical data	eXperience 150	eXperience 250	eXperience 350
Aquarium size up to approx. l	80-150	120-250	180-350
Pump output approx. l/h	500	700	1050
Delivery head approx. Hmax inch	51.2	59.1	78.7
Power consumption W	8	8	24
Canister volume l	5	6	9
Filter volume l	2,3	3,0	4,9
Hose- ø suction/pressure side	1/2" / 1/2"		5/8" / 5/8"
Dimensions WxHxD inch	7x11.4x7	7x13.4x7	8.3x14.8x8.3
Art. No. (Europe)	2422020	2424020	2426020
Art. No. (UK)	2422510	2424510	2426510
Packing dim. WxHxD inch	10.6x13.4x7.7	10.6x15x7.7	11.4x16.5x8.7
Master pack quantity pcs.	1	1	1
Filter media included media+	•	•	•

- Very good, reliable external filter for aquariums up to 250 litres
- Square basic shape for large filter volume and high stability
- Detachable hose adapter with integrated shut-off taps and locking clamp as complete unit
- Individually removable filter media containers with fold-away handles for easy handling and convenient full or intermediate cleaning
- Low energy consumption
- Extremely quiet running due to ceramic axle and sleeve
- Equipment: coarse filter pads, fine filter pad and filter baskets
- **media+**: complete with filter media (EHEIM SUBSTRAT)
- Accessories included: spray bar, inlet pipe, outlet elbow, EHEIM quality hose, installation accessories
- A basic model for innovative upgrading right up to hightech models with electronic controls: professional 4+ und 5e



Filter media

EHEIM eXperience		150/250	PK	350	PK
1 x coarse filter/2x fine filter pad		2616220	6	2616260	5
Coarse filter pad	3x	2616221	6	2616261	5
Fine filter pad	3x	2616225	6	2616265	5
Activated carbon pad	3x	2628220	4	2628260	4

Accessories (included)

Spray bar, suction pipe, outlet pipe, EHEIM quality hose, all set-up accessories (further accessories on page 100-113)



EHEIM
SUBSTRAT



professionel 3

The elite class of external filters.

With our EHEIM professional 3 we offer you the jewel (highest standard) of filter technology*. EHEIM professional 3 represents high quality, strong performance, excellent power efficiency, smooth operation and lots of additional benefits. Self priming, a large prefilter and safety hose adapters are just some of the advantage.

*The professional 3 1200XL model is also available as a thermo filter with an integrated heater – 1200XLT.



- Triple hose connector (2x inlet pipes, 1x outlet pipe) for perfect water circulation in large aquariums
- Handling features: recessed handles, transport castors, 4 sturdy clips, multifunction adapter
- Maintenance and flow rate indicator




400-1200 l
106-317 US gal

25
Watt

1700
l/h


self priming

3
year guarantee
EHEIM

Technical data professionel 3



professionel 3 1200XL



professionel 3 1200XLT

Technical data	professionel 3 1200XL	professionel 3 1200XLT
Aquarium size up to approx. l	400-1200	400-1200
Pump output approx. l/h	1700	1700
Delivery head approx. Hmax inch	102.4	102.4
Power consumption W	25	25
Heating power W	-	500
Canister volume l	25	25
Filter volume l	12,0+1,5 (prefilter)	12,0+1,5 (prefilter)
Hose- ø suction/pressure side	2x 5/8" / 5/8"	
Dimensions WxHxD inch	13x22.3x13	13x22.3x13
Art. No. (Europe)	2080010	2180010
Art. No. (UK)	2080500	2180500
Packing dim. WxHxD inch	15x27.6x15	15x27.6x15
Master pack quantity pcs.	1	1
Filter media included media+		

Accessories (included)

2x suction pipes, 1x spray bar, outlet pipe, EHEIM quality hose, all set-up accessories, prefilter drip tray (further accessories on page 100-113)

professional 3 Thermo

External thermofilters Filtration plus heating.



only for
fresh water!

The powerful and very convenient EHEIM thermofilters are not only equipped with the full range of features of the professional filter range, but also with a high quality heating element. They heat and filter your tank easily and simply.

- An easy to read and precise LED display shows the exact water temperature
- With a simple press of a button, the desired temperature can be precisely and easily set
- The integrated temperature control gives an accurate setting of 18-34°C or 65-93°F
- 2+1 safety hose adapter - 2 inlet connections and 1 outlet connection ensure optimum water circulation throughout the aquarium
- Output display – easily visible in the adapter – shows the filter's performance
- Heater element protected under the pump-head of the filter
- Supplied with 1x coarse filter pad, 1x fine filter pad and filter baskets



Filter media EHEIM	professional 3 1200XL/ 1200XLT	PK
1x prefilter pad /4x fine filter pad	2616802	1
Complete filter media set*:	2520800	1
MECH*	3360 g	
SUBSTRATpro*	5760 g	
Pre-filter pad	1x	
Fine filter pad	1x	

* informations on page 102

MEDIA SET: Perfectly matched

These complete media sets are perfectly matched to our EHEIM filters. Your customers can have the correct media for their filter in one convenient pack.

The porous material becomes evenly soaked with water and traps large and small dirt particles. After a short start-up period purification bacteria, which provide intensive biological decomposition of harmful substances, colonise the specially structured foam.

The coarse filter pads are reusable many times over. To clean them simply rinse and squeeze out, so that the bacteria cultures are not completely destroyed.

- Porous material traps large and small dirt particles
- Good colonisation conditions for bacteria cultures
- Reusable several times over
- To clean just rinse and squeeze out

professional 3 1200XL

professionel 4

Best filter technology for large aquariums.



The EHEIM professional 4 offers several functional advantages and the best choice for large aquariums - in the well-known EHEIM quality.

The EHEIM professional 4 is aimed specifically at aquarium enthusiasts who wants to filter larger aquariums in a tried and tested, conventional way. In this size range, a good combination of powerful filter performance, large volume and reliable technology is essential - and this is precisely where this external filter shows its strengths. The generous capacity of the filter ensures stable water parameters even with a high fish population and remains pleasantly quiet thanks to the precise ceramic bearings.



- High-end technology for the most demanding criteria
- Large pre-filter easily accessible
- Large canister and filter volume
- The filter canister fills quickly due to the integrated suction aid
- High-quality wear-free ceramic axle and bearings
- Safety hose adapter with easy-to-operate locking device
- Large safety closure clips
- Easy Clean
- Comes with installation accessories



300-800 l
79-211 US gal

20
Watt

1600
l/h



self priming

3
year
guarantee
EHEIM

Technical data professional 4



Technical data	professionel 4 800
Aquarium size up to approx. l	400-800
Pump output approx. l/h	1600 352 Imp. gal./h
Delivery head approx. Hmax inch	7'2"
Power consumption W	20
Canister volume l	14,5
Filter volume l	9,8
Hose- ø suction/pressure side	16/22 mm 5/8"
Dimensions WxHxD inch	10.4x21x10.4
Art. No. (Europe)	2277010
Art. No. (UK)	2277500
Packing dim. WxHxD inch	13.2x22.4x10.6
Master pack quantity pcs.	1
Filter media included media+	-



Filter media EHEIM	professionel 4	PK
1x pre-filter/4x fine filter pad	2616760	1
Activated carbon pad 3x	2628760	1
Complete filter media set:	2520780	1
MECHpro*	270 g	
SUBSTRATpro*	2880 g	
bioMECH*	1360 g	
Pre-filter pad	1x	
Fine filter pad	1x	

* Informations page 102

Accessories (included)

1 x suction pipe, 1 x outlet pipe, 1 x spray bar, EHEIM quality hoses, set up accessories (further accessories on page 100-113)

professionel 4 Thermo



External thermofilters Filtration plus heating

Accurate LED display



only for
fresh water!

The powerful and very convenient EHEIM thermofilters are not only equipped with the full range of features of the professional filter range, but also with a high quality heating element. They heat and filter your tank easily and simply.

- An easy to read and precise LED display shows the exact water temperature
- With a simple press of a button, the desired temperature can be precisely and easily set
- Heater element protected in the base of the filter canister
- Heat probe located in filter container
- Completely equipped with original EHEIM filter media and installation accessories

Technical data professionel 4 Thermo



professionel 4 600T

Technical data	
Aquarium size up to approx. l	300-600
Pump output approx. l/h	1600 352 Imp. gal./h
Delivery head approx. Hmax inch	7'2"
Power consumption W	20
Canister volume l	14,2
Filter volume l	8,6
Hose- ø suction/pressure side	16/22 mm 5/8"
Dimensions WxHxD inch	10.4x21x10.4
Art. No. (Europe)	2375010
Art. No. (UK)	2375500
Packing dim. WxHxD inch	13.2x22.4x10.6
Master pack quantity pcs.	1
Filter media included media+	-

professionel 4+

High quality filtration technology with integrated features.

The EHEIM **professionel 4+** – our best external filter but now with an integrated ‘emergency’ button. We have adopted the many advantages of the professional 3 series – powerful performance, optimal energy efficiency, quiet operation, priming aid, safety hose adapter – but we have also improved the technology by incorporating the new ‘Xtender’ button.

In the event the output is reduced due to the fine filter media blocking, the button can be adjusted to redirect the flow. The biological filtration is maintained and the service interval can be extended by a few days.

There are 3 sizes available for aquariums up to 250, 350 and 600 litres. The models 250 and 350 are also available with an integrated heater as thermo filter (T).

- Control knob to extend the service life of dirty filter media
- Completely equipped with original EHEIM filter media and installation accessories




120-600 l
32-159 US gal


12
16
Watt

950
1250
l/h


self priming

3
year
guarantee
EHEIM

Technical data professionel 4+



Technical data	professionel 4+ 250	professionel 4+ 350	professionel 4+ 600
Aquarium size up to approx. l	120-250	180-350	240-600
Pump output approx. l/h	950	1050	1250
Delivery head approx. Hmax inch	59.1	70.9	70.9
Power consumption W	12	16	16
Canister volume l	6,1	7,4	9,2
Filter volume l	3,0+0,5 (prefilter)	4,5+0,5 (prefilter)	6,0+0,5 (prefilter)
Hose- ø suction/pressure side	5/8" / 5/8"		
Dimensions WxHxD inch	9.4x14.1x9.6	9.4x15.7x9.6	9.4x17.8x9.6
Art. No. (Europe)	2271020	2273020	2275020
Art. No. (UK)	2271510	2273510	2275510
Packing dim. WxHxD inch	11.6x15.7x9.4	11.7x17.4x9.4	11.7x19.5x9.4
Master pack quantity pcs.	1	1	1
Filter media included media+	•	•	•

Accessories (included)
 1 x suction pipe, 1 x outlet pipe, 1 x spray bar,
 EHEIM quality hoses, set up accessories
 (further accessories on page 100-113)

Filter media	professionel 4+ 250/350/600/250T/350T	PK
1x pre-filter/4x fine filter pads	2617710	3
Activated carbon pads 3x	2628710	4

professionel 4+ Thermo

External thermofilters Filtration plus heating

Accurate LED display



only for
fresh water!

The powerful and very convenient EHEIM thermofilters are not only equipped with the full range of features of the professional filter range, but also with a high quality heating element. They heat and filter your tank easily and simply.

- An easy to read and precise LED display shows the exact water temperature
- With a simple press of a button, the desired temperature can be precisely and easily set
- Heater element protected in the base of the filter canister
- Heat probe located in filter container
- Completely equipped with original EHEIM filter media and installation accessories



professionel 4+ 250T

Technical data professionel 4+ Thermo




professionel 4+
normal operation (-)



professionel 4+
Xtender opened (+)



professionel 4+
250T



professionel 4+
350T

Technical data

Aquarium size up to approx. l	120-250	180-350
Pump output approx. l/h	950	1050
Delivery head approx. Hmax inch	59.1	70.9
Power consumption W	12	16
Heating power W	210	210
Canister volume l	7,1	8,9
Filter volume l	3,0+0,5 (prefilter)	4,5+0,5 (prefilter)
Hose- ø suction/pressure side	5/8" / 5/8"	
Dimensions WxHxD inch	9.4x15.7x9.6	9.4x17.8x9.6
Art. No. (Europe)	2371020	2373020
Art. No. (UK)	2371510	2373510
Packing dim. WxHxD inch	11.7x17.4x9.4	11.7x19.5x9.4
Master pack quantity pcs.	1	1
Filter media included media+	•	•

EHEIM professional 5e: High intelligence combined with high quality.




professional 5e

The EHEIM professional 5e is our best external filter to date, offering everything an aquarium enthusiast could wish for.

Each function can be individually programmed and controlled wirelessly. The electronic system monitors all functions and keeps the flow constant as well as delivering strong performance due to the large filter volume. The clever design and the regulation of

the electronic flow extend the maintenance intervals for the biological filter material considerably and, in addition, there is the acclaimed smooth EHEIM performance.

The skilled workmanship, the high quality materials and the renowned „Made in Germany“ reliability, combined with the 3 year warranty, leave nothing to be desired.





professional 5e

The future has begun.

This is how aquatics works today.



- High-end technology for the most demanding criteria
- Electronic professional filter with integrated Wifi function and wireless control via smartphone, tablet or PC/Mac
- No extra app is required for control
- Individual program settings: Constant flow, bio mode, pulse mode and manual mode
- Linking with other devices possible (e.g. lighting control LEDcontrol+e)
- Constant monitoring of the maintenance interval; cleaning instructions are automatically sent to the stored e-mail address
- Permanent electronic system monitoring (including automatic air removal; fault elimination)
- Wifi function can be deactivated after configuration
- Large pre-filter easily accessible (directly under the pump head) for quick removal of mechanical contamination without having to disturb the sensitive bio-filter material
- Large canister and filter volume
- The filter canister fills quickly due to the integrated self priming



180-700 l
48-185 US gal

10-35
Watt

1500-1850
l/h



multiscreen



Digital Family product

3 year
guarantee
EHEIM

Technical data professional 5e



Technical data	350	550	800	600T
Aquarium size up to approx. l	180 - 350	240 - 450	300 - 700	300 - 600
Pump output approx. l/h	1500	1700 363 Imp. gal./h	1850 407 Imp. gal./h	1850 407 Imp. gal./h
Delivery head approx. Hmax inch	86.6	7'11"	8'6"	102.6
Power consumption W	10 - 35	10 - 35	10 - 35	10 - 35
Heating power W	-	-	-	210
Canister volume l	7,4	12,5	14,5	14,2
Filter volume l	4,5+0,5 (prefilter)	7,2+0,6 (prefilter)	9,2+0,6 (prefilter)	8+0,6 (prefilter)
Hose- ø suction/pressure side	16/22 mm 5/8"			
Dimensions WxHxD inch	9.4x15.7x9.6	10x18.7x10.4	10.4x21x10.4	10.4x21x10.4
Art. No. (Europe)	2274020	2076010	2078010	2178010
Art. No. (UK)	2274510	2076500	2078500	2178500
Packing dim. WxHxD inch	11.7x17.4x9.4	13.2x20.1x10.6	13.2x22.4x10.6	13.2x22.4x10.6
Master pack quantity pcs.	1	1	1	1
Filter media included media+	•	-	-	-

WiFi 2.4GHz – IEEE802.11 b/g/n
Security keys: WPA, WPA2, WPA/WPA2

- High-quality wear-free ceramic axle and bearings guarantee quiet performance
- Safety hose adapter with easy-to-operate locking device; the adapter can only be released when the hose valves are closed
- Large safety closure clips for a tight and safe connection between the pump head and filter canister
- Easy Clean – easy and safe cleaning of the filter media with the help of the cleaning cover
- Comes with installation accessories
- Suitable for fresh and marine water (except thermofilter – for freshwater only)



There are four filter versions available, including a thermofilter (600T) with integrated heater, developed for aquariums ranging from 180 to 700 litres



multi screen

Use by various Wifi compatible devices: Smartphone, tablet, PC, laptop, etc.



pulse mode

The electronically controlled alternating current ensures natural flow conditions in the aquarium.



auto air out

Accumulated air under the filter head are detected and automatically discharged by an electronic program.



output control

Gradual increase of the water flow rate – the maximum capacity exceeds the performance of conventional filters.



bio mode

(sun/moon): Changes between 2 adjustable flow rates.



electronic error indicator

Permanent electronic system monitoring. This starts a program that automatically attempts to eliminate the cause of any errors.



constant flow

Increased pollution in the filter is electronically detected and automatically adjusted to your programmed output. This guarantees a constant flow rate and extended maintenance intervals.



service indicator

Constant monitoring of the maintenance interval. Cleaning notification is automatically sent to a stored e-mail address.



Special features of the models:

EHEIM professionnel 5e 350

- Fully equipped with original EHEIM filter media and installation accessories
- Extension of the filter function using the (Xtender) control knob

EHEIM professionnel 5e 600T

- Thermofilter with integrated heater
- **Only suitable for fresh water**

Filter media EHEIM	professionel 5e 450/700/600T	PK
1x pre-filter/4x fine filter pad	2616760	1
Activated carbon pad 3x	2628760	1
Complete filter media set**:	2520780	1
MECHpro*	270 g	
SUBSTRATpro*	2880 g	
bioMECH*	1360 g	
Pre-filter pad	1x	
Fine filter pad	1x	

* Informations page 102

** Not professional 5e 350

Filters

Hang-on filters




**Fully equipped
and ready to use.**

LiBERTY



With EHEIM LiBERTY you have an uncomplicated hang-on filter, which you can use anywhere immediately.



- **media+**: Comes complete with filter media
- Large Filter cartridge for high biological filter efficiency and longer life – can be removed for cleaning
- Various filtration options with different inserts
- Ready for immediate use
- Recommended for breeding tanks (use cartridge 2615270 on intake), goldfish and quarantine tanks
- Adjustable priming tube



- ❶ Silent inlet and perfect water distribution through water slides
- ❷ Adjustable pump output



Technical data LiBERTY



Technical data

	LiBERTY 75	LiBERTY 130	LiBERTY 200
Aquarium size up to approx. l	75	130	200
Pump output approx. l/h	150-380	220-570	320-760
Power consumption W	2,5	3	4
Canister volume approx. l	0,6	1,0	1,3
Filter volume approx. in ³	94.5	157.5	255.9
Dimensions WxHxD approx. inch	4.1x7.1x5.3	5.7x7.1x5.3	7.7x7.1x5.3
Art. No. (Europe)	2040020	2041020	2042020
Packing dimensions WxHxD inch	4.4x7.4x5.5	5.5x7.4x6.1	5.6x7.9x7.4
Master pack quantity pcs.	3	3	3
Filter media included media+	•	•	•

Filter media

EHEIM LiBERTY		75/130/200	Pk
Filter cartridge cartridge	1 x	2617411	6
Activated carbon cartridge	12 x	2628411	3
Activated carbon cartridge	2 x	2628401	6
Biofilter cartridge	2 x	2617401	6
SUBSTRATpro-cartridge with pre-Filter cartridge	1 x	2617421	6



Filters

UV-sterilizer



The UV-steriliser with a new kind of reflector technology.



EHEIM
reeflexUV
Page 98



EHEIM
reeflexUV+e
Page 99



reeflexUV

The UV-steriliser with a new kind of reflector technology.



- Quickly and effectively reduces or eliminates harmful germs (bacteria, fungi, viruses, other pathogens) and infectious swarms of fish parasites as well as suspended algae in the water
- Patented reflector technology: The unique arrangement of the UV-C light source and the aquarium water flowing past it, in conjunction with a special reflector, ensures unparalleled efficiency with a low energy input
- Almost no power loss, as the water is not deflected due to the clarifiers innovative design
- Excellent results: twice as effective compared to conventional UV clarifiers
- Also ideal for rearing tanks, as it reduces the risk of infection
- Bound cleaning bacteria in the filter are preserved, as only floating germs are captured
- Easy and safe handling and cleaning
- AUTO-OFF: Automatic safety shut-off when changing lamps
- Easy mounting due to supplied bracket
- Variable installation, no defined installation position or flow direction


80-2000 l
21-528 US gal

7-24
Watt


best clarity


against bacteria

marine

freshwater

3
year guarantee
EHEIM

Technical data reflexUV



Technical data

	reeflexUV 350	reeflexUV 500	reeflexUV 800	reeflexUV 1500	reeflexUV 2000
Aquarium size up to approx. l	80-350	300-500	400-800	700-1500	1200-2000
Dimensions WxHxD approx. inch	5.1x13.8x4.5	5.1x15x4.5	5.1x18.5x4.5	5.1x19.7x4.5	5.1x22x4.5
Hose ø	1/2", 5/8"				
Pressure max. bar	0,8				
Reduction of germs l/h	max. 400	max. 800	max. 1200	max. 2000	max. 3000
Power consumption W	7	9	11	18	24
Art. No. (Europe)	3721210	3722210	3723210	3724210	3725210
Art. No. (UK)	3721350	3722350	3723350	3724350	3725350
Packing dimensions WxHxD inch	7.4x12.5x4.3	7.4x14.3x4.3	7.4x18.6x4.3	7.4x19.4x4.3	7.4x21.4x4.3
Master pack quantities pcs.	1	1	1	1	1

The light source contained in this product is intended exclusively for the disinfection of aquarium water.

Accessories included

UV-C-lamp, bracket, ballast with power cable, 2x hose connection taps 1/2" (reeflexUV 350) and 5/8".

Accessories (optional)

Accessories (optional)		Art.
Original replacement lamp 2G7		
7 Watt	for reflexUV 350	4110010
9 Watt	for reflexUV 500	4111010
11 Watt	for reflexUV 800	4112010
Original replacement lamp 2G11		
18 Watt	for reflexUV 1500	4113010
24 Watt	for reflexUV 2000	4114010

This light source must only be used for the disinfection of aquarium water.

reeflexUV+e

The smart UV clarifier with WiFi control.

With EHEIM reflexUV+e you reduce or eliminate germ contamination and eliminate turbidity in the water. Now with WiFi controls:



- Can be coupled with other products in the EHEIM Digital family (e.g. synchronisation with the aquarium lighting)
- Controlled via WLAN-enabled devices (smartphone, tablet, notebook, etc.)
- Easy and intuitive operation
- Three different modes: "constant", "daily cycle", "smart coupling"
- Configurable burning duration, time, pauses, etc.
- Booster mode for combating acute parasite infestations
- Notification by e-mail when the lamp replacement is due
- Made in Germany
- 3 years warranty
- Suitable for both fresh and marine water


300-2000 l
79-528 US gal

11-24
Watt


best clarity


against bacteria


marine freshwater


multiscreen


Digital Family product

3
year guarantee EHEIM

Technical data reflexU+eV



Technical data

	 reeflexUV+e 500	 reeflexUV+e 800	 reeflexUV+e 1500	 reeflexUV+e 2000
Aquarium size up to approx. l	300-500	400-800	700-1500	1200-2000
Dimensions WxHxD approx. inch	5.1x15x4.5	5.1x18.5x4.5	5.1x19.7x4.5	5.1x22x4.5
Hose ø	1/2", 5/8"			
Pressure max. bar	0,8			
Reduction of germs l/h	max. 800	max. 1200	max. 2000	max. 3000
Power consumption W	11	14	19	24
Art. No. (Europe)	3732210	3733210	3734210	3735210
EAN 4011708	013311	013458	013526	013328
Packing dimensions WxHxD inch	7.4x14.3x4.3	7.4x18.6x4.3	7.4x19.4x4.3	7.4x21.4x4.3
Master pack quantities pcs.	1	1	1	1

The light source contained in this product is intended exclusively for the disinfection of aquarium water.

Accessories included

UV-C-lamp, bracket, ballast with power cable, 2x hose connection taps 1/2" (reeflexUV 350) and 5/8".

Accessories (optional)

		Art.
Original replacement lamp 2G7		
9 Watt	for reflexUV 500	4111010
11 Watt	for reflexUV 800	4112010
Original replacement lamp 2G11		
18 Watt	for reflexUV 1500	4113010
24 Watt	for reflexUV 2000	4114010

WiFi 2.4GHz – IEEE802.11 b/g/n

Security keys: WPA, WPA2, WPA/WPA2



This light source must only be used for the disinfection of aquarium water.

Filters

Accessories

So you will always
recommend the
right product.




EHEIM
Filter media
Page 102



EHEIM
Prefilter
Page 110



EHEIM
air filter
Page 110



EHEIM
accessories for external canister filters
Page 112



Filter media

EHEIM Filter media – The Original

EHEIM filter media – highly efficient, developed in our own laboratory, produced from only the best raw materials, continuously checked and guaranteed free from pollutants.

Even the best internal and external filters are ineffective if they are not filled with the correct filter media. Filter media are made from various materials which perform multiple functions: they trap dirt and fine particles, provide biological decomposition of harmful substances, remove contaminants or effect a chemical change.

Depending on the size and stocking levels of the aquarium, the type of filter used and the local water quality – appropriate filter media needs to be used and combined. The correct layering of the filter media is also critical to the water quality.



- **Mechanical filter media**
Mechanical filter media trap dirt and fine particles. This takes place before the water flows through the rest of the cleaning process and also at later stages in the filtration.
- **Biological filter media**
The main task of biological filter media is to offer the best colonisation conditions for bacteria cultures. The purification bacteria convert harmful substances in a natural way.
- **Mechanical-biological filter media**
Dirt-trapping pockets in the media capture particles but at the same time the pore structure provides colonisation for purification bacteria.
- **Adsorptive filter media**
Adsorptive filter media remove and retain harmful substances from the water – for example; chlorine, remains of cleaning agents, water treatments, colouring agents and so on.
- **Chemical filter media**
Depending on which type, these filter media control the ph-value and the water hardness – or lower the phosphate content and inhibit the growth of algae.



Coarse and fine filter pads

Coarse and fine filter pads perform different functions in the media layering in EHEIM filters and, depending on the model, combine mechanical, biological and adsorptive filtration.

Filter cartridge for internal filters

The cartridges consist of special foam material, fit the appropriate internal filters and clean both mechanically and biologically. Adsorptive filter cartridges can be used to remove phosphate.

Media Sets

Filter Media Sets are customised to suit the different EHEIM filters. This means that all the medias necessary for the filtration of any particular filter, are in a single all-in-one pack.




Filter media

EHEIM filter media for the best water in the world

Filter media have various functions.

They trap dirt and floating matter and perform the biological conversion or chemical alteration of the water. They are therefore divided into the following types: mechanical, biological, adsorptive and chemical filter media.



Mechanical filter media

Coarse material works directly where the filtration process begins. The water is swirled around and larger dirt particles become trapped. The water then flows through the rest of the filtering process. Various media perform this function. Particularly effective are EHEIM MECH and EHEIM bioMECH.

Biological filter media

After the initial mechanical media treatment, biological media begin the most important task in the filter. With the colonisation of important purification bacteria, a kind of bacterial lawn is formed, which feeds on and transforms all kinds of dirt particles harmful to the aquarium. The main role of the biomedium is to offer the best colonisation conditions for the purification bacteria. EHEIM biological media ensure stable conditions in the tank due to the best possible surface structure (eg. EHEIM SUBSTRATpro).

TIP: Never wash or change all the biomedium at the same time. This would destroy the colonies and hinder re-colonisation. The filter baskets in the external filter and the filter module in aqua/aquaball/biopower are ideal for partial cleaning.

mechanical PK

EHEIM SYNTH **

Filterwadding/Fine filtration		
50 g	2504051	6
100 g	2504101	5

EHEIM FIX

Pre-filtering medium/ Fine filtration •		
50 g	2506051	6
250 g	2506751	1

EHEIM MECH

Pre-filtering medium •		
840 g	2507051	6
1680 g	2507101	5
4200 g	2507751	1

EHEIM MECHpro

Pre-filtering medium •		
90 g	2505051	6
180 g	2505101	5

mechanical-biological PK

EHEIM

bioMECH

Filter medium •		
680 g	2508051	6
1360 g	2508101	5
3400 g	2508751	1

biological PK

EHEIM SUBSTRAT

Sintered glass granulate •		
830 g	2509051	6
1660 g	2509101	5
4150 g	2509751	1

EHEIM SUBSTRATpro

Sintered pearl-shaped glass •		
180 g *	2510021	6
720 g	2510051	6
1440 g	2510101	5
3600 g	2510751	1

EHEIM SUBSTRAT pro+O₂xygen

Sintered pearl-shaped glass + tourmaline •		
183 g *	2512021	6
730 g	2512051	6
1460 g	2512101	5

EHEIM LAV

Volcanic rock •		
1010g	2519051	6
5050g	2519751	1

EHEIM BIOBALLS

pH-neutral plastic •		
55x	2518051	1
110x	2518101	1

* Filter media box aqua/aquaball/biopower

• reusable

SUBSTRATpro+O₂xygen

- Outstanding durability: extremely durable thanks to special heat treatment
- Oxygen booster: electron-activated oxygen for faster pollutant degradation
- Maximum volume utilisation and ultimate decomposition



• Adsorptive filter media

This type of filter material draws out and retains pollutants from the water. These can be chemical compounds, such as chlorine from tap water used when setting up your tank or chemical remains after the treatment of livestock.

TIP: Since adsorptive filter media retain pollutants but do not really convert them, they need to be changed regularly.

• Chemical filtration

EHEIM TORFpellets chemically influence the pH value and water hardness.

TIP: TORF expands in water, therefore lightly rinse, not wash, before use. TORF must be changed after 3-6 weeks. Do not use TORF with activated carbon.

EHEIM phosphateout binds phosphate to iron and extracts it from the water circulation – hindering the growth of algae in the aquarium. Free from harmful substances and suitable for both fresh and marine water.

adsorptive		VE
EHEIM KARBON		
Activated carbon		
225 g	2501051	6
450 g	2501101	5
1125 g	2501751	1
225 g net bag	2501401	6
450 g net bag	2501451	5
EHEIM AKTIV **		
Special activated carbon		
140 g *	2513021	6
560 g net bag	2513101	6
1120 g net bag	2513051	5

chemical		VE
EHEIM TORFpellets		
Filter peat		
450 g	2511051	6
EHEIM phosphateout **		
Phosphate remover		
130 g *	2515021	6
390 g	2515051	6
Dosage phosphateout		
		
130 g *	2x 65 g	100 l
390 g	6x 65 g	300 l

**Suitable for marine water
* filter media box aqua/aquaball/biopower



MEDIA SET: Perfectly matched

These complete media sets are perfectly matched to our EHEIM filters. Your customers can have the correct media for their filter in one convenient pack.

- For professional 3 1200XL(T)
- For professional 4
- For professional 5e (Not professional 5e 350)

Filter media

Original EHEIM cartridges and filter pads

- **EHEIM filter cartridges for internal filters**

These are made of phenol-free foam materials and offer a large colonisation area. They can be easily changed and after a short run-in period they provide biological decomposition of harmful pollutants in addition to mechanical water cleaning. Specially treated activated carbon cartridges are also available, which are excellent for adsorptive filtration.



Filter cartridges				Carbon cartridges		
For filter		Art. No.	PK		Art. No.	PK
2000	2x	2616000	6	-	-	-
2006	2x	2615060	6	-	-	-
2008	2x	2617080	6	-	-	-
2010	2x	2617100	6	-	-	-
2012	2x	2617120	6	-	-	-
2048	2x	2615480	6	2x	2625480	6
2203/2204	2x	2616030	1	-	-	-
2206-2208 (aqua)	2x	2617050	1	-	-	-
2252	2x	2615510	1	2x	2625520	1
2400	2x	2618060	6	-	-	-
2401-2403	2x	2618080	6	2x	2628080	6
2411-2413	2x	2618060/080	6	2x	2628080	6
3536	2x	2615360	1	-	-	-
4003000	2x	2615300	6	-	-	-

Fine filter pad				Activ. carbon fine filter pads		
2004/2005				3x	2628040	6
2026-2128	3x	2616265	5	-	-	-
2211	3x	2616115	4	3x	2628110	1
2213	3x	2616135	6	3x	2628130	6
2215	3x	2616155	5	3x	2628150	1
2217	3x	2616175	5	3x	2628170	1
2222-2324	3x	2616225	6	-	-	-
2226-2328	3x	2616265	5	-	-	-
2231/33/35	3x	2616315	6	3x	2628310	6
2032/34/36	3x	2616315	6	3x	2628310	6
2401-2403	3x	2616080*	6	-	-	-
2422/2424/2124	3x	2616225	6	-	-	-
2426	3x	2616265	5	-	-	-



- **EHEIM filter pads / coarse filter pads**

Specially structured materials provide outstanding purification. Water permeates them evenly, coarse particles and even the finest particle residues are trapped mechanically. After a short run-in period, purification bacteria lodge in the special foam material and ensure the intensive, biological decomposition of toxins. In addition, Activated carbon pads have an adsorptive effect: dissolved pollutants are trapped on their surface and therefore removed from the water cycle.

All filter cartridges and pads can be found on: www.eheim.com



Set coarse filter pad / fine filter pad			PK
2004/2005	Set	2616040 (1x prefilter pad/1x filter pad/3x fine filter pad)	4
2026-2128	Set	2616260 (1x coarse filter pad/2x fine filter pad)	5
2032-2036	Set	2616320 (1x prefilter pad/4x fine filter pad)	3
2071-2075	Set	2616710 (1x prefilter pad/4x fine filter pad)	3
2271-2275	Set	2617710 (1x prefilter pad/4x fine filter pad)	3
2076/2078	Set	2616760 (1x prefilter pad/4x fine filter pad)	1
2080/2180	Set	2616802 (1x prefilter pad/4x fine filter pad)	1
2222-2324	Set	2616220 (1x coarse filter pad/2x fine filter pad)	6
2226-2328	Set	2616260 (1x coarse filter pad/2x fine filter pad)	5
2422/2424/2124	Set	2616220 (1x coarse filter pad/2x fine filter pad)	6
2426	Set	2616260 (1x coarse filter pad/2x fine filter pad)	5

Coarse filter pad		Art. No.	PK	Activ. carbon filter pads	Art. No.	PK
2211	2x	2616111	6	-	-	-
2213	2x	2616131	6	-	-	-
2215	2x	2616151	6	-	-	-
2217	2x	2616171	6	-	-	-
2231/33/35	3x	2616310	6	-	-	-
2032/34/36	3x	2616310	6	-	-	-
2026-2128	3x	2616261	5	3x	2628260	4
2071-2075	-	-	-	3x	2628710	4
2271-2275	-	-	-	3x	2628710	4
2076/2078	-	-	-	3x	2628760	1
2222-2324	3x	2616221	6	3x	2628220	4
2226-2328	3x	2616261	5	3x	2628260	4
2401-2403	2x	2616085*	6	-	-	-
2422/2424/2124	3x	2616221	6	3x	2628220	4
2426	3x	2616261	5	3x	2628260	4

* Filter media box aquaball

EHEIM media set-up

Most EHEIM filters come pre-filled with the correct filter media. For after sales or for customised filtration we offer you a variety of media in complete filter media sets or single packs.

EHEIM classic


- EHEIM coarse and fine filter pads
These guarantee the basic mechanical and biological filtration.

EHEIM eXperience

- EHEIM fine filter pads – for additional mechanical and biological filtration.
- EHEIM SUBSTRAT – Standard biofilter medium with a large colonisation area for bacterial cultures
- EHEIM coarse filter pads – for mechanical (and biological) filtration

EHEIM ecco pro

- EHEIM filter pad – for additional mechanical and biological filtration.
- EHEIM fine filter pad - for fine filtration
- EHEIM SUBSTRATpro – bio-filter medium with perfect volume utilisation, longer cleaning intervals and high decomposition performance
- EHEIM bioMECH – mechanical-biological filter medium for combined water treatment
- EHEIM MECHpro – mechanical prefilter medium which although is mainly for trapping dirt particles, also encourages the colonisation of purification bacteria.




classic 350



eccopro 130



eXperience 350



eccopro 200

eccopro 300


EHEIM professional 3 / professional 4+/4 / professional 5e

- EHEIM coarse filter pads – for additional mechanical and biological filtration and longer intervals between cleaning
- EHEIM fine filter pad - for fine filtration
- EHEIM SUBSTRATpro – biofilter medium with perfect volume utilisation, longer cleaning intervals and high decomposition performance
- EHEIM bioMECH – mechanical-biological filter medium for combined water treatment
- EHEIM MECHpro – mechanical prefilter medium

Detailed description of filter media on pages 102-107.



professional 4+ 250



professional 3 350



professional 5e



Prefilter





around intake



easy click system

marine



freshwater

air filter



Contents of ExtensionSET for air filter

Prefilter	Art. No. 4004320
EAN 4011708 401910	PK 3

EHEIM air filter	Art. No. 4003000
EAN 4011708 401828	PK 1

Prefilter

- Traps larger dirt particles in the inlet area, preventing early blocking of the filter media
- The filter basket is simple to remove (easy-click) as well as easy to clean
- All round suction for gentle filtration
- Comprises 2 filter containers with filter cartridges
- Can be extended at will and fit InstallationsSET 1
- For all EHEIM external filters (apart from 2274/2074/2076/2078/2178/2260)

Air filter – For quarantine and breeding tanks.

Modular construction for use with the EHEIM air or other aquarium air pumps. The compact filter cartridge ensures good filtration and protects small and weak aquarium inhabitants. Extendable in many different ways using the EHEIM installation-SET accessories.

ExtensionSET for air filter	Art. No. 4003010 EAN 4011708 401835
Filter cartridge to air filter (2 pieces)	Art. No. 2615300 EAN 4011708 260920

Examples of use EHEIM air filter with extensionSET





EHEIM accessories for external canister filters

External filter	eCCO		classic		
	eCCOpro		eXperience		
Model	2231/2233/2235 comfort 2232/2234/2236 eccopro 2032/2034/2036		2211/2213/2215 2422/2424/2124		
Intake side/Pressure side Diameter mm	Inlet 1/2"	Outlet 1/2"	Inlet 1/2"	Outlet 1/2"	Outlet 3/8" (only 2211)
Hoses 118 inches (green)	4004943	4004943	4004943	4004943	4003943
Hoses 118 inches (anthracite)	4004843	4004843	4004843	4004843	4003843
Double tap	4004412	4004412	4004412	4004412	4003412
Shut-off tap	4004512	4004512	4004512	4004512	4003512
InstallationsSET 1	4004300	-	4004300	-	-
InstallationsSET 2	-	4004310	-	4004310	-
Quick release coupling	4004522	4004522	4004522	4004522	4003522
Elbow piece	4014050	4014050	4014050	4014050	4013000
Hose holder	4014300	4014300	4014300	4014300	4013300
T-piece	4004950	4004950	4004950	4004950	4003950
Hose connection piece	4004970	4004970	4004970	4004970	4003970
Suction cup with clip	4014100	4014100	4014100	4014100	4013050
Variable outlet pipe	-	4004600	-	4004600	-
Diffuser	-	4003651 ¹⁾ 4004651 ²⁾	-	4003651	4003660
Hose clamp	4004530	4004530	4004530	4004530	4003530
Cleaning brush	4004551	4004551	4004551	4004551	4003551
All-purpose brush	4005570	4005570	4005570	4005570	4005570
Wide-jet pipe	-	4004700	-	4004700	4003700
Outlet pipe (green)	-	4004710	-	4004710	4003710
Outlet pipe (anthracite)	-	-	-	-	-

So you will always recommend the right product.



classic		professionel 3/3 ^e /4/4+/ 4 ^e +5 ^e eXperience		classic	
2217		2271/2273/2275/2277 2071/2073/2075/2080 2371/2373/2375 2171/2173/2180 2274/2074/2076/2078/ 2178 / 2426		2260	
Inlet 5/8"	Outlet 1/2"	Inlet 5/8"	Outlet 5/8"	Inlet 1"	Outlet 5/8"
4005943	4004943	4005943	4005943	4007949	4005943
4005843	4004843	4005843	4005843	(25 m)	4005843
4005410	4004412	4005410	4005410	4007410	4005410
4005510	4004512	4005510	4005510	4007510	4005510
4005300	-	4005300	-	-	-
-	4004310	-	4005310	-	4005310
4005520	4004522	4005520	4005520	-	4005520
4015100	4014050	4015100	4015100	4017200	4015100
-	4014300	-	-	-	-
4005950	4004950	4005950	4005950	4007950	4005950
4005970	4004970	4005970	4005970	4007970	4005970
4015150	4014100	4015150	4015150	4017300	4015150
-	4004600	-	-	-	-
-	4004651	-	4005651 ³⁾	-	4005651
4005530	4004530	4005530	4005530	4007530	4005530
4005551	4004551	4005551	4005551	4007551	4005551
4005570	4005570	4005570	4005570	-	4005570
-	4004700	-	4005700	-	-
-	4004710	-	4005710	-	4005710
-	-	-	4005750	-	4005750



InstallationsSET 1
Modular inlet kit for easy connection to all external filters.



Diffuser
Precisely dosed supply of oxygen into the aquarium.



Wide-jet pipe
Ensures high surface movement.



InstallationsSET 2
Modular outflow kit for easy connection to all external filters – to customise the water flow



Cleaning brush
For thorough cleaning – different sizes for different hose diameters



Quick release joint
With a flick of the wrist, you can disconnect the hose.

¹⁾ 2032/2034 eccopro

²⁾ 2036 eccopro

³⁾ not for professional 3e/4e/5e 2074/2076/2078/2274

Lighting

New dimensions of light

EHEIM LED lights – the new generation of aquarium lighting. Perfectly designed, individual light requirements for both fresh and marine aquariums. More efficient, long lasting and flexible than any other technology.

LED lights by EHEIM are the perfect lighting for your aquarium.

You cannot find anything better: from the full spectrum of sunlight to white and/or actinic light. All the specifications are designed for the maximum support and development of either plant growth or corals and also highlight the natural colours and brightness in the aquarium.

The LEDs consume 30 % less energy than efficient T5 fluorescent tubes and their service life is 150 % longer. They can be adapted to fit most aquariums: extending brackets allow the lights to be adjusted to the aquarium width. All fluorescent tubes can be replaced with the correct adapter.



Lighting

LED lighting

**EHEIM LED lights.
For healthy plants and
an even more intensive
color experience.**



EHEIM
classicLED
Page 118





EHEIM
powerLED+
Page 120

EHEIM
powerRGB
Page 124





classicLED

daylight

Natural colours –
freshwater LED lights

For fresh water aquariums
EHEIM classicLED daylight



Colour spectrum classicLED daylight

- Including safety power supply
- Various fitting options
- Waterproof (IPx7)
- Cost effective LED for beginners
- High energy efficiency and light output (approx. 105 lm/W)
- 6 lengths for aquariums from 21.7-51.2 inches
- Easy to fit using the extendable brackets
- Can be used to replace T5/T8 fluorescent tubes
- Enables the exchange of high energy fluorescent tubes to energysaving, environmentally friendly LED lighting
- Beam angle 120°

Original EHEIM
accessories: classicLED
adapter-set T5/T8
Art. No. 4200130



Technical data classicLED daylight



Technical data

classicLED daylight / fresh water



	7,7	8,6	10,6	13,4	16,3	17,3
Performance W	7,7	8,6	10,6	13,4	16,3	17,3
Overall length inch	21.7	25.2	29.1	37	44.9	48.8
Aquarium size up to inch	21.7-25	25.2-28.5	29.1-32.5	37-40.4	44.9-48.2	48.8-52.2
Light colour K	6500					
Rated light flux lm	789	888	1085	1381	1677	1775
Art. No. (Europe)	4261011	4265011	4262011	4263011	4264011	4266011
Art. No. (UK)	4261111	4265111	4262111	4263111	4264111	4266111
Packing dimensions WxHxD inch	3x27.8x3.9	3x27.8x3.9	3x39.6x3.9	3x39.6x3.9	3x51.4x3.9	3x51.4x3.9
Master pack quantities pcs.	1	1	1	1	1	1
Replacement for EHEIM T8	T8/15 W 17.2 inch	T8/18 W 23.2 inch	T8/18 W 23.2 inch	T8/30 W 35.2 inch	T8/38 W 41.2 inch	- -
Replacement for EHEIM T5	- -	T5/24 W 21.6 inch	T5/24 W 21.6 inch	T5/39 W 33.4 inch	- -	T5/54 W 45.2 inch
Replacement for T5	T5/24 W 17.2 inch	T5/28 W 23.2 inch	T5/28 W 23.2 inch	T5/45 W 35.2 inch	T5/54 W 41.2 inch	- -
Suitable for EHEIM	vivalineLED 150	-	vivalineLED 126	vivalineLED 180	vivalineLED 240	-
	aquaproLED 84	-	aquaproLED 126	aquaproLED 180	-	-
	aquastar 54 LED	-	-	-	-	-
	-	proxima 175	-	proxima 250	-	proxima 325



classicLED

plants

Lighting for plants



Colour spectrum classicLED plants



For fresh water aquariums

EHEIM classicLED plants

- 6 lengths for aquariums from 21.7-51.2 inches width (continuously adjustable) due to extendable support brackets
- High-quality, sturdy aluminium housing
- Absolutely waterproof (IPx7) and particularly safe due to low-voltage technology
- Bright sunlight (7700 K) and light spectrum matched to aquatic plants (photosynthesis) with high red components
- Promotes healthy growth in plants and animals
- Natural, unadulterated colour rendering
- Beam angle 120°
- Full illumination to the bottom of the aquarium
- Average life min. 35 000 hours (9-10 years at 10 hours/day)
- High energy efficiency and light output (approx. 90 lm/W)

Original EHEIM accessories: classicLED dimmer

- Automatically running sunrise and sunset
- Moonlight
- „Plug & Play“ – The dimmer is inserted between the EHEIM classicLED and the power supply unit.
- Art. No. 4200110

Technical data classicLED plants



Technical data

classicLED plants / fresh water

Performance W	7,7	8,6	10,6	13,4	16,3	17,3
Overall length inch	21.7	25.2	29.1	37	44.9	48.8
Aquarium size up to inch	21.7-25	25.2-28.5	29.1-32.5	37-40.4	44.9-48.2	48.8-52.2
Light colour K	7700					
Rated light flux lm	689	775	947	1206	1464	1550
Art. No. (Europe)	4261021	4265021	4262021	4263021	4264021	4266021
Art. No. (UK)	4261121	4265121	4262121	4263121	4264121	4266121
Packing dimensions WxHxD inch	3x27.8x3.9	3x27.8x3.9	3x39.6x3.9	3x39.6x3.9	3x51.4x3.9	3x51.4x3.9
Master pack quantities pcs.	1	1	1	1	1	1
Replacement for EHEIM T8	T8/15 W 17.2 inch	T8/18W 23.2 inch	T8/18 W 23.2 inch	T8/30 W 35.2 inch	T8/38 W 41.2 inch	-
Replacement for EHEIM T5	-	T5/24 W 21.6 inch	T5/24 W 21.6 inch	T5/39 W 33.4 inch	-	T5/54W 45.2 inch
Replacement for T5	T5/24 W 17.2 inch	T5/28 W 23.2 inch	T5/28 W 23.2 inch	T5/45 35.2 inch	T5/54 W 41.2 inch	-
Suitable for EHEIM	vivalineLED 150	-	vivalineLED 126	vivalineLED 180	vivalineLED 240	-
	aquaproLED 84	-	aquaproLED 126	aquaproLED 180	-	-
	aquastar 54 LED	-	-	-	-	-
	-	proxima 175	-	proxima 250	-	proxima 325



powerLED+


fresh daylight

The efficient aquarium lighting for optimum illumination down to the bottom.

For fresh water aquariums

EHEIM powerLED+ fresh daylight

- Bright daylight with sunlight full spectrum
- Maximum energy efficiency (155 lm / W) and light output
- For demanding aquatic plants and brilliant colour reproduction, can also be combined with powerLED+ fresh plants
- One EHEIM powerLED+ fresh daylight replaces one T5-/T8 fluorescent tube of the appropriate length including reflector
- Beam angle 120°
- Average life > 50.000 hours (13-14 years at 10 hours per day)



Colour spectrum powerLED+ fresh daylight

A power supply (EHEIM powersupply) is required for the operation of the LED. Cable length: approx. 2 Meter

	Art.No Europe	Art.No UK
Power supply 0-20 Watt	4204210	4204350
Power supply 20-40 Watt	4205210	4205350
Power supply 40-60 Watt	4209210	4209350
Power supply 63-80 Watt	4206210	4206350
Power supply 72-130 Watt	4207210	4207350
Power supply 95-180 Watt	4208210	4208350



Technical data powerLED+ fresh daylight fresh plants



Technical data


EHEIM powerLED+ fresh daylight / fresh water

Power consumption W	8,7	13,1	17,4	21,8	26,1	30,5	34,8	39,2
Total length inch	14.2	19.2	26.1	30.4	37.5	42.3	48.3	53.1
for aquariums up to inch	14.6-21.3	19.6-26.3	26.8-33.2	31-37.4	38.3-44.6	43.1-49.4	49.2-55.4	54.1-60.2
Power supply W	20	20	20	20-40	20-40	20-40	20-40	20-40
Light colour K	6200							
Rated light flux lm	1360	2040	2720	3400	4080	4760	5440	6120
Art. No. (UK)	4251111	4252111	4253111	4254111	4255111	4256111	4257111	4258111
EAN 4011708	000069	000113	000168	000212	000267	000311	000366	000410
Packing dimensions H inch	21.4	21.4	32.6	32.6	44.4	44.4	55.3	55.3
Packing dimensions WxD inch	2.6x1.9							
Master pack quantities pcs.	1	1	1	1	1	1	1	1



Original EHEIM Accessories

- 1 Adapter Set: 1xT5, 1xT8 Art. 4200000
- 2 Connector Art. 4200050
- 3 Suspension wires Art. 4200060
- 4 Double suspension wires Art. 4200030
- 5 Mounting bracket Art. 4200040




fresh plants

For fresh water aquariums
Ideal for fish and aquatic plants.

For fresh water aquariums
EHEIM powerLED+ fresh plants

- Promotes healthy growth of even the most demanding aquatic plants
- Emphasizes blue and red colouring of fish and aquatic plants in a natural way
- Very natural colour reproduction (simulates sunshine in the aquarium)
- Very high energy efficiency (100 lm/W) and light output
- Can be used as the sole source of light or in combination with EHEIM powerLED+ fresh daylight
- Beam angle 120°
- Average life > 50.000 hours (13-14 years at 10 hours per day)



Application using mounting brackets




EHEIM powerLED+ fresh plants / fresh water

9,9	14,9	19,9	24,8	29,8	34,8	39,7	44,7
360	487	664	771	953	1074	1226	1349
14.6-21.3	19.6-26.3	26.8-33.2	31-37.4	38.3-44.6	43.1-49.4	49.2-55.4	54.1-60.2
20	20	20	20-40	20-40	20-40	20-40	40-62
10000							
970	1455	1940	2425	2910	3395	3880	4365
4251121	4252121	4253121	4254121	4255121	4256121	4257121	4258121
000076	000120	000175	000229	000274	000328	000373	000427
21.4	21.4	32.6	32.6	44.4	44.4	55.3	55.3
2.6x1.9							
1	1	1	1	1	1	1	1

EHEIM LEDcontrol+e

(optional) Art. No 4200140
The wireless lighting control for simulating light as in nature. Operation via smartphone, tablet or PC/Mac. Especially for EHEIM powerLED+ lamps (page 129)



Only for aquatic use. This light source has a photosynthetic efficacy > 1,2 µmol/J and is intended for aquatic plants.




powerLED+

marine hybrid

The new and efficient aquarium lighting for optimum illumination down to the substrate.

For marine water aquariums
EHEIM powerLED+ marine hybrid

- Optimal combination of white and royal blue light (1:1)
- High light output and coordinated spectrum in the areas important for photosynthesis
- Promotes colour reproduction (fluorescence) and the growth of corals
- One EHEIM powerLED+ marine hybrid replaces one T8-/T5 fluorescent tube of the appropriate length including reflector
- Royal blue LEDs (445-450 nm), Beam angle 120°
- Average life > 50.000 hours (13-14 years at 10 hours per day)



Colour spectrum powerLED+ marine hybrid

A **power supply** (EHEIM powersupply) is required for the operation of the LED. Cable length: approx. 2 Meter

	Art.No Europe	Art.No UK
Power supply 0-20 Watt	4204210	4204350
Power supply 20-40 Watt	4205210	4205350
Power supply 40-60 Watt	4209210	4209350
Power supply 63-80 Watt	4206210	4206350
Power supply 72-130 Watt	4207210	4207350
Power supply 95-180 Watt	4208210	4208350



Technical data
powerLED+
marine hybrid
marine actinic



Technical data

EHEIM powerLED+ marine hybrid* / marine water

Power consumption W	9,9	14,8	19,7	24,7	29,6	34,6	39,5	44,4
Total length inch	14.2	19.2	26.1	30.4	37.5	42.3	48.3	53.1
for aquariums up to inch	14.6-21.3	19.6-26.3	26.8-33.2	31-37.4	38.3-44.6	43.1-49.4	49.2-55.4	54.1-60.2
Power supply W	20	20	20	20-40	20-40	20-40	20-40	40-62
Rated light flux lm	769	1154	1539	1924	2308	2693	3078	3462
Art. No. (UK)	4251132	4252132	4253132	4254132	4255132	4256132	4257132	4258132
EAN 4011708	000090	000144	000199	000243	000298	000342	000397	000441
Packing dimensions H inch	21.4	21.4	32.6	32.6	44.4	44.4	55.3	55.3
Packing dimensions WxD inch	2.6x1.9							
Master pack quantities pcs.	1	1	1	1	1	1	1	1

*This light source is intended exclusively for fluorescence and for coral zooxanthellae symbioses.

Original EHEIM Accessories

- 1 Adapter Set: 1xT5, 1xT8 Art. 4200000
- 2 Connector Art. 4200050
- 3 Suspension wires Art. 4200060
- 4 Double suspension wires Art. 4200030
- 5 Mounting bracket Art. 4200040




marine actinic



For marine water aquariums
Ideal for corals and invertebrates.

For marine water aquariums
EHEIM powerLED+ marine actinic

- Pure actinic light
- Royal blue LEDs (445-450 nm)
- Enhances the natural fluorescence of corals and invertebrates
- Can be combined with EHEIM powerLED+ marine hybrid
- Beam angle 120°
- Average life > 50.000 hours (13-14 years at 10 hours per day)



Colour spectrum powerLED+ marine actinic

Examples of use
EHEIM powerLED+



With single suspension wires



With double suspension wires



With mounting bracket



with T5 or T8 adapter



EHEIM powerLED+ marine actinic* / marine water


6,7	10,1	13,4	16,8	20,1	23,5	26,8	30,2
14.2	19.2	26.1	30.4	37.5	42.3	48.3	53.1
14.6-21.3	19.6-26.3	26.8-33.2	31-37.4	38.3-44.6	43.1-49.4	49.2-55.4	54.1-60.2
20	20	20	20	20-40	20-40	20-40	20-40
152	228	304	380	456	532	608	684
4251141	4252141	4253141	4254141	4255141	4256141	4257141	4258141
000106	000151	000205	000250	000304	000359	000403	000519
21.4	21.4	32.6	32.6	44.4	44.4	55.3	55.3
2.6x1.9							
1	1	1	1	1	1	1	1

*This light source is intended exclusively for fluorescence and for coral zooxanthellae symbioses.

EHEIM LEDcontrol+e

(optional) Art.No 4200140


The wireless lighting control for simulating light as in nature. Operation via smartphone, tablet or PC/Mac. Especially for EHEIM powerLED+ lamps (page 129)



powerRGB

RGB

With the EHEIM powerRGB you will experience your aquarium like never before!



A **power supply** (EHEIM powersupply) is required for the operation of the LED. Cable length: approx. 2 Meter

	Art.No Europe	Art.No UK
Power supply 0-20 Watt	4204210	4204350
Power supply 20-40 Watt	4205210	4205350
Power supply 40-60 Watt	4209210	4209350
Power supply 63-80 Watt	4206210	4206350
Power supply 72-130 Watt	4207210	4207350
Power supply 95-180 Watt	4208210	4208350



Technical data powerRGB



Technical data


EHEIM powerRGB

Power consumption W	8,8	13,1	17,5	21,9	26,3	30,7	35	39,4
Total length inch	14.2	19.2	26.1	30.4	37.5	42.3	48.3	53.1
for aquariums up to inch	14.6-21.3	19.6-26.3	26.8-33.2	31-37.4	38.3-44.6	43.1-49.4	49.2-55.4	54.1-60.2
Power supply W	20	20	20	20-40	20-40	20-40	20-40	20-40
Light colour K	4900							
Rated light flux lm	621	932	1242	1553	1863	2174	2484	2795
Art. No. (UK)	4251150	4252150	4253150	4254150	4255150	4256150	4257150	4258150
EAN 4011708	016169	016190	016220	016251	016282	016312	016343	016374
Packing dimensions H inch	21.4	21.4	32.6	32.6	44.4	44.4	55.3	55.3
Packing dimensions WxD inch	2.6x1.9							
Master pack quantities pcs.	1	1	1	1	1	1	1	1



Original EHEIM Zubehör


- 1 Adapter Set: 1xT5, 1xT8 Art. 4200000
- 2 Verteiler Art. 4200050
- 3 Seilaufhängung Art. 4200060
- 4 Doppelseilaufhängung Art. 4200030
- 5 Befestigungsbügel Art. 4200040





EHEIM powerRGB

- Additional light for your aquarium lighting.
- Ensures particularly intensive colouring of your animals and plants.
- Comes in 9 sizes from 14.2 - 59.1 inches (adjustable with extendable stainless steel bracket holders).
- Controlled by wireless lighting control RGBcontrol+e.
- Extremely efficient RGB lighting with long service life.
- Particularly safe and power efficient due to low-voltage technology.
- Suitable for fresh and marine water.
- Highest safety and reliability – comes with 3 years warranty.



Intensify the colours in your aquarium with the EHEIM powerRGB, a great addition to your aquarium lighting. To use it you need the wireless lighting control RGBcontrol+e, which will enable millions of colour nuances. This allows you - even in sync with standard lighting - to create lighting scenes depending on the time of day, such as letting clouds gather, staging dawn and dusk, simulating atmospheric moonlight with a natural cycle, and much more. There are no limits to your imagination, or configuration.

43,8
59.1
60.0-66.1
40-60
3105
4259150
020364
61.5
1

NEW



EHEIM RGBcontrol+e

Art. 4200150

The wireless control for EHEIM RGB LEDs (including EHEIM incipiriaRGB furniture lighting) (page 130)



Lighting

Lighting control

Wireless lighting control for simulating natural light.



EHEIM
classicLEDcontrol+e
Page 128





EHEIM
LEDcontrol+e
Page 129



EHEIM
RGBcontrol+e
Page 130



classicLEDcontrol+e

EHEIM classicLEDcontrol+e allows you to control the brightness level in your aquarium easily without cables.



Sunrise, sunset, cloud effects, moonlight ... The natural changes in brightness in your aquarium contributes a lot to the well-being of plants and animals. With our classicLEDcontrol+e lighting control system, you can simulate the natural course of light in the day - and even set a natural moon cycle. The controller offers you maximum performance, high power, a stable connection, and compatibility with all devices of the EHEIM Digital family.

The classicLEDcontrol+e can be coupled with products of the EHEIM Digital family and is easily controlled via WLAN-enabled end devices (smartphone, tablet, PC/Mac).




Technical data RGBcontrol+e

Technical data

Performance W	max. 2x36
Channels	2x2
Power supply	24V DC
System requirements	all WiFi devices, smartphone, tablet, PC/Mac
Dimensions WxHxD inch	3.8x3.8x1.1
Art. No.	4200160
EAN 4011708	015117
Packing dim. WxHxD inch	4.4x7.5x1.7
Master pack quantities pcs.	1

WiFi 2.4GHz – IEEE802.11 b/g/n
Security keys: WPA, WPA2, WPA/WPA2

for EHEIM powerRGB



RGBcontrol+e

- Optimised controller with maximum performance, high power, and a stable connection.
- Compatible with all devices of the EHEIM Digital family.
- Control the aquarium lighting - only available with EHEIM classicLED luminaires and EHEIM classicLED power supplies.
- Wireless operation via WLAN-capable end devices (smartphone, tablet, PC/Mac).
- Two connections can be controlled separately; allowing two individual lighting scenarios to be used together, i.e., several luminaires can be controlled individually or in synchronicity.
- Simulate the lighting over of the course of the day as in nature.
- Use pre-installed lighting scenarios for different living spaces.
- Use/create individually programmable lighting sequences.
- Create moonlight scenarios with natural moon phases.
- Freely configurable scenarios: sunrise, sunset (each lasting up to 3 hours), cloud effects, moonlight, etc.
- Lighting scenarios can be saved, loaded and shared online.
- Comes with an expert mode with additional setting options.
- Comes with an acclimatisation mode, e.g. when changing light source (T5/T8 to classicLED) or when setting up new aquariums.
- Built in-optimum settings for the luminaires: "classicLED daylight" and "classicLED plants"
- Has a quick run feature to test selected settings.
- Automatic changeover of summer and winter time.
- Software updates free of charge for download on the EHEIM website.
- Automatic update with existing internet connection.
- Energy consumption display.
- Highest safety and reliability - 3 years warranty.



LEDcontrol+e

EHEIM LEDcontrol+e allows you to control the brightness level in your aquarium easily without cables.



- Optimised controller with maximum performance, high power, and a stable connection.
- Compatible with all devices of the EHEIM Digital family.
- Control the aquarium lighting - only available with EHEIM powerLED+ luminaires
- Wireless operation via WLAN-capable end devices (smartphone, tablet, PC/Mac).
- Two connections can be controlled separately; allowing two individual lighting scenarios to be used together, i.e., several luminaires can be controlled individually or in synchronicity.
- Simulate the lighting over of the course of the day as in nature.
- Use pre-installed lighting scenarios for different living spaces.
- Use/create individually programmable lighting sequences.
- Create moonlight scenarios with natural moon phases.
- Freely configurable scenarios: sunrise, sunset (each lasting up to 3 hours), cloud effects, moonlight, etc.



Technical data LEDcontrol+e

Technical data

Performance W	max. 180
Channels	3
Power supply	powerLED+ 24V DC
System requirements	all WiFi devices, smartphone, tablet, PC/Mac
Dimensions WxHxD inch	3.8x3.8x1.1
Art. No.	4200140
EAN 4011708	005606
Packing dim. WxHxD inch	4.4x7.5x1.7
Master pack quantities pcs.	1



LEDcontrol+e

- Lighting scenarios can be saved, loaded and shared online.
- Comes with an expert mode with additional setting options.
- Comes with an acclimatisation mode, e.g. when changing light source (T5/T8 to powerLED+) or when setting up new aquariums.
- Built in-optimum settings for the luminaires: „fresh plants“ and „marine hybrid“ - Brightness curve and light colour individually adjustable; „fresh daylight“ and „marine actinic“ - Brightness curve individually adjustable
- Has a quick run feature to test selected settings.
- Automatic changeover of summer and winter time.
- Software updates free of charge for download on the EHEIM website.
- Automatic update with existing internet connection.
- Energy consumption display.
- Highest safety and reliability - 3 years warranty.

WiFi 2.4GHz – IEEE802.11 b/g/n
Security keys: WPA, WPA2, WPA/WPA2



Control lamp

- White (flashing):** Search network
- Blue:** New network created
- Green:** Connection to MasterController established
- Fast color change:** Carrying out an update

for EHEIM powerLED+



RGBcontrol+e

With the EHEIM RGBcontrol+e you can determine the intense colours and lighting mood in your aquarium - simply from your smartphone, tablet or PC/Mac.



With EHEIM RGB additional lighting, you have an enormous colour spectrum at your disposal. The colours of the fish and plants in your aquarium will gain a fascinating intensity. The colourful splendour of your underwater world will come into its own. With the RGBcontrol+e lighting control, millions of colour nuances are possible. This allows you to create lighting scenarios and moods depending on the time of day - even in sync with standard lighting - to make clouds appear, to stage dawn and dusk, to simulate atmospheric moonlight with a natural cycle, and much more. There are hardly any limits to your imagination, or individual configuration. By the way: The EHEIM incipiriaRGB cabinet lighting can also be controlled and synchronised with your aquarium lighting.

The RGBcontrol+e can be coupled with products of the EHEIM Digital family and is easily controlled via WLAN-enabled end devices (smartphone, tablet, PC/Mac).



Technical data RGBcontrol+e

Technical data

Performance W	max. 180
Channels	3
Power supply	24V DC
System requirements	all WiFi devices, smartphone, tablet, PC/Mac
Dimensions WxHxD inch	3.8x3.8x1.1
Art. No.	4200150
EAN 4011708	013724
Packing dim. WxHxD inch	4.4x7.5x1.7
Master pack quantities pcs.	1



RGBcontrol+e

- Individually configurable lighting sequence and control of the red, green and blue colour channels of the EHEIM RGB LEDs
- Also suitable for cabinet lighting EHEIM incipiriaRGB
- Ensures particularly intensive colouring of your animals and plants
- Sunrise and sunset, cloud effects, moonlight with natural cycle and more
- Selectable preset or individual scenarios
- Selectable "expert" mode with additional setting options
- Acclimatisation mode, e.g. when changing light source or setting up a new aquarium
- Manual updates for download from the EHEIM website, as well as automatic updates with an internet connection.
- Can be coupled with products of the EHEIM Digital family
- Wireless operation via WLAN-capable end devices (smartphone, tablet, or PC/Mac)
- Highest safety and reliability – 3 years warranty

WiFi 2.4GHz – IEEE802.11 b/g/n

Security keys: WPA, WPA2, WPA/WPA2

for EHEIM powerRGB





Pumps

With EHEIM pumps you can move a lot of things. Reliably, quietly and permanently.

EHEIM Pumps – the product range for every application: for aquariums and ponds, for fresh and salt water, for large and small output requirements – and for air.

In small household and in large aquariums, in garden ponds and breeding plants – but also in water features, wells and fountains: EHEIM pumps are in use everywhere. Everywhere they are moving water, providing air and a clean conditions.

Whether it be for a pump output of 150 or 15.500 l/h, for use in or out of water, for fresh or marine water: there are many different requirements, matched by a comprehensive range of the features and products. The quality upholds the EHEIM promise: innovative technology, the best materials, outstanding workmanship, quiet running and guaranteed reliable continuous performance.



Pumps



EHEIM Pumps.
The complete
movement range.

EHEIM
Delivery pumps
Page 136



EHEIM
Streaming pumps
Page 140





EHEIM
Flow simulator
Page 141

EHEIM
Air pumps
Page 142

EHEIM
Automatic refill
Page 143




compactON

The compact aquarium pumps with a new design.

The EHEIM compactON aquarium pump range is characterised by its compact design. The accessories included with this versatile pump make it ideal for most applications and the high quality materials make it suitable for both fresh and marine water aquariums. The EHEIM compactON 2100 - 16000 pumps can also be adapted for use both in or out of water.



- Compact aquarium pump
- Attaches to glass using strong suction cups
- Includes suction basket and threaded coupling as accessories
- High pump performance but low energy consumption



7-160
Watt

170
15.500
l/h adjustable

inside water

marine
freshwater

3
year
guarantee
EHEIM

Technical data compactON

Technical data	compactON 300	compactON 600	compactON 1000	compactON 2100
Pump output approx. l/h	170-300	250-600	400-1000	1400-2100
Delivery head approx. Hmax inch	23.6	39.4	55.1	94.5
Power consumption W	7	7	15	38
Connection on pressure side ø	1/2"	1/2"	5/8" 3/4"	3/4" 1"
Connection on suction side ø	-	-	5/8" 3/4"	3/4" 1"
Dimensions WxHxD inch	1.5x2.8x2.4	1.5x2.8x2.4	1.9x3.1x2.9	2.8x5.6x4.3
Art. No. (Europe)	1020220	1021220	1022220	1030220
Art. No. (UK)	1020340	1021340	1022340	1030340
Packing dimensions WxHxD inch	3.8x4.7x2.9	3.8x4.7x2.9	4.7x5.5x2.8	5.5x5.9x3.9
Master pack quantities pcs.	1	1	1	1

Accessories included





Application
compactON 300/600/1000





Application
compactON 2100/3000



adjustable flow rate
EHEIM compactON
300/600/1000/2100/3000

not adjustable
EHEIM compactON
5000/9000/12000 /16000



compactON 3000	compactON 5000	compactON 9000	compactON 12000	compactON 16000
1800-3000	5000	9000	12000	15500
106.3	141.7	145.7	165.4	177.2
55	70	80	110	160
3/4" 1"	1" - 1 1/4"	1" - 1 1/2"	1" - 1 1/2"	1" - 1 1/2"
3/4" 1"	1" - 1 1/4"	1" - 1 1/2"	1" - 1 1/2"	1" - 1 1/2"
2.8x5.6x4.3	3.6x6.1x5.6	4.3x7.3x6.9	4.3x7.3x6.9	4.3x7.3x7.1
1031220	1032220	1033220	1034220	1035220
1031340	1032340	1033340	1034340	1035340
5.5x5.9x3.9	7.4x7.1x4.3	9.1x7.3x4,5	9.1x7.3x4,5	9.1x7.3x4.5



compactON 5000



compactON 9000/12000 /16000

universal

Power for all occasions.


EHEIM universal pumps

EHEIM universal pumps offer a large performance spectrum and a wide variety of uses. They are very reliable equipment offering exceptionally long service life. They can be used inside or out of water. The integrated prefilter, safe hose connections, a variety of connections and fixings, but above all their absolute reliability make the EHEIM universal pumps very popular. They are frequently used in a professional environment – e.g. in breeding units and in zoos.

- Durable
- Ceramic shaft
- Designed for continuous use in or out of the water
- Hermetically sealed motor body guarantees continuous operation



- ① Integrated prefilter
- ② Inlet connector for hose connection
- ③ Variable fixing options



Universal pumps output diagram

4-80
Watt

270
3.400
l/h

inside water

outside water

marine


freshwater

3
year
guarantee
EHEIM

Technical data universal



Technical data	universal 1005	universal 300	universal 600	universal 1200	universal 2400	universal 3400
Pump output approx. l/h	270	300	600	1200	2400	3400
Delivery head Hmax inch	29.5	47.2	59.1	78.7	145.7	141.7
Power consumption W	4	5	10	28	65	80
Connection ø mm/Thread on intake side	16/22 / -	12/16 - G3/8"	13 / G3/8"	18 / G1/2"	28 / G3/4"	28 / G3/4"
on pressure side	12/16 / -	9/12 - G1/8"	13 / G1/4"	13 / G3/8"	18 / G3/4"	18 / G3/4"
Dimensions WxHxD inch	2.6x3.4x3.5	5.7x4.1x3	5.8x4.5x3	7x4.8x3.8	8.6x6.3x4.6	8.6x6.3x4.6
Art.Nr. (1,5 m)	1005215	1046219	1048219	1250219	1260210	1262210
Art. No. (UK) 1,5 m	-	-	-	-	1260350	1262350
Art.Nr. (10 m)	-	1046019	1048019	1250019	1260010	1262010
Art. No. (UK) 3 m	-	1046119	1048119	1250119	-	-
Packing dim. WxHxD inch	4.9x3.9x6.1	8.3x3.9x5.9	8.3x3.9x5.9	10.4x5.5x6.7	10.4x5.3x6.7	10.4x5.3x6.7
Master pack quantities pcs.	1	1	1	1	1	1
Coarse filter pad 2x	-	2615465	2615485	2615500	2615600	2615600



Types of usage in marine aquariums

- Return (circulation) pump in sump tank
- EHEIM universal 1200 / Aquarium size up to approx. 200
- EHEIM universal 2400 / Aquarium size up to approx. 300-500
- EHEIM universal 3400 / Aquarium size up to approx. 500-600



streamON+

Extra performance and efficiency.

The new EHEIM streamON+ is small, compact and extremely energy efficient. The pump is attached to the aquarium with a magnetic holder and can be easily adjusted on the glass.



- Compact streaming pump (3 models) for aquariums from 35 to 500 l
- Suitable for both marine and fresh water
- Ideal for simulating natural water flow found in rivers and coral reefs, etc.
- Optimal water circulation for a natural, smooth current
- Increases the oxygen content, creating natural living conditions
- Vital for corals in marine water and beneficial for fish in fresh water
- Securely attached with a magnetic holder, can be easily adjusted
- Ball joint allows pump to swivel in all directions (3D function)
- Variable outflow capacity
- Extremely quiet and low-maintenance
- Low power consumption and high energy efficiency
- Integrated cable duct
- Maximum safety and reliability

35-500 l
9-132 US gal

2,5-12
Watt

1.500
9.500
l/h adjustable

marine

freshwater


3
year
guarantee
EHEIM

Technical data streamON+

Technical data	streamON+ 3500	streamON+ 6500	streamON+ 9500
Aquarium size up to approx. l	35-200	150-350	350-500
Pump output approx. l/h	1500-3500	3500-6500	6500-9500
Power consumption W	2,5	6	12
Glass thickness inch	0.1-0.3	0.2-0.5	0.2-0.5
Dimensions WxHxD inch	1.9x2.2x4.3	2.3x2.8x5.2	2.8x3.8x5.4
Art. No. (Europe)	1180220	1181220	1182220
Art. No. (UK)	1180340	1181340	1182340
Packing dim. WxHxD inch	4.9x5.4x2.8	5.7x5.7x3.9	5.7x5.7x3.9
Master pack quantities pcs.	24	12	12



streamON+ 3500



streamON+ 6500/9500

streamcontrol

Customised flow



The control system for circulation and flow pumps to simulate natural water flows in the aquarium.

- Controller for aquarium pumps
- Suitable for circulation and flow pumps
- Dual connector strip (supplied)
- Connection for two (or more) pumps
- Load per socket max. 100 W
- Two different programs:
 - a) alternating flow this means the pumps are switched on and off alternately or
 - b) synchronous flow – meaning both pumps are switched on and off simultaneously.
- Individually adjustable time intervals from 1 to 60 minutes
- Program runs permanently - for an unlimited period of time
- Break button for feeding (food button)
- Suitable for fresh and marine water
- Highest safety and reliability - 3 years warranty



Technical data streamcontrol

Technical data


Technical data	streamcontrol
Connections for aquarium pumps W	max. 2x100
Dimensions WxHxD inch	5.9x1.5x2.6
Dimensions socket strip WxHxD inch	6.7x2.2x3
Art. No. (Europe)	3500210
Art. No. (UK)	3500350
Packing dim. WxHxD inch	8.7x5.4x5.2
Master pack quantities pcs.	1



streamcontrol



- 1 LED for pump operation
- 2 Knob for ON/OFF times of pump operation
- 3 Selection of frequency program
- 4 Pause button feeding



air

Silent Air.



EHEIM air

EHEIM air offers several benefits:

- Continuously quiet operation
- Air flow can be regulated on the pump ❶ / ❷
- Additional adjustment of the air flow and bubble effect using the diffuser ❸
- Vibration-resistant rubber feet
- Hook for hanging vertically
- Fully equipped with

Diffuser

- 1x air 100
- 2x air 200/400

Air hose


- 1 m air 100
- 2 m air 200/400

Check valve

- 1x air 100
- 2x air 200/400

Y-piece

- 1x air 200/400



Air pump output diagram

3,5-4
Watt

100 - 400
l/h adjustable

marine
freshwater

3
year
guarantee
EHEIM

Technical data air

Technical data	air 100	air 200	air 400
Pump output approx. l/h / gph	100	200 (2x100)	400 (2x200)
Power consumption Hmax inch	78.7	78.7	78.7
Delivery head W	3,5	3,5	4
Hose connections	1	2	2
Hose diameter mm	4/6	4/6	4/6
Dimensions WxHxD inch	3.6x5.9x3	3.6x5.9x3	3.6x5.9x3
Art. No. (Europe)	3701010	3702010	3704010
Art. No. (UK)	3701110	3702110	3704110
Packing dimensions WxHxD inch	5.7x9.4x3.3	5.7x9.4x3.3	5.7x9.4x3.3
Master pack quantities pcs.	3	3	3

EHEIM diffuser

- Adjustable air flow and bubble pattern
- Replaceable felt pad (Art. No. 7400030)
- Clever design
- Durable



Individually adjustable air flow: air 200/400

❸ Adjustable diffuser
Article No. 4002650
(Also available individually as an accessory)



Accessories (optional):
EHEIM air filter page 100
Art. No. 4003000



waterrefill

The intelligent automatic refill, that remembers all details. For fresh water and marine water tanks. Especially important during holidays.

With the automatic refill EHEIM waterrefill you can keep your aquarium water always on a healthy level. For certain.

- Automatic refilling of evaporated water.
- Perfect during holidays.
- The sensor with LED display is permanently measuring the water level.
- Fastening of the sensor easily accessible outside of the glass pane of the aquarium – or in case of a marine water tank alternatively at the filter tank in the cabinet (sump).
- Works with most common glass thicknesses 0.2-0.4 inches.
- Intelligent controller with LED display regulates the refilling. It memorizes the filling quantity and the filling times and this way adapts the water quantity to the tank size and the changes (e.g. seasonal).
- Safety: In case of significant irregularities the refilling process will be stopped and this prevents an overflowing.
- Energy saving low voltage pump (12 V), maintenance-free when operating with ultrapure water (osmosis water).
- Refilling tube and drainage elbow can be securely and easily attached to the aquarium using the holder (holder and clamp included)



8
Watt

350
l/h

marine
freshwater

3 year
guarantee
EHEIM


Technical data waterrefill

Technical data

Technical data	waterrefill
Pump output approx. l/h	350
Delivery head Hmax inch	59.1
Power consumption W	8
Glass thickness inch	0.2-0.4
Pump dimensions WxHxD inch	2.4x1.8x2.2
Sensor dimensions WxHxD inch	2.4x1.2x0.4
Controller dimensions WxHxD inch	1.6x2.6x1
Art. No. (Europe)	3548220
Art. No. (UK)	3548340
Packing dimensions WxHxD inch	9.1x9.3x3.5
Master pack quantities pcs.	1



waterrefill



Accessories included



Installation example

- All components are of high quality and work extremely reliable.
- All required parts are included in the scope of delivery. Unpack – assemble – plug in – switch on – running!

Skimmer

EHEIM protein skimmer. Effective solution for clean marine water.

The skimmer is the main filter for marine aquariums. It creates air bubbles to which protein molecules adhere through static charging. Organic waste substances - such as uric acid, peptides and protein compounds (i.e. proteins) - are removed from the water before they decompose in the aquarium and lead to water pollution.

How does a skimmer work? The aquarium water is sucked in and swirled with air. A dirt foam (flotate) is formed, which collects in a foam pot. This pot can then simply be removed and emptied. The clean water flows back into the aquarium.

Due to the skimmer removing important substances from the water (e.g. amino acids), the performance should be adapted to the aquarium volume and not oversized.

The two smaller EHEIM skimmers (skimmarine 100 (air driven) and skimmarine 300) are „interior skimmers“ and are simply attached to the aquarium with a magnetic holder. The larger skimmer (skimmarine 600) is an „external skimmer „ and is installed in the filter sump.





Skimmer

Protein skimmer



**Protein skimmer for
marine water aquariums.**



EHEIM
skimmarine 100 | 300
Page 148

EHEIM
skimmarine 600
Page 149



skimmarine

Protein skimmer
for marine water aquariums.

Marine



EHEIM skimmarine 100 / Nano skimmer

- For small marine water aquariums up to approximately 100 litres
- Small and compact design
- Simple installation
- Can be removed for cleaning
- Silent due to the lime wood diffuser
- Does not disturb the natural plankton in the aquarium

EHEIM skimmarine 300

Motorised mini skimmer for marine aquariums up to 300 litres

- Easily installed using the magnetic holder
- Completely detachable for cleaning
- Silent
- Highly efficient skimmer pump with a needle wheel impeller
- Air intake: Self-priming (Dispersant principle)
- Adjustable air intake
- Low energy consumption
- High skim rate
- Ozone-resistant
- Compact design

Technical data skimmarine

Technical data

	skimmarine 100	skimmarine 300
Aquarium size up to l	100	300
Pump output l/h	100*	500
Volume skimmer cup ml	65	270
Dimensions WxHxD inch	3x9.8x1.8	6x13.7x3.6
Art. No. (Europe)	3551000	3549220
Art. No. (UK)	3551000	3549340
Packing dimensions WxHxD inch	6.9x12.8x2	7.4x15.4x4.6
Master pack quantities pcs.	1	1

* only in conjunction with EHEIM air 100

Air pump required to
operate skimmarine 100

EHEIM air 100
Art.No. 3701010
Page 142



EHEIM skimmarine 300

Effective solution for clean marine water.


The EHEIM skimmarine 600 - a high-performance skimmer combined with innovative technology and optimum skimming regulation.



The EHEIM skimmarine 600 is ideal for larger marine water aquariums. It works according to the countercurrent principle and is therefore very efficient. The special needle wheel pump produces an extremely fine-bubble/ air-water mixture. The formation of foam or flotata is correspondingly high and the ceramic axle ensures particularly smooth running and a very long service life.

For optimum skimming, you can adjust and control the air intake, the water level in the reaction chamber and the positioning in the filter sump.

- For marine aquariums up to approx. 600 l
- Skimmer pump with highly efficient needle wheel technology and ceramic axle
- Independent air intake (dispergator principle)
- Quiet operation due to adjustable water outlet
- Flexible silencer



Technical data skimmarine



skimmarine 600

Technical data	
Aquarium size up to	600
Pump output l/h	480-1900
Air intake l/h	300-540
Volume skimmer cup ml	600
Body Ø inch	6.3
Water level inch	7.1-9.4
Footprint inch	7.5x6.3
Power consumption W	19-40
Dimensions WxHxD inch	7.5x20.7x7.5
Art. No. (Europe)	3552220
Art. No. (UK)	3552340
Packing dimensions WxHxD inch	10x28.9x10.4
Master pack quantities pcs.	1



- Effective 3-way control for optimal skimming:
 1. adjustable air intake at silencer
 2. adjustable water level in the reaction chamber
 3. adjustable positioning (height) in the filter sump
- Small footprint due to internal skimmer pump
- Easy to disassemble for cleaning

Heating & cooling

Very accurate, very convenient handling and with a guarantee for highest quality and safety.

As you know, fish from tropical and subtropical waters require a constant water temperature. Before the engineer Eugen Jäger invented the aquarium adjustable heater some decades ago, there wasn't any really satisfactory solution for controlling the water temperature suitably for specific species. People resorted to complicated and sometimes odd methods. Some put the aquarium in the sun or next to a radiator or an oven.

The obvious ideas are often the best. This also applies to the aquarium heating element. It is simply hung in the water and heats it up. The principle is the same as it was decades ago. But in the meantime the EHEIM controller heater has become an ultra-modern thermal device. The temperature can be set precisely and is measured even

more precisely and kept more constant by the electronics. The coating made of special laboratory glass increases the heating surface, serves as a heat shield and ensures even heat emission.

High outdoor temperatures often cause the aquarium water to overheat in summer. This is extremely harmful to fish and all other living creatures. For example if the temperature is too high, corals die in the marine aquarium, and in freshwater aquariums, oxygen deficiency and algae proliferation occur quickly. EHEIM climacontrol+ is the optimal climate control device for aquariums. It has low energy consumption and works with environmentally friendly coolant.



Heating & cooling

Aquarium heater

**EHEIM aquarium heater.
Exactly the right temperature.
In any aquarium.**

EHEIM
thermopreset
Page 154



EHEIM
thermocontrol
Page 155





EHEIM
thermocontrol e
Page 156



EHEIM
thermocontrol+e
Page 158




thermopreset

Aquarium heater with fixed temperature.

EHEIM thermopreset
Aquarium heater with a fixed temperature of 25°C

- Compact and user-friendly
- High temperature accuracy by electronic control
- Mechanical stability due to plastic protection
- With thermo-safety control (auto shut-off)
- Even heat distribution by highly efficient heating element
- Suction cups (included) for secure attachment
- Suitable for fresh and marine water



Technical data thermopreset


Technical data	thermopreset 50	thermopreset 100	thermopreset 150	thermopreset 200
Aquarium size up to l	25-60	100-150	200-300	300-400
Performance W	50	100	150	200
Total length inch	6.6	7.2	8.8	10
Diameter inch	1.1	1.1	1.1	1.1
Art. No. (Europe)	3652010	3654010	3656010	3657010
Art. No. (UK)	3652110	3654110	3656110	3657110
Packing dim. WxHxD inch	0.8x9.6x1.7	0.8x9.6x1.7	0.8x12.6x1.7	0.8x12.6x1.7
Master pack quantities pcs.	1	1	1	1



On/off indicator light

thermocontrol

Precision aquarium heater.




With the EHEIM precision heater your fish have exactly the right temperature – in any aquarium.

- ❶ Precise temperature adjustment from 18 to 34 °C
- ❷ Simple and safe recalibration (± 2 °C)
 - Temperature control accuracy $\pm 0,5$ °C
 - Heat kept at a constant level
- ❸ Heating function is indicated by a control lamp
 - Completely submersible (waterproof)
 - With automatic dry run shut-off (Thermo Safety Control)
 - A glass jacket increases the heating surface and ensures optimum even heat emission
 - Practical cable length of approx. 66.9 inches



Technical data thermocontrol



Technical data

EHEIM thermocontrol

	25	50	75	100	125	150	200	250	300
Aquarium size up to l	20-25	25-60	60-100	100-150	150-200	200-300	300-400	400-600	600-1000
Performance W	25	50	75	100	125	150	200	250	300
Total length inch	9.6	9.6	10.6	12.6	12.6	13.6	16	17.8	19.9
Diameter inch	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Art. No. (Europe)	3611010	3612010	3613010	3614010	3615010	3616010	3617010	3618010	3619010
Art. No. (UK)	3611110	3612110	3613110	3614110	3615110	3616110	3617110	3618110	3619110
Packing dim. WxHxD inch	2.6x13.6x2			2.6x16.7x2			2.6x23x2		
Master pack quantities pcs.	6	6	6	6	6	6	6	6	6

- Includes double suction cup holder
- 9 sizes available for aquariums from 20 to 1000 lt
- Suitable for fresh and marine water

Temperature and shock resistant



thermocontrol e

With electronics for a comfortable climate.



With the EHEIM thermocontrol-e heating element your fish get the right temperature even more precisely - in every aquarium.

The obvious ideas are often the best. This also applies to the aquarium heating element. It is simply hung in the water and heats it up. The principle is the same as it was decades ago. But in the meantime the EHEIM controller heater has become an ultra-modern thermal device. The temperature can be set precisely and is measured even more precisely and kept more constant by the electronics. The coating made of special laboratory glass increases the heating surface, serves as a heat shield and ensures even heat emission. And whether you want to heat a 20 or 1200 litres aquarium – you can choose from 10 sizes.

- Precise temperature adjustment from 20 to 32 °C
- No readjustment necessary
- Control accuracy ± 0.5 °C
- The heat is kept constant
- Control lamp indicates the heating function (red: heating up; green: temperature reached)
- Fully submersible (waterproof)



20-1.200 l
5-317 US gal

25
400
Watt

e
electronic
heater

marine
freshwater



3
year
guarantee
EHEIM

Technical data thermocontrol e



Technical data	EHEIM thermocontrol e			
	25	50	75	100
Aquarium size up to l	20-25	25-60	60-100	100-150
Performance W	25	50	75	100
Total length inch	9.2	9.2	10.2	12.2
Diameter inch	1.4	1.4	1.4	1.4
Art. No. (Europe)	3631010	3632010	3633010	3634010
Art. No. (UK)	3631110	3632110	3633110	3634110
Packing dim. WxHxD inch	2.6x13.6x2	2.6x13.6x2	2.6x13.6x2	2.6x16.7x2
Master pack quantities pcs.	6	6	6	6

- With dry-running protection (Thermo Safety Control)
- Glass coating increases the heating surface and ensures optimum, even heat output
- Convenient cable length approx. 170 cm
- Including double suction holder
- 10 sizes for aquariums from 20 to 1200 litres
- Suitable for fresh and marine water




	125	150	200	250	300	400
	150-200	200-300	300-400	400-600	600-1000	1000-1200
	125	150	200	250	300	400
	12.2	13.2	15.6	17.4	19.5	19.5
	1.4	1.4	1.4	1.4	1.4	1.4
	3635010	3636010	3637010	3638010	3639010	3640010
	3635110	3636110	3637110	3638110	3639110	3640110
	2.6x16.7x2	2.6x16.7x2	2.6x16.7x2	2.6x23x2	2.6x23x2	2.6x23x2
	6	6	6	6	6	6

Control lamp



Heating up



Temperature reached

thermocontrol+e

Smart controlled heating.

EHEIM thermocontrol+e – the electronic aquarium heater with integrated WLAN function and digital control via smartphone, tablet or PC/Mac.

EHEIM thermocontrol+e is our first adjustable heater with digital control via WLAN. You can set the precise temperature from 18 to 32 °C via smartphone, tablet or PC/Mac. The selected temperature is accurately measured electronically and kept constant. However, if the temperature deviates by ± 2 °C, you will be notified immediately by e-mail. Automatic synchronisation with filter activity or lighting is also possible, this means you can wirelessly connect to the EHEIM professional 5e Filter or to the LEDcontrol+e.





20-1000 l
5-264 US gal

**150
300**
Watt

e
electronic
heater

marine
freshwater





multiscreen



Digital Family
product

3
year
guarantee
EHEIM

Technical data thermocontrol+e



Technical data	EHEIM thermocontrol+e			
	150	200	250	300
Aquarium size up to l	200-300	300-400	400-600	600-1000
Performance W	150	200	250	300
Total length inch	12.9	15.2	17	19.1
Diameter inch	1.3	1.3	1.3	1.3
Art. No. (Europe)	3666010	3667010	3668010	3669010
Art. No. (UK)	3666110	3667110	3668110	3669110
Packing dim. WxHxD inch	2.6x16.7x2	2.6x16.7x2	2.6x23x2	2.6x23x2
Master pack quantities pcs.	6	6	6	6



WiFi 2.4GHz – IEEE802.11 b/g/n
Security keys: WPA, WPA2, WPA/WPA2



The construction of the thermocontrol+e conforms to that of our proven thermocontrol heaters. The combination of the special laboratory glass cover, the flawless finish, the high quality materials and the absolute reliability, provides the ultimate heater. The heaters have a 3-year guarantee and there are 4 sizes to choose from – whether you want to heat a 200 or 1000 litre aquarium.

- Electronic aquarium heater with integrated WLAN function and digital control via smartphone, tablet or PC/Mac.
- Precise temperature setting from 18 to 32 °C
- Control accuracy $\pm 0,5$ °C
- Indicator lights show heating function and operating status
- Notification to stored e-mail address as soon as the temperature deviates by ± 2 °C
- Connection with other devices from the EHEIM.digital WiFi family possible (e.g. lighting control LEDcontrol+e or professional 5e filter)
- Synchronisation: temperature water flow adjustment or for lowering the set temperature at night, etc.
- If necessary, adjustment with external thermometer (expert mode)
- Waterproof (IPX8) - for optimum wifi signal reception, immerse the heater in water up to the mark
- Dry-run protection (Thermo Safety Control)
- Convenient cable length of approx. 66.9 inches
- Double suction holder included
- 4 sizes for aquariums from 200 up to 1000 litres
- Suitable for both fresh and marine water
- Highest safety and reliability with a 3 year guarantee.



Adjustment and control

The EHEIM thermocontrol+e aquarium heater is the advanced development of the thermocontrol e heater. In opposite to the predecessor, it is not set manually, but programmed and monitored wirelessly via WLAN and by smartphone, tablet or PC/Mac.

Synchronisation with other devices

A special highlight is that the thermocontrol+e can be synchronised with other devices from the EHEIM Digital family such as the EHEIM professional 5e filter or the lighting control LEDcontrol+e. You can therefore specify that the set temperature rises or falls when, for example, the filter flow (in bio mode) increases or decreases or the LED lighting is switched off or on.

Example: The filter flow is increased at night and the lighting is switched off. The set temperature is automatically adjusted accordingly: 25 °C during the day; 23 °C at night. (Please note: water is not cooled down – the heater has no integrated cooling).

WLAN-connection

The thermocontrol+e is waterproof and fully submersible. For an optimal WLAN connection, however, the heater may only be immersed up to the "water level" mark.

For the security of your device, every EHEIM thermocontrol+e is encrypted ex works (password can be adjusted). After setting the desired temperature, the wifi network can be switched off.

Heating & cooling

Climate control device



EHEIM climacontrol+.
The optimal climate control
device for aquariums.



EHEIM
climacontrol+
Page 162



EHEIM
aquaAlert+e
Page 164



climacontrol+

Smart temperature management for your aquarium.

EHEIM climacontrol+ – is the intelligent climate control device for ma-rine and freshwater aquariums. Environmentally friendly and energy-saving, with the temperature electronically controlled via smartphone, tablet, or PC/Mac.

You can use EHEIM climacontrol+ to cool down the water temperature on hot days or warm it up on cold days, just as your aquarium inhabitants need it.

EHEIM climacontrol+ is our new electronically controlled Climate control de-vice. You simply set the ideal water temperature wirelessly - via smart-phone, tablet, or PC/Mac. If the water is too warm, the unit automati-cally cools down, and if it gets too cold it warms up. The unit monitors and controls everything.

Also, it gives you advanced warning of any problems, such as if the requi-red temperature is exceeded or undershot by 2 °C for more than 5 minu-tes, you receive a warning e-mail.





<2.000 l
<528 US gal

260
400

Watt

marine
freshwater



multiscreen



Digital Family product

3
year
guarantee
EHEIM

Technical data climacontrol+



Technical data

EHEIM climacontrol+

	S	M	L
Aquarium size up to l	500	1000	2000
Power consumption (heating mode) W	300	300	300
Power consumption (cooling mode) W	260	300	400
Water flow max. l/h	800	800	800
Water flow min. l/h	500	500	500
Noise level / 3.1 inches (cooling mode) dB	~47 – 50	~50 – 53	~51 – 54
Dimensions WxHxD inch	12.2x17.6x12.2	12.2x19.3x12.2	12.2x20.9x12.2
Art. No. (Europe)	3750210	3751210	3752210
Art. No. (UK)	3750350	3751350	3752350
Packing dim. WxHxD inch	15.9x24.6x15.9		
Master pack quantities pcs.	1	1	1

ATTENTION! The climate control device may only be stored and transported in an upright position!



High outdoor temperatures often cause the aquarium water to overheat in summer. This is extremely harmful to fish and all other living creatures. For example if the temperature is too high, corals die in the marine aquarium, and in freshwater aquariums, oxygen deficiency and algae proliferation occur quickly.

EHEIM climacontrol+ is the optimal climate control device for aquariums. It has low energy consumption and works with environmentally friendly coolant.

There are three climate control devices available: S, M and L - for aquariums up to 500, 1000 and 2000 litres and come with a 3-year warranty.



Features of the EHEIM climacontrol+

- Electronically controlled continuous flow climate control device with Wi-Fi functionality
- Temperature setting and control over WiFi via smartphone, tablet, or PC/Mac
- Cooling and heating mode
- Constant regulation of water temperature
- Temperature control of water in freshwater and marine aquariums
- Precise temperature detection from 5 °C up to 35 °C
- Switches on automatically above or below a set target temperature
- Warning e-mail if temperature exceeds or falls below 2 °C for more than 5 minutes
- Constantly displays the current water temperature when in operation
- Use in the ambient temperature range from 10 °C to 38 °C
- Very energy-efficient and environmentally friendly climate control device with ozone-friendly refrigerant (R290)
- To be operated exclusively with clean (filtered) water; i.e. for marine aquariums via separate pump with water from the filter tank or for freshwater aquariums position behind the external filter (alternatively via separate pump with pre-filter directly from the aquarium)
- There are three climate control devices: S, M and L - for aquariums up to 500, 1000 and 2000 litres
- Made of High quality parts and materials, and comes with 3 years warranty

Important for marine water aquariums: Optimum temperature for corals between 24 and 26 °C; above 29.5 °C they die.

Important for fresh water aquariums: The temperature should always be below 30 °C. Above this temperature there is a risk of oxygen deficiency, inhibited plant growth, algae proliferation.



aquaAlert+e

Smart measurement for perfect water quality in the aquarium.

The new EHEIM aquaAlert+e is a high-precision, intelligent conductivity meter for continuously monitoring the water quality within your aquarium.

By accurately recording the electrical conductance ($\mu\text{S}/\text{cm}$), the device provides precise data on the salt content and potential contaminants TDS (total dissolved solids) such as sodium chloride, nitrite and nitrate (build-up of organic waste).

The device recognises such changes at an early stage, it will reliably warn you if limit values are exceeded and will provide specific recommendations for necessary measures such as water changes or water hardening to ensure a stable water quality.



5
Watt

freshwater

multiscreen

Digital Family product

3
year
guarantee
EHEIM

Technical data aquaAlert+e



Technical data	aquaAlert+e
Performance W	5
Power supply	5V DC
Regulating range $\mu\text{S}/\text{cm}$ @25°C	250-3000
Measurement range $\mu\text{S}/\text{cm}$ @25°C	0-3000
System requirements	all WiFi devices, smartphone, tablet, PC/Mac
Art. No (EU)	6065220
Art. No (UK)	6065340
EAN 4011708	020371
Packing dim. WxHxD inch	5.2x8.7x5.3
Master pack quantities pcs.	1
Scope of delivery	EHEIM aquaAlert+e controller EHEIM aquaAlert+e sensor Conductivity solution 1413 $\mu\text{S}/\text{cm}$ @25°C Conductivity solution 84 $\mu\text{S}/\text{cm}$ @25°C Power supply unit



Thanks to smart algorithms, EHEIM aquaAlert+e also calculates the estimated time until your next water change and therefore supports optimum maintenance of your aquarium.

The integrated temperature measurement also aids with safety: if the water temperature rises above a predefined value, the appliance will sound an alarm. The dry-running warning and electrode cleaning reminders also help you to keep the water quality at the highest level in the long term or can warn you if there is a need to top up the aquarium or save your fish in the case of a potential failure of your aquarium.

Note:

The basis for the information on the water change is the conductivity measured in the water of your aquarium.

We therefore recommend calling up the current water change information at lunchtime, for example when CO₂ fertilisation is in operation or after the water change and the addition of all components such as water conditioner and plant fertiliser.

Features of the EHEIM aquaAlert+e

- Warning system with integrated WLAN function (Wifi) and wireless control via smartphone, tablet or PC/Mac
- Precise measurements of the aquarium through calibration
- Individual warning with customisable limit values
- Alarm in the event of a sudden increase in conductivity (>50 % within one hour)
- Multiple warning levels with corresponding recommendations for action
- Colour-coded visual display of the warning level (green/yellow /red)
- Automatic calculation of the time until the next water change based on gathered data history
- Notification if the temperature is exceeded or the electrode runs dry
- Reminder for electrode cleaning for permanently precise measured values; automatic





CO₂

EHEIM CO₂ fertiliser systems. Healthy plant growth. Simple and reliable.

Aquarium water usually contains too little carbon dioxide (CO₂). In addition to light, nitrogen, phosphate, trace elements etc., CO₂ is the most important nutrient for plants in an aquarium and, when dosed correctly, CO₂ can regulate the pH value.

The stronger and healthier the plants are, the more oxygen they produce (which the fish need to breathe) and the less chance algae has to grow.

With three complete sets, EHEIM offers the ideal CO₂ fertiliser system for aquariums. The “complete set” includes all of the essential equipment and important accessories needed for immediate start up.



CO₂

CO₂SETs

EHEIM CO₂SETs. For healthy plant growth in your aquarium.

EHEIM
CO₂SET with bottle
Page 170



EHEIM
CO₂SET with bottle, incl. night shut-off
Page 171





EHEIM
CO₂SET without bottle
 Page 172

EHEIM
CO₂SET without bottle incl. night shut-off
 Page 173



EHEIM CO₂SET with bottle

EHEIM CO₂ sets offer a simple and reliable way to supply the correct amount of CO₂ into your aquarium for healthy plant growth.



EHEIM CO₂-fertiliser unit (incl. bottle)

CO₂SET 200 incl. bottle	Art. No. 6063200
EAN 4011708006856	PK 1

CO₂ fertiliser system – a complete set for aquariums up to 200 litres.

- CO₂ disposable bottle (500 g) with integrated stand
- Precision pressure reducer for disposable systems with precision dosing valve
- Hose connection – rotates 360°
- CO₂ special safety hose, pressure resistant, 3m, ø 4/6 mm
- CO₂ safety diffuser up to 400 l including bubble counter and non-return valve for effective CO₂ dosing.
- CO₂ long-term test and indicator liquid for constant direct monitoring of the CO₂ content in the aquarium
- 5 x water test strips for analysis of the initial water values
- Safe and tool free installation
- Optional accessory (not included): CO₂ magnetic valve (night shut-off)

CO₂SET 400 incl. bottle	Art. No. 6063400
EAN 4011708006863	PK 1

CO₂ fertiliser system – a complete set for aquariums up to 400 litres.

- CO₂ reusable bottle (500 g) with bottle holder
- CO₂ precision pressure reducer with manometers for reusable systems and a precision dosing valve
- Hose connection – rotates 360°
- CO₂ special safety hose, pressure resistant, 3m, ø 4/6 mm
- CO₂ safety diffuser up to 400 l including bubble counter and non-return valve for effective CO₂ dosing.
- CO₂ long-term test and indicator liquid for constant direct monitoring of the CO₂ content in the aquarium
- 5 x water test strips for analysis of the initial water values
- Bottle with standardised connection for refilling (at the specialist dealer or at an appropriate CO₂ refilling station)
- Safe and tool free installation
- Optional accessory (not included): CO₂ magnetic valve (night shut-off)



EHEIM CO₂ sets are supplied complete and include the CO₂ bottle, pressure reducer, diffuser, long term water test and water test strips.

The magnetic valve is not included in all sets and could be purchased separately. This will allow the CO₂ to be switched off overnight, saving up to 50% carbon dioxide.



CO₂ Test incl.



EHEIM CO₂ – set with magnetic valve for night shut-off included

CO₂SET 600 incl. bottle	Art. No. 6063600
EAN 4011708006870	PK 1

CO₂SET 400 incl. bottle, with night shut-off	Art. No. 6064214
EAN 4011708008225	PK 1

CO₂ fertiliser system – a complete set for aquariums up to 600 litres.

- CO₂ reusable bottle (2000 g)
- CO₂ Precision pressure reducer with manometers for reusable systems and a precision dosing valve
- CO₂ special safety hose, pressure resistant, 3m, ø 4/6 mm
- CO₂ safety diffuser up to 600 litres including bubble counter and non-return valve for effective CO₂ dosing
- CO₂ long-term test and indicator liquid for constant monitoring of the CO₂ content in the aquarium
- 5 x water test strips for analysis of the initial water values
- Bottle with standardised connection for refilling (at the specialist dealer or at an appropriate CO₂ refilling station)
- Safe and tool free installation
- Optional accessory (not included): CO₂ magnetic valve (night shut-off)

CO₂SET 600 incl. bottle, with night shut-off	Art. No. 6064216
EAN 4011708008232	PK 1



NEW

+ CO₂-Magnetventil | Nachtabschaltung
CO₂ Magnetic valve | Night shut-off

24V

EHEIM CO₂SET without bottle

CO₂ is the most important nutrient for your plants in the aquarium and regulates the pH value of the water.



EHEIM CO₂-fertiliser unit without bottle

CO₂SET 400 without bottle

EAN 4011708008249

Art. No. 6063300

PK 1

CO₂SET 600 without bottle

EAN 4011708008256

Art. No. 6063500

PK 1

CO₂ fertiliser system for aquariums up to 400 litres.

- CO₂ precision pressure reducer with manometers for reusable systems and a precision dosing valve
- Hose connection – rotates 360°
- CO₂ special safety hose, pressure resistant, 3m, ø 4/6 mm
- CO₂ safety diffuser up to 400 l including bubble counter and non-return valve for effective CO₂ dosing.
- CO₂ long-term test and indicator liquid for constant direct monitoring of the CO₂ content in the aquarium
- 5 x water test strips for analysis of the initial water values
- Safe and tool free installation
- Optional accessory (not included): CO₂ magnetic valve (night shut-off)

CO₂ fertiliser system for aquariums up to 600 litres.

- CO₂ precision pressure reducer with manometers for reusable systems and a precision dosing valve
- Hose connection – rotates 360°
- CO₂ special safety hose, pressure resistant, 3m, ø 4/6 mm
- CO₂ safety diffuser up to 600 l including bubble counter and non-return valve for effective CO₂ dosing.
- CO₂ long-term test and indicator liquid for constant direct monitoring of the CO₂ content in the aquarium
- 5 x water test strips for analysis of the initial water values
- Safe and tool free installation
- Optional accessory (not included): CO₂ magnetic valve (night shut-off)





CO2
Test
incl.



EHEIM CO₂ – set with magnetic valve for night shut-off included (without bottle)

CO₂SET 400 without bottle,
with night shut-off

Art. No. 6064213

EAN 4011708008263

PK 1

CO₂SET 600 without bottle,
with night shut-off

Art. No. 6064215

EAN 4011708008270

PK 1

NEW

+ CO₂-Magnetventil | Nachtabschaltung
CO₂ Magnetic valve | Night shut-off

2m 24V

NEW

+ CO₂-Magnetventil | Nachtabschaltung
CO₂ Magnetic valve | Night shut-off

2m 24V



CO₂

CO₂ control



Monitoring and readjusting the pH value in your aquarium.



EHEIM
pHcontrol+e
Page 176



pHcontrol+e

The smart controller for monitoring and readjusting the pH value in your aquarium.

With the EHEIM pHcontrol+e you can easily monitor and optimize the pH in your aquarium via a smartphone, tablet, or PC/Mac simply via a WiFi connection and your web browser. A pH sensor measures the current pH value of the water, and the pHcontrol+e automatically provides the necessary CO2 supply. By controlling the magnetic valve connected in series to the CO2 system it adds as much CO2 as required until the desired pH value is reached.

To achieve this you must connect your CO2 system, i.e., a CO2 bottle via pressure reducer as well as magnetic valve (see the EHEIM CO2 sets) and a CO2 diffuser. The pHcontrol+e has a day/night control and can be linked to the lighting control EHEIM LEDcontrol+e (see the EHEIM Digital family).



5
Watt

marine
freshwater

multiscreen

Digital Family product

3
year
guarantee
EHEIM

Technical data pHcontrol+e

Technical data	pHcontrol+e Set	pHcontrol+e	pHsensor	Calibration liquid pH7 20 ml
Performance W	5	5	–	–
Power supply	5V DC	5V DC	–	–
Regulating range pH	6-9	6-9	–	–
Measurement range pH	0-14	–	0-14	–
System requirements	all WiFi devices, smartphone, tablet, PC/Mac	all WiFi devices, smartphone, tablet, PC/Mac	–	–
Art. No. (Europe)	6062220	6062225	6062020	6062030
Art. No. (UK)	6062340	6062345	–	–
Packing dim. WxHxD inch	5.2x8.7x5.3	6.3x6.9x2.2	3.4x8.4x2	4.9x8.3x0.6
Master pack quantities pcs.	1	1	1	1
Scope of delivery	EHEIM pHcontrol+e EHEIM pHsensor Calibration liquid Magnetic valve 24V Non-return valve Power supply unit	EHEIM pHcontrol+e Power supply unit	EHEIM pHsensor Calibration liquid	Calibration liquid



In addition to light, nitrogen, phosphate, trace elements, etc., the plants in your aquarium need CO₂ above all as an important nutrient. The better they thrive, the more oxygen they release, which the fish need to breathe. Thus, the EHEIM pHcontrol+e indirectly provides oxygen and the optimal pH value for your fish by adding CO₂. This is usually between pH 6 and pH 8; pH 7 is considered a neutral value for reference.

Note:

The basis for measuring and stabilising the pH value is the carbonate hardness („KH“) of the water. Therefore, the EHEIM pHcontrol+e (in Smart mode) initially queries the KH value. Because KH, CO₂ and pH value influence each other.



Features of the EHEIM pHcontrol+e

- A smart controller for monitoring and controlling the pH value in the aquarium by regulating the addition of CO₂
- Includes Wireless WiFi connection with a WLAN-enabled end device (smartphone, tablet, PC/Mac)
- Has connection and compatibility with devices of the EHEIM Digital family
- Measures the pH value through the pHsensor (measuring range: pH 0 to pH 14)
- Control range of the controller pH 6 to pH 9.
- Needs to be coupled via pressure reducer with CO₂ bottle (EHEIM CO₂SET)
- Electronically controls addition of CO₂ through interposed magnetic valve
- Adjusts CO₂ addition by linking with LEDcontrol+e (day/night control) in smart mode or simple and extended bio mode with own day/night control
- Queries the KH value (carbonate hardness) in advance
- Sets water test and calibration reminders
- Guided calibrations of the pH sensor
- Sends warning for deviation of pH value (up/down)
- Notes if EHEIM pH sensor needs to be replaced
- Provides best performance, high power, stable connection, and large memory capacity through new improved chip generation
- Highest safety and reliability - 3 years warranty

Control lamp on pHcontrol+e
White (flashing): Search network
Blue: New network created
Green: Connection to MasterController established
Fast color change: Carrying out an update

CO₂

Accessories



EHEIM
CO₂ bottles
Page 180

EHEIM
CO₂ pressure reducer
Page 181





EHEIM
CO2 magnetic valve
Page 182



EHEIM
CO2 diffuser
Page 182



EHEIM
CO2 hose
Page 183



EHEIM CO2 accessories

CO2 bottle

It is advisable to always have a spare CO2 bottle in reserve so that you can simply exchange the empty bottle for a full one. This is a simple procedure with no tools required.



EHEIM CO2 bottle

CO2 disposable bottle 500g	Art. No. 6063000	CO2 reusable bottle 500g, with bottle holder	Art. No. 6063010	CO2 reusable bottle 2000g	Art. No. 6063020
EAN 4011708006887	PK 1	EAN 4011708006894	PK 1	EAN 4011708006900	PK 1

CO2 disposable bottle 500g

Recyclable, disposable bottle for the complete EHEIM CO₂SET200 fertiliser system – suitable for aquariums up to 200 ltrs. TÜV-tested. The empty disposable bottle is recyclable and can be disposed of in a recyclable waste container or bin or at a household rubbish tip. Your aquatic retailer may also take the empty bottles back for recycling.

CO2 reusable bottle 500g, with bottle holder

Refillable bottle for the complete EHEIM CO₂SET400 fertiliser system – suitable for aquariums up to 400 ltrs. CO₂ bottle with safety guard (pressure and valve protection) and handle. 250 bar TÜV-tested.

Height: 17.3 inches (with safety guard), diameter: 2.4 inches.

CO2 reusable bottle 2000g

Refillable bottle for the complete EHEIM CO₂SET600 fertiliser system – suitable for aquariums up to 600 ltrs. CO₂ bottle with safety guard (pressure and valve protection) and handle. 250 bar TÜV-tested.

Height: 17.9 inches (with safety guard), diameter: 4.7 inches

The CO₂ reusable bottle is made of high-quality steel and complies with all German and European safety regulations. The empty CO₂ bottle can be refilled by your (approved) specialist dealer or an appropriate CO₂ refilling station.





CO₂ pressure reducer

The pressure reducer reduces the cylinder pressure from 64 bar to an operating pressure of 1.5 to 2 bar, depending on the room temperature.

The quality of the pressure reducer determines the precision and reliability of the CO₂ fertilisation. The required amount of CO₂ (number of bubbles) is set using the bubble counter.



EHEIM CO₂ pressure reducer

CO₂ pressure reducer – Disposable system

EAN 4011708006801

Art. No. 6063040

PK 1

CO₂ pressure reducer with manometer – Reusable system

EAN 4011708006825

Art. No. 6063050

PK 1

CO₂ pressure reducer – Disposable system

- Precision pressure reducer for disposable bottles
- Suitable for the complete EHEIM CO₂SET200 fertiliser system
- EHEIM fine dosing valve for precise and continuous CO₂ dosing
- 360° rotating hose connection
- Tool free assembly

CO₂ pressure reducer with manometer – Reusable system

- Precision pressure reducer for reusable systems
- Suitable for complete EHEIM CO₂SET400 and EHEIM CO₂SET600 fertilizer systems
- 2x manometers for working (system) pressure and for cylinder pressure
- EHEIM fine dosing valve for precise and continuous CO₂ dosing
- 360° rotating hose connection
- Tool free assembly
- Replacement seal included



EHEIM CO₂ magnetic valves (night shut-off)

The magnetic valve enables you to switch off the CO₂ supply in the aquarium if necessary – e.g. to regulate the pH or overnight. Up to 50% of CO₂ can be saved by switching of the supply at night as photosynthesis only takes place in daylight where plants absorb carbon dioxide and release oxygen. At night or without light, the plants consume oxygen, therefore CO₂ fertilisation would not be beneficial.



EHEIM CO₂ night shut-off

CO₂ night shut-off 230V	Art. No. 6064210
EAN 4011708006917	PK 1

The magnetic valve operates with a 230V alternating current and works best when connected to the aquarium light timer. This allows the magnetic valve to be switched off at the same time as the lights.

- Maintenance free
- Silent operation
- Includes non-return valve
- Includes 59.1 inches cable

CO₂ night shut-off 24V with connection to LEDcontrol+e & pHcontrol+e	Art. No. 6064380
EAN 4011708006924	PK 1

This solenoid valve is specially developed for the EHEIM LEDcontrol+e lighting control as well as the EHEIM pHcontrol+e. If it is connected to the EHEIM powerLED+ lighting and LEDcontrol+e, the supply of CO₂ switches off overnight and is only reactivated during the day. If, on the other hand, the solenoid valve is connected to the pHcontrol+e, the latter regulates the addition of CO₂ independently based on the desired pH value. The solenoid valve can also be operated with a separate power supply unit (EHEIM powersupply) via a timer (sold separately).

- Can be coupled with EHEIM LEDcontrol+e and pHcontrol+e
- Maintenance free
- Silent operation
- Includes non-return valve
- Includes 59.1 inches cable
- Made in Germany
- 3 year guarantee



EHEIM CO₂ hose


CO₂ hose 3m	Art. No. 7206228
EAN 4011708006788	PK 1



EHEIM CO₂ diffuser

The CO₂ gas is atomized into many bubbles by the diffuser. The bubbles create a larger contact surface enabling the CO₂ to dissolve quickly in the aquarium water.

The bubble counter visually controls the dosing of the CO₂. As a rough rule of thumb: approx. 20 mg CO₂ per litre. This corresponds to about 10 bubbles per minute per 100 litres of water.



EHEIM CO₂ diffuser 400l

CO₂ diffuser 400l	Art. No. 6063060
EAN 4011708011072	PK 1

For small and medium aquariums up to 400 l.

- Small, space-saving device
- Highly efficient diffuser
- Bubble counter for visual control of CO₂ dosing
- Non-return valve prevents water returning to the CO₂ system
- Powerful suction holder

EHEIM CO₂ diffuser 600l + bubble counter

CO₂ diffuser 600l + bubble counter with non-return valve	Art. No. 6063080
EAN 4011708006955	PK 1

For larger aquariums up to 600 l.

- User-friendly device with large diffuser area
- Optimum distribution of CO₂ bubbles in large aquariums
- Separate bubble counter for visual control of CO₂ dosing
- Integrated non-return valve prevents water returning to the CO₂ system
- Safe hose connection
- Space-saving corner mounting with two powerful suction holders



CO ₂ Set long-term test with indicator liquid and 3 test stripes	Art. No. 6063090	EAN 4011708006832	PK 1
CO ₂ test indicator liquid (30ml)	Art. No. 6063105	EAN 4011708015971	PK1

Cleaning & Maintenance

You can completely rely on original EHEIM accessories – in every respect.

EHEIM accessories – a well-balanced range of useful and functional products. They all meet the highest standard of quality, reliability and functionality.

Whether you need a useful and perfectly functional helper for maintaining your aquarium or whether you are just looking for the right maintenance spray for care of your components like shut-off taps...

You can be sure of one thing: with original EHEIM accessories, we offer you well thought out, cleverly constructed, extensively tested and guaranteed high quality products. Made by EHEIM.



Cleaning & Maintenance



EHEIM

Surface skimmer & gravel cleaner

Page 188





EHEIM
Accessories
Page 189




skim350

The micro surface skimmer for smaller aquariums up to 350 l.

Simple, quick and easy to set up. For alternate use in different aquariums. Ready for immediate use.



- Small surface skimmer for aquariums up to 350 l
- Removes dirt residue and microorganisms from the water surface (surface scum)
- This promotes natural gas exchange
- Practical for constant or intermittent use
- Quick set-up – easy to attach to the tank glass with suction cups
- For use when necessary – also adaptable to a range of different aquariums (be careful that no algae spores etc. are transferred)
- Connector for outlet hose
- Only 5 W energy consumption



Technical data skim 350



skim350

Technical data

Aquarium size up to l	350
Pump output l/h	300
Delivery head Hmax inch	19.7
Prefilter volume in ³	7.8
Hose connection pressure side ø mm	12/16
Power consumption W	5
Dimension WxHxD inch	1.6x5.2x2.1
Art. No. (Europe)	3536220
Art. No. (UK)	3536340
Packing dimensions WxHxD inch	3.5x5.3x3.2
Master pack quantities pcs.	4
Filter cartridge included media+	•



Filter media

EHEIM skim350

Filter cartridge	2 x	2615360	PK
			1



Accessories (optional)

Connector set 7481200



Quick Vac pro



The battery operated gravel cleaner is used to clean the gravel substrate and can also be used between water changes. The power of the cleaner is designed to remove dirt without disturbing the gravel and the purifying bacteria. The mesh filter compartment retains the dirt while letting the filtered water straight back into the aquarium. The filter compartment is simple to remove and easy to clean. Not suitable for sand.

- Batteries included



extendable



fully submersible



marine
freshwater



2 year
guarantee
EHEIM

Technical data Quick Vac pro

Quick Vac pro

Art. No. 3531000

EAN 4011708 350140

PK 4



Quick Vac pro cleaning extension
with blade for aquarium glass panes,
Art. No. 3531002



rapidCleaner



Fish nets

- 3.9x3.1 inches (Art. No. 3591010)
- 5.9x4.7 inches (Art. No. 3591011)
- 7.9x5.9 inches (Art. No. 3591012)
- 3.9x3.9x3.9 inches (Art. No. 3591013)



Accessories



Glass scraper for fresh and marine water aquariums

rapidCleaner 9.8 inches	Art. No. 3591050	EAN 4011708007808	PK 1
rapidCleaner 18.9 inches	Art. No. 3591000	EAN 4011708350355	PK 1
rapidCleaner 22.8 inches	Art. No. 3591100	EAN 4011708004692	PK 1

For easy and effective cleaning of interior aquarium glass

- No tools necessary to change the blade
- Quick cleaning due to the extra wide 0.3 inches working width
- Precision cut blade and blade protection
- Integrated silicone protection prevents the blade cutting into the sealant

Accessories:

- Algae brush** (Art. No. 3591001)
- Cleaning sponge** (Art. No. 3591002)
- Cleaning sponge 90°** (Art. No. 3591003)
- Blade holder with blade** (Art. No. 3591004)
- Fish nets**



MultiBox

The EHEIM MultiBox is a multi-purpose container designed to hook on to the aquarium for hands free maintenance.

The simplest ideas are often the best. Where would you normally put your tools such as scissors, tweezers, glass scraper, plant tongs, etc., whilst doing maintenance work on your aquarium? Where do you put your plants and utensils for aquascaping? What do you do with dripping internal filters, plant residue and waste? Where do your new aquarium inhabitants get used to their new environment? Where is your quarantine or treatment area? The EHEIM MultiBox is the perfect solution for organising your work area – simply hang it on the aquarium glass or cabinet door. The hanging bracket, tool holder, lid and overall dimensions have all been skilfully designed for convenience and practicality.



EHEIM MultiBox

Art. No. 4001010

EAN 4011708 402009

PK 1

Dimensions (WxHxD): 12.2x4x7.4 inches, the box can be filled with up to 2.5 l of water.

- Practical, hook-on container for maintenance work and aquascaping
- Compartment for plant remains, algae and other waste
- Can be used to transport wet items (internal filters) to the sink or waste to the bin
- Compartment for acclimatising new inhabitants to a different or new environment
- Can be used for quarantine and/or treatment
- Two-part lid prevents fish from jumping out
- Easy to hang over the aquarium glass or (if the aquarium cover does not permit it) on the cabinet door
- Hanger adjustable from 0.2 inches (aquarium glass) to 0.8 inches (cabinet door)
- Spacers for vertical adjustment
- 6 eyelets for hanging tools (tweezers, scissors, fish net, etc.)





Gravel cleaner set


Gravel cleaner set	Art. No. 4002510
EAN 4011708 401651	PK 3

Gravel cleaner

Gravel cleaner	Art. No. 4002000
EAN 4011708 400012	PK 1

The perfect tool for the convenient and safe cleaning of the aquarium substrate while doing a partial water change. A number of new functions and fittings have improved use, safety and convenience.

- Integrated priming support for a convenient and hygienic start to the process
- Quick stop button, stalls the water flow immediately
- The hose clip ① (also available separately, Art. no. 4002520) safely attaches the hose to the bucket
- Supplied complete with EHEIM quality hose and hose clip. Length 19.4 inches, can be extended with installation SET accessories
- Rounded triangular shape enables optimum cleaning in all areas of the tank base and guarantees easy access to corners





Plant tongs

Plant tongs 15.7 inches	Art. No. 3590050	EAN 4011708 350096
Plant tongs 23.6 inches	Art. No. 3590000	EAN 4011708 350089

EHEIM Plant tongs

Our plant tongs enable you to work in your aquarium without having to roll up your sleeves. You can place, move or remove plants and other items in the bottom of the tank and even difficult to reach become accessible. Dead leaves or plant stems can be cut off in exactly the right place and removed from the water.



Aquarium maintenance spray	Art. No. 4001000	EAN 4011708 723920
-----------------------------------	------------------	--------------------


EHEIM Water-neutral aquarium maintenance spray

CFC-free, does not contain solvents or oils, free from environmentally toxic substances and harmless to fish. Moving filter parts which are subjected to aquarium water regularly tend to get tight or seize up entirely after some time. Just apply the spray to the part concerned and it soon becomes loose again. Supplied with spray tube for inaccessible areas. Particularly recommended for ball valves, taps, hose adapter, sealing rings and much more.





Additional accessories



EHEIM Cleaning brushes, fish nets, thermometer

Cleaning brushes	for hoses	Art. No.	EAN 4011708
39.4 inches	3/8"	4003551	401804
39.4 inches	1/2"	4004551	401798
39.4 inches	5/8"	4005551	401781
39.4 inches	3/4" + 1"	4007551	401774

Universal-Cleaning brushes | Art. No. 4005570 | EAN 4011708 401873
 for hoses 3/8", 1/2", 5/8", 3/4", 1"

Cleaning brush-Set | Art. No. 4009560 | EAN 4011708 401842
 For all EHEIM internal and external filters + EHEIM universal and compact pumps

Fish net (4.7x3.9 inches)	Art. No. 0691502	EAN 4010251 090404
Thermometer	Art. No. 0360300	EAN 4010251 083512





A close-up photograph of a fish's mouth, showing a bright yellowish-orange substance, likely a feeding tube or a piece of food, being inserted. The background is a blurred green, suggesting an aquarium environment.

Feeding

EHEIM automatic fish feeders. The best care for your fish.

In nature, fish spend almost all day looking for food and are constantly consuming it in small quantities and, depending on the available food, they can adapt themselves to the conditions better than mammals. If there is not much food about, their metabolisms will slow down, making the fish less hungry.

Feed 2 or 3 times a day but only with as much food as will be consumed in two minutes (you could use the EHEIM automatic feeder + the EHEIM feeding station). Never make all the food available at once! Provide a bit of variety and occasionally (once a week) feed live or natural food (ideally frozen animal, vegetable or mixed food obtained from a specialist aquarium dealer).



Feeding

Automatic fish feeder



EHEIM
autofeeder
Page 200





EHEIM
TWINfeeder
Page 201



EHEIM
autofeeder+
Page 202



autofeeder

The best care for your fish.

If you don't always have time an automatic fish feeder is ideal. Also when on holiday. You can easily programme the feeding times as well as the amount of food and the fish feeder ventilates the food at precisely the correct time into the water. With a simple press of a button "snacks" are also possible at any time.



autofeeder

EHEIM autofeeder

Art. No. 3581000

EAN 4011708 350102

PK 5

Compact autofeeder with a rotating feeding chamber – mainly for flake food.

- Easy to understand programming, includes batteries
- An additional programme for double feeding
- Actively aerated food chamber
- Capacity approx. 100 ml
- Additional "snacks" possible at the touch of a button
- Function keys are splash resistant
- Warning system quickly indicates low battery level
- Including bracket for mounting on an open-top aquarium or terrarium



TWINfeeder



2x80 ml

capacity



multi
food



marine

freshwater



3
year
guarantee
EHEIM

TWINfeeder

EHEIM TWINfeeder

Art. No. 3582000

EAN 4011708 350171

PK 1

Automatic feeder with 2 separate chambers for different types of food.

- For granules, sticks, pellets, flakes
- Drums can be programmed individually
- Random dosing for natural feeding
- Both drums are aerated
- 2 types of food can be fed in parallel; the advantage of this is a food supply for all livestock in the swimming zones
- Large display
- Warning system quickly indicates low battery level
- Includes batteries
- Made in Germany



autofeeder+

Smart controlled feed supply.

With the EHEIM autofeeder+ we offer you the smart version of our (basic version) autofeeder with additional functions and advantages.

The EHEIM autofeeder+ is our intelligent automatic feeder with digital control via WLAN. All functions can be programmed and monitored via smartphone, tablet or PC/Mac. You can set both feeding times and quantities individually and generate a fasting day. There is protection against overfeeding and you will also receive an email message when the food in the drum is running low. In addition, synchronisation with other devices from our EHEIM.digital WiFi family is also possible. For example, when linked to the EHEIM thermocontrol+e aquarium heater, you will be warned by email before feeding if the water temperature is too high and, when linked to the EHEIM professional 5e external filter, the flow rate can be automatically reduced or increased for 10 minutes during feeding.

EHEIM autofeeder+ has a power supply unit so it is not battery operated like the standard autofeeder. Maximum safety and reliability are a matter of course and the feeder comes with a 3-year guarantee.



~125 ml
capacity

3
Watt max.

marine
freshwater

multiscreen

Digital Family product

3 year
guarantee
EHEIM

fill level notification

Benachrichtigungen per E-Mail | Notifications by e-mail | Avisos por correo electrónico | Notification par e-mail

EHEIM autofeeder+	Art. No (Europe) 3583220
	Art. No (UK) 3583340
	PK 1



- Electronic feeder with integrated WLAN function; programming and control via smartphone, tablet or PC/Mac
- No need to install an app
- Integration with a home WLAN network is possible
- Programming of different feeding times and feed quantities
- Optional; one randomly generated fasting day per week
- Overfeeding protection can be switched on to prevent accidental overdosing
- A new type of slider on the feed drum makes it possible, for example, to supply even fish fry with very small amounts of feed.
- Query of the current feed level
- Predicting the range of the residual feed
- Notifications by e-mail as soon as the fill level falls below 30 % – also as soon as the feed drum is empty
- Smart linking with other electronically controlled devices: When feeding, for example, the flow rate of a linked EHEIM professional 5e external filter can be reduced or increased for 10 minutes.



- Various devices from our EHEIM.digital WiFi family can be grouped together, either by aquarium, room, family member or similar.
- Protection against oxygen deficiency and tipping of the water quality: If the water temperature exceeds 30 °C, a warning is sent by e-mail providing the EHEIM thermo-control+e aquarium heater is linked.
- Feeding stops during water changes or maintenance: If the linked filter is not running, no feeding takes place.
- Actively vented feed chamber
- Capacity approx. 125 ml
- All functions and the WLAN network can be switched on and off at any time
- Manual feed programming is also possible at any time
- Operated with a safety power supply unit with protective extra-low volt-age (not battery operated)
- Convenient cable length approx. 78.7 inches
- Incl. bracket for mounting on open aquariums or terrariums
- High safety and reliability plus a 3-year warranty



Feeding Accessories





feedingSTATION

EHEIM feedingSTATION

EAN 4011 708 402030

Art. No. 4001020

PK 1

Platform for EHEIM autofeeders

Universal clamp for attachment to frames, glass brace bars and centre support bars, **Feeding cylinder** (without platform) also suitable for the feeder opening in EHEIM Varilux aquarium covers. Can also be used without the autofeeder (for manual feeding). Feeding cylinder can also be used to thaw out diced frozen food.


- Less food loss as food doesn't disperse
- Less water pollution (nitrates and phosphates)
- No oxygen depletion from bacterial decomposition
- Less expense due to less wastage
- All fish gather in one place so ideal for visual inspection of livestock



Installation

EHEIM
InstallationsSETs
Page 208





EHEIM
Hoses
Page 210



EHEIM
Accessories
Seite 211



InstallationsSET

The EHEIM InstallationsSETs allows you to decide about the water flow in your aquarium.

Where should the inlet for the water be situated? How should the outlet work? What kind of tubes, hoses, nozzles etc. should be used? Our InstallationsSETs are a modular range of accessories. They consist of a wide range of matching components, with which you can configure and extend your water flow connectors to suit your own personal requirements. The sets can be attached to all EHEIM external filters. InstallationsSET 1 is designed for the inlet side and InstallationsSET 2 for the outlet side.



InstallationsSET 1 (suction/inlet side)

Hose diameter 1/2"	Art. No. 4004300	EAN 4011708 401378	PK 1
Hose diameter 5/8"	Art. No. 4005300	EAN 4011708 401361	PK 1

Modular installation set for easy connection to all external filters. Safe and water tight connection to hose. (The hose can be easily cleaned without removing the connection hose.) The inlet pipe can be lengthened or shortened as required. Safe and permanent fixing in the tank with EHEIM quality suction cups.



InstallationsSET 2 (pressure/outlet side)

Hose diameter 1/2"	Art. No. 4004310	EAN 4011708 401392	PK 1
Hose diameter 5/8"	Art. No. 4005310	EAN 4011708 401385	PK 1

Ideal for the customised design of the outlet. Safe and water tight connection from the hose to InstallationSET 2. The hose can be easily cleaned without disconnecting the kit.

Accessories for InstallationsSET

There is a wide range of clever accessories for the installationsSETs 1 + 2. They can be used to create different water movements and flow possibilities in the aquarium.



Accessories for InstallationsSET 1+2

Art. No.	EAN 4011708		
4003651	401668	①	Diffuser for InstallationsSET 2 and for hose \varnothing 1/2", suitable for filters 2213, 2222/2224, 2322/2324, 2422/2424/2124
4004651	401606	①	Diffuser for InstallationsSET 2 and for hose \varnothing 1/2" und 5/8", suitable for filters 2048, 2215/17, 2226/28, 2250
4005651	401613	①	Diffuser for InstallationsSET 2 and for hose \varnothing 5/8", suitable for filters 2026/2028, 2080, 2126/2128, 2252, 2260, 2426
4005600	401576	②	Ball joint for InstallationsSET 2
4009610	401491		Extension pipe for InstallationsSET 1 (2 pieces)
4009620	401507		Spray bar for InstallationsSET 2 (2 pieces)
4009630	401514	③	Elbow for InstallationsSET 1+2
4009640	401545	④	T piece for InstallationsSET 1+2
4009650	401521	⑤	Flow rate indicator for InstallationsSET 2
4009660	401712	⑥	Nozzle clip, adjustable for InstallationsSET (4 pieces)
4009670	401729	⑦	Diffuser clip for InstallationsSET 2
4009680	401736	⑧	Wide-jet nozzle for InstallationsSET 2
4009690	401743	⑨	Adapters from InstallationsSET to hose for hose diameter 1/2" and 5/8"
4009700	401750	⑩	Nozzles and adapters from hose to InstallationsSET for hose diameter 1/2" and 5/8"
7438018	744345	⑪	Adapter connector for 1250 and 2252 PowerLine
7440148	744338	⑫	Adapter connector for 1048 and 2048 PowerLine

Hoses

EHEIM quality hoses.

EHEIM quality hoses are available in different sizes and lengths (3m packs and as rolls). EHEIM hose is phenol-free, supple, kink-free but rigid enough to ensure safe hose connections. EHEIM shut-off taps and hose accessories guarantee safe and secure connections for all fishkeeping requirements.



Hoses


	ø	3 m Art. No. (Europe)	roll Art. No. (Europe)	roll incl. reel Art. No. (Europe)
Air line	4/6mm	4002943	393.7 inches 4002949	393.7 inches 4002948
Hose, green	3/8"	4003943	275.6 inches 4003949	275.6 inches 4003948
	1/2"	4004943	196.9 inches 4004949	196.9 inches 4004948
	5/8"	4005943	118.1 inches 4005949	118.1 inches 4005948
	3/4"		98.4 inches 4006949	
	1"		98.4 inches 4007949	
Hose, anthracite	3/8"	4003843	275.6 inches 4003849	275.6 inches 4003848
	1/2"	4004843	196.9 inches 4004849	196.9 inches 4004848
	5/8"	4005843	118.1 inches 4005849	118.1 inches 4005848





Diffusor

Works with a filter to give a measured supply of oxygen into the aquarium (recommended only for aquariums with little plant growth or high fish stocking levels).



Undergravel filter

Reverse flow principle ①	Art. No. 3540000	EAN 4011708 350034
Suction principle ②	Art. No. 3541000	EAN 4011708 350041

Accessories

Extension set for undergravel filter (6 plates)	Art. No. 3545000	EAN 4011708 350065
--	------------------	--------------------

Double tap - quick release

With a flick of the wrist, you can disconnect and connect the hose safely, cleanly and without water backflow. With EHEIM quality hoses, they make safe and functional hose connections. Available in different sizes and types.



Undergravel filter

Reverse flow principle

The purified water is taken up through the gravel floor and the floating particles of dirt are then taken to the priming area of the filter.

Suction principle

It works the opposite way round, operating as an additional biological filter. It is particularly suitable for marine water aquariums and tanks without plants.

Double tap 12/16 mm	Art. No. 4004412	EAN 4011708 400333
Double tap 9/12 mm	Art. No. 4003412	EAN 4011708 400050
Double tap 16/22 mm	Art. No. 4005410	EAN 4011708 400555
Double tap 25/34 mm	Art. No. 4007410	EAN 4011708 401163
EHEIM flowpipe	Art. No. 4005730	EAN 4011708 402061


Wide-jet pipe and outlet pipe

The wide-jet nozzle with its flat outlet ensures high surface movement. There is less movement with the outlet pipe but the direction of flow can be adjusted as required.

EHEIM flowpipe

Natural flow pipe

- Gentle water flow
- Appropriate for fish preferring calmer water with plant growth
- Variable outlet direction





EHEIM
Sales support (POS)
Page 220

EHEIM
shopDesign
Page 222



Technical data of filters

Product	Aquarium size up to l	Pump output l/h	Canister volume l	Filter-volume l	Filter media containers pcs.
EHEIM Hang-on filters					
LiBERTY 75	75	150-380	0,6	0.1 in ³	1
LiBERTY 130	130	220-570	1,0	157.5 in ³	3
LiBERTY 200	200	320-760	1,3	255.9 in ³	4
EHEIM Micro internal filters					
miniUP	30	300	-	31.1 in ³	1
miniFLAT	-	300	-	15.4 in ³	1
EHEIM Internal filters					
aqua 60	30-60	160-300	-	63 in ³	2
aqua 160	60-160	210-440	-	94.5 in ³	3
aqua 200	100-200	210-440	-	126 in ³	4
aquacorner 60	10-60	200	-	55.1 in ³	1
aquaball 60	30-60	150-480	-	70.9 in ³	1
aquaball 130	60-130	180-550	-	126 in ³	2
aquaball 180	80-180	210-650	-	181.1 in ³	3
biopower 160	80-160	180-550	-	149.6 in ³	2
biopower 200	100-200	210-650	-	208.7 in ³	3
biopower 240	160-240	280-750	-	267.7 in ³	4
PowerLine 200	100-200	600	-	153.5 in ³	-
PowerLine XL	> 200	1200	-	275.6 in ³	-
pickup 45	45	50-180	-	33.5 in ³	-
pickup 60	30-60	150-300	-	76.8 in ³	-
pickup 160	60-160	220-500	-	129.9 in ³	-
pickup 200	200	220-570	-	185 in ³	-
EHEIM External filters					
classic 150	50-150	300	1,3	1,0	-
classic 250	80-250	440	3,5	3,0	1
classic 350	120-350	620	4,8	4,0	-
classic 600	180-600	1000	6,6	6,0	-
classic 1500XL	300-1500	2400	23	18,0	-
classicVARIO+e 250	50-250	510	3,5	3,0	1
ecco pro 130	60-130	500	3,0	1,5	1+1
ecco pro 200	100-200	600	4,0	2,3	2+1
ecco pro 300	160-300	750	5,0	3,1	3+1
eXperience 150	80-150	500	5,0	2,3	2
eXperience 250	120-250	700	6,0	3,0	2
eXperience 350	180-350	1050	9,0	4,9	2
professionel 3 1200XL	400-1200	1700	25	13,5	3+1
professionel 3 1200XLT Thermo	400-1200	1700	25	13,5	3+1
professionel 5e 350	180-350	1500	7,4	5,0	3+1
professionel 5e 550	240-550	1920	12,5	7,8	4+1
professionel 5e 800	300-800	1920	14,5	9,8	5+1
professionel 5e 600T Thermo	300-600	1850	14,2	8,6	4+1
professionel 4 800	400-800	1600	14,5	9,8	5+1
professionel 4 600T Thermo	300-600	1600	14,2	8,6	4+1
professionel 4+ 250	120-250	950	6,1	3,5	2+1
professionel 4+ 250T Thermo	120-250	950	7,1	3,5	2+1
professionel 4+ 350	180-350	1050	7,4	5,0	3+1
professionel 4+ 350T Thermo	180-350	1050	8,9	5,0	3+1
professionel 4+ 600	240-600	1250	9,2	6,5	4+1

So you will always recommend the right product.

Delivery head Hmax inch	Power consumption W pump/heater	Dimensions inch WxHxD	Installation height* max inch	Hose connection Art./inlet side ø mm	Hose connection Art./outlet side ø mm
-	2,5	4.1x7.1x5.3	-	-	-
-	3	5.7x7.1x5.3	-	-	-
-	4	7.7x7.1x5.3	-	-	-

19.7	5	1.3x5x2.1	-	-	4004943 / 12/16
19.7	5	1.3x5x2.1	-	-	4004943 / 12/16

11.8	4,5	2.6x6.5x2.6	-	-	-
19.7	4,7	2.6x8x2.6	-	-	-
19.7	4,7	2.6x9.6x2.6	-	-	-
15.7	5	3.5x8.2x3.1	-	-	-
14.6	5	ø3.8x6.3	-	-	-
16.9	6	ø3.8x8.5	-	-	-
16.9	6	ø3.8x10.6	-	-	-
16.9	6	ø3.8x8.5	-	-	-
16.9	6	ø3.8x10.6	-	-	-
23.6	8	ø3.8x12.8	-	-	-
59.1	10	2.6x11.2x3	-	-	4004943 / 12/16
78.7	28	3x13.2x3.1	-	-	4004943 / 12/16
13.8	3,5	2x5.3x2.5	-	-	-
13.8	4	3x4.2x3.8	-	-	-
15.7	6	3x8.6x3.8	-	-	-
15.7	6	3x10.8x3.8	-	-	-

47.2	4	ø4.311.4	70.9	4004943 / 12/16	4003943 / 9/12
59.1	8	ø6.3x14	70.9	4004943 / 12/16	4004943 / 12/16
70.9	15	ø7.3x14.6	70.9	4004943 / 12/16	4004943 / 12/16
90.6	20	ø8.1x15.7	70.9	4005943 / 16/22	4004943 / 12/16
145.7	65	ø14x22.4	59.1	4007943 / 25/34	4005943 / 16/22
70.9	1,7-9,8	ø6.7x14	70.9	4004843 / 12/16	4004843 / 12/16
55.1	5	ø8.1x11.7	59.1	4004943 / 12/16	4004943 / 12/16
55.1	5	ø8.1x14	59.1	4004943 / 12/16	4004943 / 12/16
74.8	8	ø8.1x16.4	59.1	4004943 / 12/16	4004943 / 12/16
51.2	8	7x11.4x7	70.9	4004943 / 12/16	4004943 / 12/16
59.1	8	7x13.4x7	70.9	4004943 / 12/16	4004943 / 12/16
78.7	24	8.3x14.8x8.3	70.9	4005943 / 16/22	4005943 / 16/22
102.4	25	13x22.3x13	70.9	4005943 / 16/22	4005943 / 16/22
102.4	25 / 500	13x22.3x13	70.9	4005943 / 16/22	4005943 / 16/22
86.6	10-35	9.4x15.7x9.6	70.9	4005843 / 16/22	4005843 / 16/22
7'11"	10-35	10.4x8.7x10.4	70.9	4005843 / 16/22	4005843 / 16/22
8'6"	10-35	10.4x21.0x10.4	70.9	4005843 / 16/22	4005843 / 16/22
102.4	10-35 / 210	10.4x21.0x10.4	70.9	4005843 / 16/22	4005843 / 16/22
7'2"	20	10.4x21.0x10.4	70.9	4005843 / 16/22	4005843 / 16/22
7'2"	20	10.4x21.0x10.4	70.9	4005843 / 16/22	4005843 / 16/22
59.1	12	9.4x14.1x244	70.9	4005843 / 16/22	4005843 / 16/22
59.1	12 / 210	9.4x15.7x9.6	70.9	4005843 / 16/22	4005843 / 16/22
70.9	16	9.4x15.7x9.6	70.9	4005843 / 16/22	4005843 / 16/22
70.9	16 / 210	9.4x17.8x9.6	70.9	4005843 / 16/22	4005843 / 16/22
70.9	16	9.4x17.8x9.6	70.9	4005843 / 16/22	4005843 / 16/22

* Filter base to water surface

Technical data pumps

Product	Aquarium size up to l	Pump output l/h	Canister volume l	Filter-volume l	Filter media containers pcs.
EHEIM compact pumps					
compactON 300	-	170-300	-	-	-
compactON 600	-	250-600	-	-	-
compactON 1000	-	400-1000	-	-	-
compactON 2100	-	1400-2100	-	-	-
compactON 3000	-	1800-3000	-	-	-
compactON 5000	-	5000	-	-	-
compactON 9000	-	9000	-	-	-
compactON 12000	-	12000	-	-	-
compactON 16000	-	15500	-	-	-
EHEIM universal pumps					
universal 300	-	300	-	-	-
universal 600	-	600	-	-	-
universal 1200	-	1200	-	-	-
universal 2400	-	2400	-	-	-
universal 3400	-	3400	-	-	-
aquaball powerhead 650	-	210-650	-	-	-
EHEIM marine water flow pumps					
streamON+ 3500	200	3500	-	-	-
streamON+ 6500	350	6500	-	-	-
streamON+ 9500	500	9500	-	-	-
EHEIM air pumps					
air 100	-	100	-	-	-
air 200	-	200	-	-	-
air 400	-	400	-	-	-

So you will always recommend the right product.

Delivery head Hmax inch	Power consumption W pump/heater	Dimensions mm WxHxD	Hose connection Art./inlet side ø mm	Hose connection Art./outlet side ø mm
23.6	7	1.5x2.8x2.4	-	4004940 / 12/16
39.4	7	1.5x2.8x2.4	-	4004940 / 12/16
55.1	15	1.9x3.1x2.9	4005940 / 16/22 19/27	4005940 / 16/22 19/27
94.5	38	2.8x5.6x4.3	4006940 / 19/27 25/34	4006940 / 19/27 25/34
106.3	55	2.8x5.6x4.3	4006940 / 19/27 25/34	4006940 / 19/27 25/34
141.7	70	3.6x6.1x5.6	4007940 / 25/34 1- 1 1/4"	4007940 / 25/34 1- 1 1/4"
145.7	80	4.3x7.3x6.9	4007940 / 25/32/38 1- 1 1/2"	4007940 / 25/32/38 1- 1 1/2"
149.6	110	4.3x7.3x6.9	4007940 / 25/32/38 1- 1 1/2"	4007940 / 25/32/38 1- 1 1/2"

47.2	5	5.7x4.1x3	4004943 / 12/16	4003943 / 9/12
59.1	10	5.8x4.5x3	4004943 / 12/16	4004943 / 12/16
78.7	28	7x4.8x3.7	4005943 / 16/22	4004943 / 12/16
145.7	65	8.6x6.3x4.6	4007949 / 25/34	4005943 / 16/22
141.7	80	8.6x6.3x4.6	4007949 / 25/34	4005943 / 16/22
16.9	6	ø3.8x5.9	-	4006949 / 19/27

-	2,5	1.9x2.2x4.3	-	-
-	6	2.3x2.8x5.2	-	-
-	12,0	2.8x3.5x5.4	-	-

78.7	3,5	3.6x5.9x3	-	4002943 / 4/6
78.7	3,5	3.6x5.9x3	-	4002943 / 4/6
78.7	4	3.6x5.9x3	-	4002943 / 4/6

**So you will always recommend the right product:
Technical data of aquariums**

Product	Volume l	Glass thickness inch	Lighting	Dim. WxHxD inch
Aquarium starter kits				Tank
aquastar 54 LED	54	0.2	classicLED	23.6x11.8x11.8
aquastar 63 marine	63	0.2	classicLED	23.6x13.8x11.8
aquaproLED 84	84	0.2	classicLED	23.6x15.7x13.8
aquaproLED 126	126	0.2/0.3	classicLED	31.5x17.7x13.8
aquaproLED 180	180	0.2/0.3	classicLED	39.4x17.7x15.7
aquaclass 30	30	0.2	LED	16.3x11x10
aquaclass 66	66	0.2	LED	23.9x13.8x12.2
Cabinets				
Panels Dimensions	Panels 1 W x D inch			Height inch
aquacab 54	24x14.2			33.5
aquacab 84	24x14.2			33.5
aquacab 126	31.9x14.2			33.5
classcab	24.4x12.8			39.8
Aquarium combinations				complete
incpiria 230	230	0.3	powerLED+	27.6x56.7x23.6
incpiria 330	330	0.4	powerLED+	39.4x56.7x23.6
incpiria 430	430	0.5	powerLED+	51.2x56.7x23.6
incpiria 530	530	0.5	powerLED+	63x56.7x23.6
incpiria 630	630	0.5	powerLED+	78.7x56.7x23.6
incpiria duo	430	0.5	powerLED+	51.2x56.7x23.6
proxima 175	175	0.3	classicLED	28x52x20.1
proxima 250	250	0.3/0.4	classicLED	39.8x52x20.1
proxima 325	325	0.5	classicLED	51.6x52x20.1
proximaTEC 175	175	0.3	classicLED	28x52x20.1
proximaTEC 250	250	0.3/0.4	classicLED	28x52x20.1
proximaTEC 325	325	0.5	classicLED	28x52x20.1
proxima scape 175	175	0.3	-	28x49.2x20.1
proxima fauna 113	113	0.3	-	26x49.2x20.1
clearscape 73	73	0.2	-	23.6x45.3x13.8
clearscape 175	175	0.3	-	28x51.2x20.1
clearscape 200	200	0.4	-	35.4x49.2x19.7
clearscape 300	300	0.4	-	47.2x51.2x19.7
vivalineLED 126	126	0.2/0.3	classicLED	31.9x46.9x14.2
vivalineLED 150	150	0.3	classicLED	24x48.8x20.1
vivalineLED 180	180	0.2/0.3	classicLED	39.8x46.9x16.1
vivalineLED 240	240	0.3/0.4	classicLED	47.6x48.8x16.1
Marine water aquarium combinations				
incpiria 230 marine	230	0.3	powerLED+	27.6x56.7x23.6
incpiria 330 marine	330	0.4	powerLED+	39.4x56.7x23.6
incpiria 430 marine	430	0.5	powerLED+	51.2x56.7x23.6
incpiria 530 marine	530	0.5	powerLED+	63x56.7x23.6
incpiria 230 reef	230	0.3	-	27.6x56.7x23.6
incpiria 330 reef	330	0.4	-	39.4x56.7x23.6
incpiria 430 reef	430	0.5	-	51.2x56.7x23.6
incpiria 530 reef	530	0.5	-	63x56.7x23.6

Recommended EHEIM technology



Fresh water aquariums	EHEIM classic	EHEIM classic-VARIO+e	EHEIM ecco pro	EHEIM eXperience	EHEIM profesional 3	EHEIM profesional 4	EHEIM profesional 4+	EHEIM profesional 5e	EHEIM thermo-control
proxima 175	250	250	200	250		600T	250 / 250T	350 / 600T	125 W
proxima 250	350	250	300	350		600T	350 / 350T	350 / 600T	150 W
proxima 325	350		300	350		600T	350T / 600	550 / 600T	200 W
proxima fauna	250	250	200	250			250	350	200 W
incpiria 230							250 / 250T	350	150 W
incpiria 330						600T	350 / 350T	350 / 600T	200 W
incpiria 430						600T	600	550 / 600T	250 W
incpiria 530					1200XL / 1200XLT	600T		600T	250 W
incpiria 630					1200XL / 1200XLT				250 / 300 W
incpiria duo					1200XL / 1200XLT	800/ 600T	600	800 / 600T	250 W
clearscape 73	250 / 350	250	200 / 300	250			250	350	150 W
clearscape 175	250 / 350	250	300	250 / 350			250 / 350	350	200 W
clearscape 200	350	250	300	350			350	350	250 W
clearscape 300	600			350		800/ 600T	350 / 600	550 / 800 / 600T	300 W
Page	74	76	80	82	84	86	88	90	155

Sales literature with a purpose

**EHEIM promotional display
EHEIM fish feeder**

Art. No. 8181000 / EAN 4011708 810699
 Display in dispenser format
 Contains: 5x 3581000
 Size WxHxD: 3.7x16.3x6 inches
 Displays while stock lasts!



EHEIM catalogues Format DIN A4		Art. No.	PK
Trade catalogue	english	7992020	16
Pond catalogue	english	7998720	25
shopDesign catalogue	english	7990220	25
List of spare parts EHEIM	english	7985020	25
List of spare parts mp	english	7985021	75
EHEIM Flyer Format DIN A5		Art. No.	PK
Aquariums	english	7990320	50
professionel 5e	english	7995120	250
BEASTER/LOOPpro	english	7995210	250
Pond Guide	english	7981090	25



Please visit our website at www.eheim.com to download the product literature, instructions and spare parts lists.

Ready to give advice - approved EHEIM Service Centres

GB	John Allan Aquariums Limited, 34 Eastern Way Industrial Estate, Bury St. Edmunds, Suffolk IP32 7AB
	J&K Aquatics Limited, Market Way, North Petherton, Bridgewater, Somerset TA6 6DF, sales@jnk-aquatics.co.uk
	Norwood Aquarium, 363 Limpsfield Road, The Green, Warlingham CR6 9HA, sales@norwood-aquarium.co.uk
DK	Eldorado, Ole Romers Vej 31-35, DK-6100 Haderslev, mail@eldorado.dk, Tel: +45 74520888
SE	Imazo AB, Gradgatan 1, SE-53450 Vara/Torsgarden, Schweden, info@imazo.se, Tel: +46 (0)512 270 700
FIN	Amazon Oy, Koskelontie 16B, FIN-02920 Espoo, Tel: +358 9 7562050
BE/L	Grizo, Posterijlaan 3, 8740 Pittem, retour@grizo.be, retour@grizo.be, Tel: +32 (0)51 46 40 44
NL	Smulders B.V., Burg. Visschersstraat 130, 6235 EM Ulestraten, eheimsercive@smulders.nl, +31 (0)43 3642 387
	Gebr. De Boon, Avelingen West 39 B, 4202 MS Gorinchen, info@deboon.nl, Tel: +31 183 660 822
IT	NEWA Techno Industria Srl, Via dell'Artigianato 2, 35010 Loreggia (PD), www.newa.it/contatti/, 049 5794069
ES	Vivacuاريو (Valdés & Valdés), Av. Dólmenes de Valencina 27, 41907 Valencina de la Concepción (Sevilla)
	Acuario Mates S.L., Via Principal Dársena Pesquera 17, 38180 Santa Cruz de Tenerife, Islas Canarias
PT	PCJM (Animal Concept), Av. General Humberto Delgado 570, 4765-741 Oliveira (São Mateus)
HU	Fisch Kft., Kossuth 1 u. 55, Pf 264, H-2800 Tatabánya, contact@fisch.hu, rendeles@fisch.hu, Tel: 34/337-142
HR	Zoo Hobby d.o.o., Radnicka cesta 177, HR-10000-Zagreb, info-zg@u1974.com, Tel: +385 (1) 7897 920
TR	Anadolu Pet, Büyükbakkalköy Mahallesi, Samandria yolu Sokak, No.:30, 34858 Maltepe - Istanbul
MT	Akkwarjumalfa Co. Ltd., 11 Triq F. Thara, BKR 1780 Birkirkara, Malta, akkwarju@onvol.net, Tel: +356 2133 5214
IL	Fish And Pets Israel 1975 Ltd. (Milatin Group), Adom 6 St. Mifalei Kanot, Gedera 7982501, Tel: +972 8 620 4070
	Aquarium World LTD, Moshav Ben Zakai, Rotem str, Meshek 83, POB 55, 79210 Israel
GR	Petline S.A., Finos Film RD, Thesi Housmiza, 19004 Spata/attica, jmallis@petline.gr, Tel: 210 60 69 800
PL	F.H.U. Oleksandr Odynski AQUAPROFI, Bakonczycka 7, Przemysl 37-100, aquaprofi@aquaprofi.sk
	Badis Spółka z.o.o, UL. Kochanowskiego 14C/5, PL-01864 Warszawa, biuro@badis.pl, Tel: +48 42 687 50 09
CZ/SK	Plaček s.r.o., Revoluční 1381/III, Poděbrady 290 01, Czech Republic, info@placek.cz, Tel: +420 325 611 650
RO	S.C.Profipet Com. Srl., DN 72, KM 8, Comuna Aricestii Rahtivani, RO-107025 Judetul Prahova
ZA	Daro Enterprises, 19 Rose-Etta Street, Pretoria West, 0183, South Africa, info@daroco.za, Tel: 012 327 1280
USA/CDN	EHEIM SUPPORT, 2215 Kenmore Ave Suite 100, Tonawanda Commerce Center, Buffalo, NY 14207, USA
	EHEIm digital support USA, 1328 W San Pedro St. Gilbert, AZ 85233 USA, bryan.lester@eheim.com
	EHEIM digital support Canada, 19192 Hay Rd, Summerstown, ON KOC 2EO, Canada, bryan.lester@eheim.com
AUS	Premier Pet Pty Ltd, 33 Magnesium Street, 4504 Narangba Queensland, Australia, info@premierpet.com.au
RC	Guangzhou Aquababie Aquarium Co., Ltd., 3/F, BLDG D, No. 123, Cuiyuan Road, Dong Sha Da Dao,
TW	Gentle Castle Corporation, 4th floor, No. 27 Xing Zhong Road, Neihu District, 11494 Taipei, Taiwan
SGP	Yi Hu Fish Farm Trading, No 71 Jalan Lekar, Agrotechnology Park, 698950 Singapore, qianhu_retail@qianhu.com
KOR	Maya Trading Co. Ltd, 262, Hoedong-gil, Paju-si, Gyeonggi-do, Korea 10881, Tel: 031-955-0200
JP	Kamihata Fish Ind. Lmt., Himeji Branch, 3-3-20 Mitachi-naka, 6700073 Himeji city, Japan
IND	Indus Marketing, Plot No 44/45, 15 Spring Field Park, Lullanagar, Pune Maharashtra 411040, India
NZ	Brooklands Pet Products LP, 21 McGiven Drive, New Plymouth 4371, New Zealand, info@brooklands.co.nz
RI	PT Ace Hardware Indonesia, Gedung Kawan Lama, 5th Floor, Jl. Puri Kencana No. 1, Jakarta 11610, Indonesia
	PT Golden Westindo Artajaya. Puri Indah Financial Tower Lt 20 Unit 9-11 Jakarta, RT.1/RW.2, Kembangan Sel., Kec. Kembangan, Kota Jakarta Barat, Daerah Khusus Ibukota Jakarta 11610, Indonesien
MAL	Qian Hu Aquarium and Pets Sdn Bhd, Blk E, Lot 6212, Kg. Baru Balakong, 433000 Balakong, Selangor, Darul
IR	Mahiran Co., No. 30/479, Golshan St., Ramezani St., Ahmadabad Mostofi, 3313174711, Tehran Prov., Tel: 21 56715401
RP	New Tower Trading, 942, Benavidez St., Binondo, Manila, Philippines 1006
BRU	Petlink Entepreprise Sdn Bhd, Blk B, Units 24 & 25, Q-Lap Complex, Kiulap, BSB BE 1518, Brunei Darussalam
HK	Johnson Wai Aquarium Supply Co., Ltd., Unit B10, 3F, Merit Industr. Centre, 94 To Kwa Wan Road, To Kwa Wan, Kowloon, Hongkong
	FISH FACES COMPANY LIMITED, 218-220 Mansfield industrial centre, 19 Hong Yip Street. Yuen Long, Hong Kong, info@fish-faces.com, Tel: +852 2471 2555
TH	White Crane Aquarium Co Ltd, 332, Ladplakaw Road, Jorakae Bua, Ladpraw, Bangkok 10230, Thailand
VN	Green Chapter Co Ltd, 90 Vo Thi Sau, Tan Dinh Ward, District 1, HCMC, 70000, Vietnam
SL	BIOM Av.d.o.o, Hrastovec 16, 1236 Trzin, Slowenien, prodaja@aquashop.si, info@aquashop.si
	ZGD d.o.o, Hrastovec 16, 1236 Trzin, Slowenien, zgd@zgd.si, Tel: 040 604 645

Animals and pets in general generate emotions in all of us. Emotions will generate sales. EHEIM shopDesign provides you with the right displays and where necessary can help create a real world of senses.

EHEIM shopDesign is your one stop partner. Get everything from a single source. Technology is manufactured by EHEIM in Germany and the units are individually planned by our CAD designers. If need be an interior designer can suggest a theme which meets desires and budgets. The close cooperation with BNA the federation for nature and protection of species guarantees that EHEIM shopDesign is always up-to-date in animal welfare. Our own installation engineers ensure a clean, fast and precise installation on site.

EHEIM
shopDesign



Sales-effective shop fittings in experience-led design.

Experience-oriented worlds

From dream to reality

No matter what you are looking for whether it be a Maya temple, a jungle book inspired theme, a Roman building or a Mediterranean feeling, we can do it for you. Just provide us with a key word – and we get started. **EHEIM shopDesign** is the ideal partner at your side from the first sketches to the finished installation in your pet shop.

Sales psychology included.


Fittings

The equipment of your salesrooms gives an overall impression of your pet shop and therefore weighs significantly on the success of your pet shop area. Do you want to emphasize your professional competence? Do you need a counter where you can give your customers professional advice? Or are you looking for a practical packing table, lighting, shelving systems and a promotional presentation system? EHEIM shopDesign always has the right solutions ready.

Please contact us at:

phone +49 6361 - 9216 - 0

More information: www.eheim-shopdesign.de



Animal Sales Displays

Irrespective of the model you choose, being professional or basic, the fish racks from **EHEIM shopDesign** are all based on modular systems. Detailed advice and concrete proposals for the installation are all part of the service.

You select the size and the equipment as well as the desired trusted EHEIM mechanical and biological filtration technology ... and we do the rest.



You will find detailed information in the **shopDesign** catalogue

Art. 7990220

or as download:

www.eheim-shopdesign.de

EHEIM

shopDesign

Quality

By using high-quality materials and guaranteeing high manufacturing and assembly precision, the highest standards are met. The sophisticated technology and many years of experience ensure the smooth operation of the system.

Safety

All electric connections and cables have been manufactured in accordance with the VDE (German Association of Electro-technical Engineers) recommendations. The units are earthed. Even with water installations and aquariums, safety is assured.

Maintenance

By providing technically advanced systems and intelligent construction, we help to keep care and cleaning time to a minimum.

Expert planning

We plan everything for you right down to the very last detail. Comprehensive offers, expert CAD drawings, installation plans and personal visits are all part of our normal sales presentation.

Species-friendly husbandry

The best sales argument is healthy and lively animals. For this reason, we are mindful of species-appropriate husbandry and we adhere strictly to all rules and regulations of the TVT (German Veterinary Animal Welfare Association).

Design, colour and decor

The units can be designed according to your specific wishes. The surfaces can be swapped and customised at any time. The unit surfaces can be styled individually and can be replaced at any time. This way, a new ambience is created in your showroom again and again in a fast and uncomplicated way.



Carefully thought of, practical, species and maintenance friendly.

Are you looking for a perfect way to show your fish? EHEIM shopDesign has a vast selection of standard racks in its portfolio whether it be for the individual pet shop or the large retail chain. EHEIM shopDesign can make your wishes come true. Possibilities are endless with the reputation of EHEIM technology coming as a standard.

Exoticism, thrill and amazement are key words in the vocabulary of reptiles enthusiasts. These sensations can be duplicated and brought forward to your customers with the high-quality reptile units from EHEIM shopDesign. Even the most unusual and demanding species will thrive in a carefully studied environment finished in a contemporary and stylish look.



Aquatics

- User friendly and maintenance poor
- Tested and recognized materials thanks to decades of experience
- EHEIM equipment or made in-house
- Many additional options possible
- Modules are easily customised
- Assembled by our own engineers
- Modern aeration technology and ventilation where required
- Invisible corner connectors on the shop side
- Practical, prize winning flap doors

Reptiles

- Terrarium dimensions and equipment in accordance with veterinarian guidelines
- Generous ventilation areas for optimum air circulation
- Top covers made of Plexiglas = UV-transparent
- Elstein lamp (ceramic infrared lamp) with protective grid for reptile unit
- All units made with safety glass and lockable sliding doors
- Sprinkling unit, mister or heating on request
- All maintenance done from the front, even lamp changes
- Lower row suitable for dry goods merchandising

The rodent area is simply the most magical attraction for all kids and adults alike.

EHEIM shopDesign provides ideal habitats for hamsters and other rodents. Spacious glass surfaces offer a perfect view and also keeps the small curious hands at bay. Easy-to-clean materials are the best prerequisites for hygienic conditions.

The aquatic plant sales unit is a real eye catcher in any aquatic department.

EHEIM shopDesign is the ideal partner by your side to advise you to choose the right unit for a flourishing plant display. Perfectly coordinated tank heights for the different kind of plants, suitable lighting and the legendary EHEIM filtration technology.

The bird installation is a unique, acoustic, and visual addition to any pet shop.

EHEIM shopDesign not only designs and builds practical bird cages and aviaries but also takes important details into considerations to ensure the wellbeing of your birds (such as pivoting food and water bowls for stress free feeding).



Rodents

- High quality aluminium frame
- Unit sizes and equipment in accordance with veterinarian guidelines
- Generous ventilation areas for optimum air circulation
- All units with lockable sliding glass doors
- Includes drinking bottles with bracket
- Removable divider panels available
- Hygienic husbandry conditions by use of easy to clean materials

Aquatic plants

- High quality aluminium frame
- Corner connector with V2A steel core
- Double price tag rails
- EHEIM filter with integrated heater
- Water cascade made of V2A steel
- Plant baskets available on request
- Granite packing table top
- Customised lighting
- LED lighting optional

Birds

- Species-appropriate ventilation
- Handmade cages
- Litter tray made of stainless steel
- Anti-dirt seals in the cage bottom
- Antiglare shield (pearl Plexiglas)
- Adjustable perches and removable feeding trays
- Storage area underneath
- Removable divider panels made of PVC
- Aviaries with stainless steel bottoms
- Standard units according to veterinarian guidelines

These logos stand for your safety and quality



Product complies with the European guidelines



Safety tested:

Verified by the Verband Deutscher Elektrotechniker
(Association for Electrical, Electronic & Information Technologies)



Approved by the Technischen Überwachungsverein
(German Technical Supervisory Association)



DIN aquarium production standard
(mp reg. no. 191/07)



Waterproof IPX7



EHEIM quality guarantee



Suitable for fresh water



Suitable for marine water



Suitable for fresh water
Suitable for marine water



Suitable for pond



EHEIM High Performance Ceramics:

The axles and bearing sleeves of the impellers (ecco, eXperience, professional, professional II, professional 3, 3e, 4, 4+, 4e+, 5e) are made of High Performance Ceramics. This means exceptionally quiet running, smoothness, maximum resilience and extremely long service life.



EHEIM



EHEIM GmbH & Co. KG
Plochinger Str. 54
73779 Deizisau
Germany
Tel. +49 7153/70 02-01
Fax +49 7153/70 02-174

7992020/06.25-EN
Subject to technical alterations without
notice/Errors excepted. © EHEIM