

Pond catalogue 2021

Product range





EHEIM BEASTER180e - a powerful high-pressure cleaner. The versatile supplement to garden pond maintenance with a digital control system, WPS – washing programme system, many accessories and more.



NEW



CONTENT

	Page	
EHEIM PLAY	4	Water feature pumps
EHEIM FLOW	5	Pond pumps for filters & streams new
EHEIM compactOUT	6	Compact pumps for ponds
EHEIM MODUL4000	7	Internal filter new
EHEIM LOOP	8	Flow-through filter complete set
EHEIM LOOPpro	9	Flow-through filter complete set new
EHEIM PRESS	10	Pressure filter complete set
EHEIM CLEARUVC	11	UVC clarifier
EHEIM GLOWUVC	11	UVC replacement lamp
EHEIM AIR	12	Pond aerator
Accessories		
EHEIM THERMO200	13	Ice preventer
EHEIM VAC40	16	Vacuum cleaner for ponds
EHEIM BEASTER180e	17	High-pressure cleaner new
EHEIM patioPOND	20	Patio pond
EHEIM LAKE	21	Garden pond new
Filter media	22-23	Filterpads


PLAY

Compact dimensions - ideal for small ponds



EHEIM PLAY can be used for decorative fountains and statues or for supplying water to small streams.

- Compact dimensions – ideal for small ponds
- Choice of 3 nozzles for different water features
- Separately adjustable water outlet for supplying ornamental fountains and streams at the same time
- Extremely low-maintenance and easy to clean
- With overheating protection in case of low water levels




FLOW

Pond pumps for filters & streams



With the ultracompact super-silent pond pump **EHEIM FLOW** creating elegant streams or sparkling waterfalls is child's play. It is also ideally suited for supporting the pond filter system. The extremely robust pump technology also conveys larger dirt particles into your filter instead of blocking it.

- Dirt particles up to 8 mm in size can pass through
- Energy-efficient high performance motor
- Direction of rotation oriented pump impeller for high circulation capacity
- Suitable for continuous underwater use
- Extremely low-maintenance and easy to clean
- With overheating protection in case of low water level



Technical data PLAY

Technical data	PLAY1000	PLAY1500	PLAY2500	PLAY3500
Output max. l/h	870	1200	2300	3200
Delivery head Hmax m	1,2	1,4	2,4	2,9
Power consumption W	9	15	38	55
Cable length m	10	10	10	10
Dimensions WxDxH mm	143x101x109	143x101x109	189x135x140	189x135x140
Art. No. (Europe)	5100010	5101010	5102010	5103010
Art. No. (UK)	5100110	5101110	5102110	5103110

Technical data FLOW

Technical data	FLOW3500	FLOW5000	FLOW6500	FLOW9000	FLOW12000	FLOW16000 new
Output max. l/h	3200	4600	6200	9200	11900	15500
Delivery head Hmax m	2,9	3,1	3,6	3,6	4,0	4,5
Power consumption W	55	50	70	80	110	160
Hose diameter inch	1 - 1 1/4	1 - 1 1/4	1 - 1 1/4	1 - 1 1/4 - 1 1/2	1 - 1 1/4 - 1 1/2	1 - 1 1/4 - 1 1/2
Cable length m	10	10	10	10	10	10
Dimensions WxDxH mm	241x254x122	241x254x122	241x254x122	267x300x130	267x300x130	267x300x130
Art. No. (Europe)	5110010	5111010	5112010	5113010	5114010	5115010
Art. No. (UK)	5110110	5111110	5112110	5113110	5114110	5115110

FLOW forms the perfect basis for your pond system, reliably supplying water to your filter system and creating the optimum circulation for your pond. The extremely robust pump technology also allows large dirt particles to pass into the filter to prevent the pump from clogging. You can find our FLOW pumps in the LOOP complete sets (flow-through filters) or in the PRESS pressure filter sets.


compactOUT

Compact, powerful and silent

Compact pumps for ponds

Ideal for water games, indoor fountains and terrace ponds

- Compact pond pump, universal use
- Fastening by means of robust suction cups
- Including accessories such as suction basket and threaded coupling
- High pump performance at low power consumption



MODUL4000

The versatile (multipurpose) pond filter



The EHEIM Modul 4000 is a versatile filter for your pond: a modular filter and water feature pump in one.

- Internal pond filter - especially designed for individual applications
- The unit consists of a pump and individual filter modules, which can be either reduced or increased, depending on the size of the pond or the fish population
- Also suitable for shallow water due to the flat construction
- Inconspicuous due to its neutral colour
- Long service life thanks to extra large suction surface
- Mechanical-biological filtration
- Separately adjustable water outlet which can be used to operate a water feature, watercourse or UVC clarifier
- 3 nozzles or attachments for different water applications including: fountains and water bells „Dance“ - „Bubble“ - „Splash“
- Extremely low maintenance and easy to clean
- For ponds up to 4000 litres without fish - up to 2000 litres with fish



Technical data compactOUT



compactOUT600



compactOUT1000

Technical data	compactOUT600	compactOUT1000
Output max. l/h	250-600	400-1000
Delivery head Hmax m	0,6	1,4
Power consumption W	7	15
Hose diameter mm	12/16	16/22 19/27
Cable length m	10	10
Dimensions WxDxH mm	72x38x62	79x47x73
Art. No. (Europe)	1021010	1022010
Art. No. (UK)	1021110	1022110

compactOUT600



compactOUT1000



Technical data MODUL4000



MODUL4000 **new**

Technical data	MODUL4000
Output max. l/h	2300
Delivery head Hmax m	2,4
Power consumption W	38
Cable length m	10
Pond size without fish l	4000
Pond size with fish l	2000
Pond size with koi l	1000
Dimensions WxDxH mm	120x385x230
Art. No. (Europe)	5205020
Art. No. (UK)	5205510

The size of your pond doesn't matter.

The EHEIM Modul 4000 consists of a pump and individual filter modules, the number of which can be reduced or increased, as required, depending on the size of the pond and the fish population. The Modul 4000 has a separate adjustable water outlet which can be operated as a water feature pump, create a stream or connect to a UVC clarifier. The filter can be easily concealed, even in shallow water, due to its slim design and neutral colour.



LOOP

Complete set with flow-through filter



The biological - mechanical 4 stage process of the **EHEIM LOOP** filter system guarantees a natural environment. The water is automatically pumped through several filter layers and then through the integrated UV clarifier, before flowing back into your pond free of algae and dirt particles. All components are perfectly coordinated with each other and are extremely low-maintenance.

- Ready-to-install complete set
- Integrated PLAY or FLOW energy-saving pump
- New spray arm for optimum distribution of pond water onto the filter media
- Includes original EHEIM filter media



LOOPpro

Unique – with a prefilter and more ...



With the **EHEIM LOOPpro** we offer unique conditions for crystal clear, healthy water in your pond.

LOOPpro is the ideal filter for your pond because it offers unusual advantages. It is the only filter in the „mid range“ to have a prefilter (inspired by the EHEIM external aquarium filters).

- Complete set - ready for installation
- 2 models for medium sized ponds up to 6000 and 8000 litres (without fish stock - see table for more details)
- Coordinated energy-saving pump in each filter
- Integrated UV clarifier CLEARUVC
- 3-chamber filter system (separately sealed compartments)
- Unique with prefilter
- Easy Clean – Backwash
- Dirt level indicator
- Extremely low maintenance
- Including original EHEIM filter media (prefilter pad, filter cartridges, bioballs)
- All components perfectly coordinated for optimal efficiency



Technical data LOOP

Technical data	LOOP5000	LOOP7000	LOOP10000	LOOP15000
Art. No. (Europe)	5200020	5201020	5202020	5203020
Art. No. (UK)	5200510	5201510	5202510	5203510
Pond size without fish l	5000	7000	10000	15000
Pond size with fish l	2500	3500	5000	7500
Pond size with koi l	1300	1800	2600	3900
Dimensions WxDxH mm	400x315x263	400x315x388	603x398x368	603x398x368
Filter media	FILTERBIO (A)	FILTERBIO (A)	FILTERMEC (B)	FILTERMEC (B)
Pump	PLAY1500	FLOW2500	FLOW3500	FLOW5000
Output max. l/h	1200	2300	3200	4600
Delivery head Hmax m	1,4	2,4	2,9	3,1
Power consumption W	15	38	55	50
Cable length m	10	10	10	10
Dimensions WxDxH mm	143x101x109	241x254x122	241x254x122	241x254x122
UVC clarifier	CLEARUVC7	CLEARUVC9	CLEARUVC11	CLEARUVC11
Power lamp W	7	9	11	11
Power UVC W	9	11	14	14
Cable length m	5	5	5	5

Technical data LOOPpro

Technical data	LOOPpro6000	LOOPpro8000
Art. No. (Europe)	5215020	5216020
Art. No. (UK)	5215510	5216510
Pond size without fish l	6000	8000
Pond size with fish l	3000	4000
Pond size with koi l	1500	2000
Dimensions WxDxH mm	525x435x290	525x435x380
Filtermaterial	BIOBALL	BIOBALL
Pump	PLAY1500	FLOW2500
Output max. l/h	1200	2300
Delivery head Hmax m	1,4	2,4
Power consumption W	15	38
Cable length m	10	10
Dimensions WxDxH mm	143x101x109	241x254x122
UVC clarifier	CLEARUVC9	CLEARUVC11
Power lamp W	9	11
Power UVC W	11	14
Cable length m	5	5

PRESS

Complete set with pressure filter



The innovative **EHEIM PRESS** pressure filter combines maximum filter performance with ease of operation in a way that sets new standards. Thanks to the revolutionary backwash technology, the system can be effectively cleaned without opening the filter: Simply turn the lever in the lid down and the water flows in the reverse direction, cleaning the filter as it goes.

- Very powerful, ready-to-install set with revolutionary BACKWASH cleaning technology
- Integrated energy-saving FLOW pump with overheating protection in the event of low water levels
- Outer container made of shock-proof and UV-resistant all-weather plastic
- Includes original EHEIM filter media (optional: activated carbon pad REFINECOAL)



BACKWASH technology reverses the flow of water thus cleaning the filter – without opening or dismantling it.



Technical data PRESS

Technical data	PRESS7000	PRESS7000 incl. CLEARUVC9	PRESS10000	PRESS10000 incl. CLEARUVC11
Art. No. (Europe)	5210020	5212020	5211020	5213020
Art. No. (UK)	5210510	-	5211510	-
Pond size without fish l	7000	7000	10000	10000
Pond size with fish l	3500	3500	5000	5000
Pond size with koi l	1800	1800	2500	2500
Dimensions ø x H mm	320x460	320x460	320x600	320x600
Pump	FLOW2500	FLOW2500	FLOW3500	FLOW3500
Output max. l/h	2300	2300	3200	3200
Delivery head Hmax m	2,4	2,4	2,9	2,9
Power consumption W	38	38	55	55
Cable length m	10	10	10	10
Dimensions WxDxH mm	241x254x122	241x254x122	241x254x122	241x254x122
UVC clarifier	-	CLEARUVC9	-	CLEARUVC11
Power lamp W	-	9	-	11
Power UVC W	-	11	-	14
Cable length m	-	5	-	5
Dimensions WxDxH mm	-	132x263x129	-	132x263x129

CLEARUVC

Efficient, energy-saving, durable!



Floating algae can cloud pond water and pathogenic germs and bacteria can threaten the health of the fish. The CLEAR UVC guarantees a highly efficient remedy by targeting harmful pathogens and bacteria with UV radiation whilst maintaining crystal clear pond water.

- Including high-quality UVC lamp with long service life
- 2 hose connections ø 13 = 1/2", ø 20 = 3/4", ø 25 = 1"
- Low energy consumption even with continuous operation
- Outer container made of impact-resistant and UV-resistant all-weather plastic
- Can be used individually or in combination with PRESS and LOOP/LOOPpro pond filter sets

CLEARUVC24/36/60

- 3 hose connections: ø 25 = 1", ø 32 = 1 1/4", ø 40 = 1 1/2"



Technical data CLEARUVC

Technical data	CLEARUVC7	CLEARUVC9	CLEARUVC11	CLEARUVC18	CLEARUVC24	CLEARUVC36	CLEARUVC60
Power lamp W	7	9	11	18	24	36	60
Power UVC W	9	11	14	18	26	38	60
Pond size without fish l	7000	10000	15000	20000	26000	36000	60000
Pond size with fish l	3500	5000	7500	10000	13000	18000	30000
Pond size with koi l	1800	2500	3800	5000	6500	9000	15000
Dimensions WxDxH mm	132x263x129	132x263x129	132x263x129	132x263x129	178x496x160	178x496x160	178x496x160
Cable length m	5	5	5	5	5	5	5
Art. No. (Europe)	5300010	5301010	5302010	5303010	5304010	5305010	5306010
Art. No. (UK)	5300110	5301110	5302110	5303110	5304110	5305110	5306110

Accessories GLOWUVC

Replacement lamps 7W, 9W, 11W, 18W, 24W, 36W, 60W
Set of sealing ring included.



WARNING: UV-C radiation can harm eyes and skin even in small doses.



AIR

Efficient, energy-saving, durable!

Sufficient oxygen is important for the biological processes that support both fish and plants in the garden pond. The AIR pond aerator provides the essential oxygen supply for your pond and its inhabitants as well as ensuring better filtration results due to improved water circulation. The additional oxygen supply also aids in the bacterial degradation of harmful substances - creating a healthy pond environment.

- Super silent
- Energy efficient
- Optimum oxygen supply for fish and plants
- With UV resistant, sturdy housing and robust pump technology
- Easy handling



Technical data AIR

Technical data	AIR500	AIR1000
Output max. l/h	540	1000
Delivery head Hmax m	2,2	2,8
Power consumption W	5	8,5
Cable length m	3	3
Dimensions WxDxH mm	176x118x103	176x118x103
Art. No. (Europe)	5320010	5321010
Art. No. (UK)	5320110	5321110



Including 2 aerator stones, 2 hoses for aeration 5m each, 2 Two-in-one connecting piece for two outlets and 2 non-return valves

THERMO200

Unbreakable stainless steel heater




The surface of the garden pond should never completely freeze over as toxic gases then become trapped under the ice. The **EHEIM ice preventer prevents the pond surface freezing over (up to -20°C (-4°F))** enabling the toxic gases to escape and the vital gas exchange to take place at the pond surface. This allows the biological self-cleaning and detoxification of the pond water to remain unchanged and fish and microorganisms are still supplied with oxygen.

- Maintains a vital gas exchange at the pond surface
- Continuous supply of vital oxygen for fish and microorganisms
- Biological self-cleaning and detoxification of the pond water remains unchanged
- Toxic fermentation gases can escape
- Unbreakable, robust heater made of stainless steel
- Prevents complete freezing of the pond surface
- Keeps ice-free up to -20 °C (-4°F)



Technical data THERMO200

Technical data	THERMO200
Power consumption W	200
Keeps ice-free up to °C / °F	-20 / -4
Cable length m	10
Dimensions WxDxH mm	322x160x160
Art. No. (Europe)	5340010
Art. No. (UK)	5340110



EHEIM
VAC40



VAC40



Vacuum cleaner for gentle cleaning of the pond bottom of pond mud and dead plant parts.

- Prevents the formation of rotten spots at the bottom of the pond
- Reduces unwanted oxygen consumption through degradation processes at the bottom of the pond
- Maximum suction head 2,0 m
- Generously dimensioned 40 l tank
- Powerful 1300 watt motor
- Fully automatic activation and emptying through built-in timing control
- Easy handling due to stable holding bracket
- Comfort cable length of 7.5 m

Accessories included:

4 m suction hose ø 35 mm, suction pipe with universal suction nozzle, 2,5 m drain hose ø 50 mm, filter element.



Technical data VAC40



VAC40

Technical data

Power consumption W	1300
Maximum suction head m	2
Canister volume l	40
Cable length m	7,5
Dimensions WxDxH mm	392x507x844
Art. No. (Europe)	5360010
Art. No. (UK)	5360110



Accessories

Nozzle set and filter for EHEIM VAC40 WET & DRY (Optional)

- Filter cartridge for usage as dry suction cleaner
- Flat nozzle
- Suction brush
- Floor nozzle with brush insert

Art. No. 5360005

BEASTER180e

Super cleaning power.



Your garden pond is an oasis of relaxation but occasionally moss or dirt on the garden path, patio, garden furniture and even the garden walls can detract from this idyllic setting. That is why we can now offer you a top-quality, high-pressure cleaner.

- High-pressure cleaner with digital control and cleaning system
- Ideal for pavements, patios, exterior facades or vehicles
- WPS – wash programme system (3 pressure levels - gentle, medium, strong)
- Integrated detergent tank with automatic suction
- Automatic stop system
- Lance with quick release system for exchangeable lance heads
- Ergonomic pistol grip with child lock
- Practical cable length of ca. 7,5 m
- Child lock on the unit
- Maintenance display
- Stand-by indicator
- With handy accessory holder



Technical data BEASTER180e



BEASTER180e **new**

Technical data

Power consumption W	2500
Max. pressure bar	180
Flow rate l/h	510
Max. water feed temperature °C / °F	40 / 104
Cable length m	7,5
Dimensions WxDxH mm	330x330x860
Art. No. (Europe)	5370010
Art. No. (UK)	5370110



Many accessories included: Pistol grip, lance, ca. 8m pressure hose, cleaning brush, rotating cleaning brush, high pressure nozzle, Turbo nozzle, cleaning agent nozzle, eco nozzle, water connector with sieve insert



Patio Pond

An attractive biotope for the terrace



With the EHEIM patio pond, you can enjoy the ambience of natural water flow. A small, natural biotope – for any outdoor space.

Water feels good. A pond calms, it cools the air and looks fresh and alive. Add a few water plants - and you will have a perfect mini-biotope. The EHEIM patio pond is a raised-level pond that is simply placed wherever you want, either in the garden or on the patio. The wood panelling, which is open at the bottom, is used as both cladding and a seating area – making the EHEIM patio pond an attractive piece of garden furniture. The under seat storage compartment is designed to conceal the technical equipment and accessories. The heart, however, is the integrated 200 lt pond. A few water and marsh plants can be planted in this mini-biotope - just cover the base with a few centimetres of well washed gravel and place the larger plants in position. Smaller marsh plants can be planted in the plant basket and placed on bricks in the water. Simple.



Technical data Patio Pond



Patio Pond

Technical data	Patio Pond
Wood	Spruce
Water tank (plastic) l	200
Weight without water kg	50
Dimensions WxDxH mm	130x53x95,5
Art. No. (Europe)	0791902
Art. No. (UK)	0791905




The EHEIM pond patio comes complete with the EHEIM PRESS 7000 pond pressure filter – designed for high filter performance and exceptional ease of use.

EHEIM PRESS7000 Pressure filter:

- Very powerful, ready-to-install complete set with revolutionary BACKWASH cleaning technology: Simply turn the lever in the lid and the water flows in reverse direction - cleaning the filter.
- Integrated EHEIM FLOW2500 energy-saving pump with overheating protection in the event of water shortage.
- Outer container made of shockproof and UV-resistant all-weather plastic
- Includes original EHEIM filter media

LAKE



- User-friendly alternative to the pond with liner
- Quick uncomplicated set up
- Naturally curved basic shapes
- Several pond zones provide an optimal climate for flora and fauna
- High-quality workmanship, robust material

Step-by-step instructions:

- 1) Place the pond with the edge facing downwards on flat ground and mark the perimeter
- 2) Dig a hole maintaining a greater distance from the edge of the pond, clearing the ground of any stones or debris.
- 3) Cover the bottom with 10-15cm of sand and compact it thoroughly.
- 4) Insert the pond making sure that it is perfectly horizontal and fill the remaining part that has been dug out with sand.




Technical data LAKE

Technical data	LAKE150	LAKE300	LAKE500	LAKE800
Filling quantity l	150	300	500	800
Area m ²	0,62	0,95	1,55	2,11
Dimensions cm	114x74	146x87	190x105	196x140
Max. depth cm	45	53	52	50
Art. No. (Europe)	5000150	5000300	5000500	5000800
Art. No. (UK)	-	-	-	-
Shape				



EHEIM LAKE800

REPLAY/REFINE/FILTER



REPLAYFINE filter pads and **REPLAYRAW** coarse filter pads perform different functions in the media layering in EHEIM filters and, depending on the model, combine mechanical, biological and adsorptive filtration.

The mechanical filter media **FILTERMEC** trap dirt and fine particles. This takes place before the water flows through the rest of the cleaning process and also at further stages in the process.

The biological filter media **FILTERBIO** offers the best colonisation conditions for bacteria cultures. The purification bacteria convert harmful substances in a natural way.

The adsorptive filter media **REFINECOAL** removes and retains harmful substances like chlorine, remains of cleaning agents, water treatments, colouring agents and so on.



Filter sponge/Prefilter pad/BioBalls





Filter sponge for mechanical and biological filtration The porous material becomes evenly soaked with water and traps large and small dirt particles. After a short start-up period purification bacteria, which provide intensive biological decomposition of harmful substances, colonise the specially structured foam. To clean them simply rinse and squeeze out, so that the bacteria cultures are not completely destroyed.

- Reusable, washable
- Phenol-free
- After 3 cleanings change sponge

Pre-filtration through foam filter pad The large pre-filter at the top removes coarse dirt particles from the incoming water before the actual filtering process begins. This extends the intervals between cleaning of the filter.



Data						
	REPLAYFINE	REPLAYFINE	REPLAYFINE	REPLAYRAW	REPLAYRAW	REPLAYRAW
Usage for	LOOP5000 LOOP7000	LOOP10000 LOOP15000	PRESS7000 PRESS10000	LOOP5000 LOOP7000	LOOP10000 LOOP15000	PRESS7000 PRESS10000
Content	2 pieces	2 pieces	2 pieces	2 pieces	2 pieces	2 pieces
Art. No. (Europe)	2629210	2629310	2630210	2629410	2629510	2630310
Art. No. (UK)	-	-	-	-	-	-

Data					
	REFINECOAL	REFINECOAL	REFINECOAL	FILTERBIO	FILTERMEC
Usage for	LOOP5000 LOOP7000	LOOP10000 LOOP15000	PRESS7000 PRESS10000	-	-
Content	1 piece	1 piece	1 piece	1440g	145g
Art. No. (Europe)	2629010	2629110	2630010	2516101	2517101
Art. No. (UK)	-	-	-	-	-

Data					
	Filter sponge	Filter sponge	Prefilter pad	BioBalls	BioBalls
Usage for	LOOPpro6000	LOOPpro8000	LOOPpro6000 LOOPpro8000	-	-
Content	2 pieces	2 pieces	2 pieces	55 pieces	110 pieces
Art. No. (Europe)	2629610	2629710	2629810	2518051	2518101
Art. No. (UK)	-	-	-	-	-

EHEIM BioBalls:

The cleverly designed BioBalls are made of pH-neutral plastic and have a spherical disc like structure that makes them flexible. The diameter varies between 20 and 32mm which means that the water flow is guaranteed even in the case of heavy contamination. The filter effect is both mechanical and biological. Dirt particles are retained between the balls and, due to the layered structure, the BioBalls offer a large colonisation area for nitrifying bacteria. The water can flow past and through unhindered, supplying the bacteria with the optimal amount of oxygen. This process is ideal for the growth of bacterial colonies and causes rapid detoxification of the water. EHEIM BioBalls are suitable for larger aquarium and pond external filters and can be combined with other filter media. They can be rinsed out and used several times.

EHEIM recommends:

Never wash filter material hot or with chemical cleaning agents, as this destroys the sensitive bacteria. Only clean the filter material when the flow rate of the filter decreases significantly, as this allows the valuable filter bacteria to settle optimally.



EHEIM



EHEIM GmbH & Co. KG

Ploching Str. 54
73779 Deizisau
Germany
Phone +49 7153/70 02-01

